

# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**TB- JUICED (EDIBLE LIQUID) // PRODUCED: MAY 28, 2026**

**CLIENT: TASTEFULLY BAKED // BATCH: PASS**



**BATCH NO.:** TBJTPE26 <sup>1</sup>  
**MATRIX:** EDIBLE LIQUID <sup>1</sup>  
**DENSITY:** 0.999 g/ml <sup>2</sup>  
**SAMPLE ID:** NAL-260526-037  
**COLLECTED ON:** MAY 26, 2026  
**RECEIVED ON:** MAY 26, 2026  
**SAMPLE SIZE:** 1419 ML <sup>1</sup>  
**SAMPLED BY:** JANELLE LAPLANTE  
**RECEIVED BY:** ZACHARY SMITH  
**SERVING SIZE:** 473 ML <sup>1</sup>  
**PACKAGE SIZE:** 473 ML <sup>1</sup>

## CANNABINOID OVERVIEW

**Δ<sup>9</sup>-THC:** 94.5 mg/srv  
**Δ<sup>10</sup>-THC:** 14.9 mg/srv  
**TOTAL CANNABINOIDS:** 115 mg/srv

<sup>1</sup> ENTERED BY CLIENT, <sup>2</sup> ENTERED BY LAB

**BATCH RESULT: PASS**

<b>POTENCY</b>	TESTED
<b>HOMOGENEITY</b>	PASS

### CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAY 27, 2026 // ANALYSIS: MAY 27, 2026

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		ND	ND	0.000823/0.00165	N/A	Δ <sup>10</sup> -THC	0.00315 %	0.0315 mg/ml	0.000823/0.00165	N/A	
CBCA		ND	ND	0.000823/0.00165	N/A	EXO-THC	ND	ND	0.00165/0.00165	N/A	
CBD		ND	ND	0.000823/0.00165	N/A	THCA	ND	ND	0.00165/0.00165	N/A	
CBDA		ND	ND	0.000823/0.00165	N/A	THCV	< LOQ	< LOQ	0.000823/0.00165	N/A	
CBDV		ND	ND	0.000823/0.00165	N/A	THCVA	ND	ND	0.000823/0.00165	N/A	
CBDVA		ND	ND	0.000823/0.00165	N/A	<b>TOTAL THC**</b>	0.0200 %	0.200 mg/ml		N/A	
CBG	0.000488 %	0.00488 mg/ml	0.000823/0.00165	0.000823/0.00165	N/A	<b>TOTAL CBD**</b>	ND	ND		N/A	
CBGA	ND	ND	0.000823/0.00165	0.000823/0.00165	N/A	<b>CBD/SRV</b>	ND	ND		N/A	
CBL	ND	ND	0.00165/0.00165	0.00165/0.00165	N/A	<b>Δ<sup>9</sup>-THC/SRV</b>	94.5 mg			N/A	
CBLA	ND	ND	0.000823/0.00165	0.000823/0.00165	N/A	<b>TOTAL THC/SRV**</b>	94.5 mg			N/A	
CBN	0.000486 %	0.00486 mg/ml	0.000823/0.00165	0.000823/0.00165	N/A	<b>TOTAL CBD/SRV**</b>	ND			N/A	
CBNA	ND	ND	0.000823/0.00165	0.000823/0.00165	N/A	<b>CBD/PKG</b>	ND			N/A	
Δ <sup>8</sup> -THC	0.000234 %	0.00234 mg/ml	0.00165/0.00165	0.00165/0.00165	N/A	<b>Δ<sup>9</sup>-THC/PKG</b>	94.5 mg			N/A	
Δ <sup>9</sup> -THCA	ND	ND	0.00165/0.00165	0.00165/0.00165	N/A	<b>TOTAL THC/PKG**</b>	94.5 mg			N/A	
Δ <sup>9</sup> -THC	0.0200 %	0.200 mg/ml	0.000823/0.00165	0.000823/0.00165	N/A	<b>TOTAL CBD/PKG**</b>	ND			N/A	

\*\* TOTAL THC = (THCA X 0.877) + DELTA-9-THC

\*\* TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis.

1000 µg/g = 1 mg/g



**AUTHORIZED BY:**  
 ZACHARY SMITH  
 LABORATORY MANAGER, NOVA  
 ANALYTIC LABS  
 MAY 28, 2026



**HOMO.1: HOMOGENEITY BY HPLC-UV**  
**PREPARATION: MAY 27, 2026 // ANALYSIS: MAY 27, 2026**

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
TOTAL CBD RSD		0.000	N/A	TOTAL THC RSD	15 %	2.94	PASS

**NOTES**

**ZACHARY SMITH**      **POTENCY & CANNABINOID PROFILE BY HPLC-UV**  
MAY 28, 2026      THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

*\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

**END OF REPORT**

