

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

TB - TANK (EXTRACT) // PRODUCED: AUG 18, 2022

CLIENT: TASTEFULLY BAKED // BATCH: PASS



BATCH NO.: TB - CANNALOUPEHAZE-0822
MATRIX: EXTRACT
SAMPLE ID: NAL-220812-021
COLLECTED ON: AUG 12, 2022
RECEIVED ON: AUG 12, 2022
SAMPLE SIZE: 1.04 G
SAMPLED BY: JANELLE LAPLANTE
RECEIVED BY: ALEX ERAMO

CANNABINOID OVERVIEW

Δ⁹-THC: 73.0 %
CBG: 0.945 %
TOTAL CANNABINOIDS: 74.7 %

CULTIVATOR INFO

CULTIVATOR
 COREY LAPLANTE
 65 MILLIKEN STREET
 PORTLAND, ME 04103

LICENSE
 CGR26048
 MEDICAL REFERENCE

BATCH RESULT: PASS

POTENCY TESTED
SOLVENTS PASS
TERPENES TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: AUG 15, 2022 // ANALYSIS: AUG 16, 2022

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC	< LOQ	< LOQ		0.134/0.669	N/A
CBCA	ND	ND		0.134/0.669	N/A
CBD	ND	ND		0.134/0.669	N/A
CBDA	ND	ND		0.134/0.669	N/A
CBDV	ND	ND		0.134/0.669	N/A
CBDVA	ND	ND		0.134/0.669	N/A
CBG	0.945 %	9.45 mg/g		0.134/0.669	N/A
CBGA	< LOQ	< LOQ		0.134/0.669	N/A
CBL	ND	ND		0.134/0.669	N/A
CBLA	ND	ND		0.134/0.669	N/A
CBN	ND	ND		0.134/0.669	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBNA		ND	ND	0.134/0.669	N/A
Δ ⁸ -THC		ND	ND	0.134/0.669	N/A
Δ ⁸ -THCA		ND	ND	0.134/0.669	N/A
Δ ⁹ -THC	73.0 %	730 mg/g		0.134/0.669	N/A
Δ ¹⁰ -THC		ND	ND	0.134/0.669	N/A
EXO-THC		ND	ND	0.134/0.669	N/A
THCA	0.751 %	7.51 mg/g		0.134/0.669	N/A
THCV	< LOQ	< LOQ		0.134/0.669	N/A
THCVA		ND	ND	0.134/0.669	N/A
TOTAL THC**	73.7 %	737 mg/g			N/A
TOTAL CBD**		ND	ND		N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 AUG 18, 2022



RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 AUG 18, 2022



RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 AUG 18, 2022



TERPENES BY HEADSPACE GC-MS
PREPARATION: AUG 18, 2022 // ANALYSIS: AUG 18, 2022

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
TOTAL TERPENES	9.50 %	95.0 mg/g		N/A
β-MYRCENE	3.96 %	39.6 mg/g	0.520/1.04	N/A
D-LIMONENE	2.24 %	22.4 mg/g	0.520/1.04	N/A
α-PINENE	1.14 %	11.4 mg/g	0.520/1.04	N/A
α-OCIMENE	1.07 %	10.7 mg/g	0.260/0.520	N/A
β-CARYOPHYLLENE	0.531 %	5.31 mg/g	0.520/1.04	N/A
α-HUMULENE	0.218 %	2.18 mg/g	0.520/1.04	N/A
LINALOOL	0.290 %	2.90 mg/g	0.520/1.04	N/A
β-OCIMENE	0.0551 %	0.551 mg/g	0.260/0.520	N/A
TERPINOLENE	< LOQ	< LOQ	0.520/1.04	N/A
β-PINENE	< LOQ	< LOQ	0.520/1.04	N/A
CAMPHERE	< LOQ	< LOQ	0.520/1.04	N/A

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
α-BISABOLOL	ND	ND	0.520/1.04	N/A
GERANIOL	ND	ND	0.520/1.04	N/A
P-CYME	ND	ND	0.520/1.04	N/A
ISOPULEGOL	ND	ND	0.520/1.04	N/A
CIS-NEROLIDOL	ND	ND	0.520/1.04	N/A
γ-TERPINENE	ND	ND	0.520/1.04	N/A
EUCALYPTOL	ND	ND	0.520/1.04	N/A
Δ ³ -CARENE	ND	ND	0.520/1.04	N/A
CARYOPHYLLENE OXIDE	ND	ND	0.520/1.04	N/A
α-TERPINENE	ND	ND	0.520/1.04	N/A
TRANS-NEROLIDOL	ND	ND	0.520/1.04	N/A

RSOL.1: RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS
PREPARATION: AUG 12, 2022 // ANALYSIS: AUG 12, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.491/0.981	PASS
ACETONE	5000 µg/g	ND	49.1/98.1	PASS
ACETONITRILE	410 µg/g	ND	49.1/98.1	PASS
BENZENE	1 µg/g	ND	0.491/0.981	PASS
BUTANE	5000 µg/g	67.2	0.981/2.45	PASS
CHLOROFORM	1 µg/g	ND	0.491/0.981	PASS
ETHANOL	5000 µg/g	ND	19.6/49.1	PASS
ETHYL ACETATE	5000 µg/g	ND	9.81/19.6	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.491/0.981	PASS
ETHYL ETHER	5000 µg/g	ND	9.81/19.6	PASS
HEPTANE	5000 µg/g	25.8	9.81/19.6	PASS

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
HEXANE	290 µg/g	ND	0.981/2.45	PASS
ISOPROPYL ALCOHOL	5000 µg/g	ND	49.1/98.1	PASS
METHANOL	3000 µg/g	ND	49.1/98.1	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.491/0.981	PASS
PENTANE	5000 µg/g	ND	49.1/98.1	PASS
PROPANE	5000 µg/g	ND	19.6/39.3	PASS
TOLUENE	890 µg/g	ND	4.91/9.81	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.491/0.981	PASS
O-XYLENE	2170 µg/g	ND	9.81/19.6	PASS
P- AND M-XYLENE	2170 µg/g	ND	19.6/39.3	PASS
TOTAL XYLENES	2170 µg/g	ND		PASS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT

