

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

TB (EDIBLE SOLID) // PRODUCED: NOV 16, 2023

CLIENT: TASTEFULLY BAKED // BATCH: PASS



BATCH NO.: TB - PDB - 1123 ¹
MATRIX: EDIBLE SOLID ¹
SAMPLE ID: NAL-231113-031
COLLECTED ON: NOV 13, 2023
RECEIVED ON: NOV 13, 2023
SAMPLE SIZE: 99.8 G ¹
SAMPLED BY: JANELLE LAPLANTE
RECEIVED BY: TORI DANIS
SERVING SIZE: 4.16 G ¹
PACKAGE SIZE: 100 G ¹

CANNABINOID OVERVIEW

Δ⁹-THC: 16.6 mg/srv
Δ¹⁰-THC: 3.96 mg/srv
TOTAL CANNABINOIDS: 22.5 mg/srv

¹ ENTERED BY CLIENT

CULTIVATOR INFO

CULTIVATOR
 COREY LAPLANTE
 65 MILLIKEN STREET
 PORTLAND, ME 04103

LICENSE
 CGR26048
 MEDICINAL - CAREGIVER

BATCH RESULT: PASS

POTENCY TESTED

CAN. 1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: NOV 15, 2023 // ANALYSIS: NOV 16, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.00304/0.00609	N/A
CBCA		ND	ND	0.00304/0.00609	N/A
CBD		ND	ND	0.00304/0.00609	N/A
CBDA		ND	ND	0.00304/0.00609	N/A
CBDV		ND	ND	0.00304/0.00609	N/A
CBDVA		ND	ND	0.00304/0.00609	N/A
CBG	0.0102 %	0.102 mg/g		0.00304/0.00609	N/A
CBGA		ND	ND	0.00304/0.00609	N/A
CBL		ND	ND	0.00609/0.00609	N/A
CBLA		ND	ND	0.00304/0.00609	N/A
CBN	0.0238 %	0.238 mg/g		0.00304/0.00609	N/A
CBNA		ND	ND	0.00304/0.00609	N/A
Δ ⁸ -THC	0.0129 %	0.129 mg/g		0.00609/0.00609	N/A
Δ ⁸ -THCA		ND	ND	0.00609/0.00609	N/A
Δ ⁹ -THC	0.399 %	3.99 mg/g		0.00304/0.00609	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
Δ ¹⁰ -THC		0.0953 %	0.953 mg/g	0.00304/0.00609	N/A
EXO-THC		ND	ND	0.00609/0.00609	N/A
THCA		ND	ND	0.00609/0.00609	N/A
THCV		< LOQ	< LOQ	0.00304/0.00609	N/A
THCVA		ND	ND	0.00304/0.00609	N/A
TOTAL THC**		0.399 %	3.99 mg/g		N/A
TOTAL CBD**		ND	ND		N/A
CBD/SRV		ND	ND		N/A
Δ ⁹ -THC/SRV		16.6 mg			N/A
TOTAL THC/SRV**		16.6 mg			N/A
TOTAL CBD/SRV**		ND			N/A
CBD/PKG		ND			N/A
Δ ⁹ -THC/PKG		399 mg			N/A
TOTAL THC/PKG**		399 mg			N/A
TOTAL CBD/PKG**		ND			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 NOV 16, 2023

NOTES

ZACHARY SMITH
NOV 16, 2023

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

