

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

TB - HONEY POT (EDIBLE SOLID) // PRODUCED: JAN 11, 2024

CLIENT: TASTEFULLY BAKED // BATCH: PASS



BATCH NO.: TB - HONEY - 0124 ¹
MATRIX: EDIBLE SOLID ²
SAMPLE ID: NAL-240109-023
COLLECTED ON: JAN 09, 2024
RECEIVED ON: JAN 09, 2024
SAMPLE SIZE: 160 G ¹
SAMPLED BY: JANELLE LAPLANTE
RECEIVED BY: ALEX ERAMO
SERVING SIZE: 7 G ¹

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

CANNABINOID OVERVIEW

Δ⁹-THC: 11.1 mg/srv
Δ¹⁰-THC: 2.62 mg/srv
TOTAL CANNABINOIDS: 13.72 mg/srv

CULTIVATOR INFO

CULTIVATOR
 COREY LAPLANTE
 65 MILLIKEN STREET
 PORTLAND, ME 04103
LICENSE
 CGR26048
 MEDICINAL - CAREGIVER

BATCH RESULT: PASS

POTENCY TESTED

CAN. 1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: JAN 10, 2024 // ANALYSIS: JAN 11, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.00333/0.00666	N/A	Δ ⁸ -THCA		ND	ND	0.00666/0.00666	N/A
CBCA		ND	ND	0.00333/0.00666	N/A	Δ ⁹ -THC	0.158 %	1.58 mg/g	0.00333/0.00666	N/A	
CBD		ND	ND	0.00333/0.00666	N/A	Δ ¹⁰ -THC	0.0374 %	0.374 mg/g	0.00333/0.00666	N/A	
CBDA		ND	ND	0.00333/0.00666	N/A	EXO-THC		ND	0.00666/0.00666	N/A	
CBDV		ND	ND	0.00333/0.00666	N/A	THCA		ND	0.00666/0.00666	N/A	
CBDVA		ND	ND	0.00333/0.00666	N/A	THCV		ND	0.00333/0.00666	N/A	
CBG		ND	ND	0.00333/0.00666	N/A	THCVA		ND	0.00333/0.00666	N/A	
CBGA		ND	ND	0.00333/0.00666	N/A	TOTAL THC**	0.158 %	1.58 mg/g		N/A	
CBL	0.0178 %	0.178 mg/g		0.00666/0.00666	N/A	TOTAL CBD**		ND		N/A	
CBLA		ND	ND	0.00333/0.00666	N/A	CBD/SRV		ND		N/A	
CBN	0.00889 %	0.0889 mg/g		0.00333/0.00666	N/A	Δ ⁹ -THC/SRV		11.1 mg		N/A	
CBNA		ND	ND	0.00333/0.00666	N/A	TOTAL THC/SRV**		11.1 mg		N/A	
Δ ⁸ -THC		ND	ND	0.00666/0.00666	N/A	TOTAL CBD/SRV**		ND		N/A	

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 JAN 11, 2024

NOTES

ZACHARY SMITH
JAN 11, 2024

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

