

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

TB - JUICED (EDIBLE LIQUID) // THIS IS A REVISED COA ISSUED MAR 11, 2024

CLIENT: TASTEFULLY BAKED // BATCH: PASS



BATCH NO.: TB - JPOG0223 ¹
MATRIX: EDIBLE LIQUID ¹
DENSITY: 0.9988 g/ml ²
SAMPLE ID: NAL-240221-106
COLLECTED ON: FEB 21, 2024
RECEIVED ON: FEB 21, 2024
SAMPLE SIZE: 355 ML ¹
SAMPLED BY: JANELLE LAPLANTE
RECEIVED BY: IAN LEONARD
SERVING SIZE: 355 ML ¹
PACKAGE SIZE: 355 ML ¹

CANNABINOID OVERVIEW

Δ⁹-THC: 46.8 mg/srv
CBC: 0.00 mg/srv
TOTAL CANNABINOIDS: 46.8 mg/srv

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

BATCH RESULT: PASS

POTENCY TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAR 08, 2024 // ANALYSIS: MAR 11, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		ND	ND	0.00250/0.00498	N/A	Δ ¹⁰ -THC	< LOQ	< LOQ	0.00250/0.00498	N/A	N/A
CBCA		ND	ND	0.00250/0.00498	N/A	EXO-THC		ND	0.00498/0.00498	N/A	N/A
CBD		ND	ND	0.00250/0.00498	N/A	THCA		ND	0.00498/0.00498	N/A	N/A
CBDA		ND	ND	0.00250/0.00498	N/A	THCV		ND	0.00250/0.00498	N/A	N/A
CBDV		ND	ND	0.00250/0.00498	N/A	THCVA		ND	0.00250/0.00498	N/A	N/A
CBDVA		ND	ND	0.00250/0.00498	N/A	TOTAL THC**	0.0132 %	0.132 mg/ml			N/A
CBG		ND	ND	0.00250/0.00498	N/A	TOTAL CBD**		ND	ND		N/A
CBGA		ND	ND	0.00250/0.00498	N/A	CBD/SRV		ND			N/A
CBL		ND	ND	0.00498/0.00498	N/A	Δ ⁹ -THC/SRV	46.8 mg				N/A
CBLA		ND	ND	0.00250/0.00498	N/A	TOTAL THC/SRV**	46.8 mg				N/A
CBN		ND	ND	0.00250/0.00498	N/A	TOTAL CBD/SRV**		ND			N/A
CBNA		ND	ND	0.00250/0.00498	N/A	CBD/PKG		ND			N/A
Δ ⁸ -THC		ND	ND	0.00498/0.00498	N/A	Δ ⁹ -THC/PKG	46.8 mg				N/A
Δ ⁹ -THCA		ND	ND	0.00498/0.00498	N/A	TOTAL THC/PKG**	46.8 mg				N/A
Δ ⁹ -THC	0.0132 %	0.132 mg/ml		0.00250/0.00498	N/A	TOTAL CBD/PKG**		ND			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 MAR 11, 2024

NOTES

ZACHARY SMITH
MAR 11, 2024

THIS IS A REVISED CERTIFICATE OF ANALYSIS ISSUED TO DISPLAY THE RESULTS OF A RETEST PERFORMED ON A SECOND UNIT OF THE SAMPLE PROVIDED BY THE CLIENT POST-ISSUANCE OF THE ORIGINAL CERTIFICATE OF ANALYSIS.

ZACHARY SMITH
MAR 11, 2024

DELTA-9-THC
THE ORIGINAL SAMPLE WAS TESTED AND RETESTED TO CONFIRM THE RESULT BASED ON THE INDICATED TARGET. THE RELATIVE PERCENT DIFFERENCE (RPD) FOR THE ORIGINAL TWO TEST RESULTS WAS 2.00573% RPD. THE ORIGINAL RESULT REPORTED WAS 24.5 MG TOTAL THC PER SERVING.

ALEX ERAMO
FEB 23, 2024

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

