

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

TB - KOSHER PIE (EXTRACT) // PRODUCED: JUL 16, 2024

CLIENT: TASTEFULLY BAKED // BATCH: PASS



BATCH NO.: TB - KOSHER PIE - 0724 ¹
MATRIX: EXTRACT ¹
SAMPLE ID: NAL-240709-028
COLLECTED ON: JUL 09, 2024
RECEIVED ON: JUL 09, 2024
SAMPLE SIZE: 1.5 ML ¹
SAMPLED BY: JANELLE LAPLANTE
RECEIVED BY: TORI DANIS

¹ ENTERED BY CLIENT

CANNABINOID OVERVIEW

Δ⁹-THC: 64.4 %
CBG: 1.48 %
TOTAL CANNABINOIDS: 66.8 %

CULTIVATOR INFO

CULTIVATOR
COREY LAPLANTE
65 MILLIKEN STREET
PORTLAND, ME 04103

LICENSE
CGR26048
MEDICINAL - CAREGIVER

BATCH RESULT: PASS

POTENCY TESTED
SOLVENTS PASS
TERPENES TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: JUL 10, 2024 // ANALYSIS: JUL 11, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC	0.927 %	0.927 %	9.27 mg/g	0.177/0.355	N/A
CBCA		ND	ND	0.177/0.355	N/A
CBD		ND	ND	0.177/0.355	N/A
CBDA		ND	ND	0.177/0.355	N/A
CBDV		ND	ND	0.177/0.355	N/A
CBDVA		ND	ND	0.177/0.355	N/A
CBG	1.48 %	1.48 %	14.8 mg/g	0.177/0.355	N/A
CBGA		ND	ND	0.177/0.355	N/A
CBL		ND	ND	0.355/0.355	N/A
CBLA		ND	ND	0.177/0.355	N/A
CBN		ND	ND	0.177/0.355	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBNA		ND	ND	0.177/0.355	N/A
Δ ⁸ -THC		ND	ND	0.355/0.355	N/A
Δ ⁸ -THCA		ND	ND	0.355/0.355	N/A
Δ ⁹ -THC	64.4 %	644 mg/g		0.177/0.355	N/A
Δ ¹⁰ -THC		ND	ND	0.177/0.355	N/A
EXO-THC		ND	ND	0.355/0.355	N/A
THCA		ND	ND	0.355/0.355	N/A
THCV	< LOQ	< LOQ		0.177/0.355	N/A
THCVA		ND	ND	0.177/0.355	N/A
TOTAL THC**	64.4 %	644 mg/g			N/A
TOTAL CBD**		ND	ND		N/A

** TOTAL CBD = (CBDA X 0.877) + CBD
** TOTAL THC = (THCA X 0.877) + THC
Reported on an as received basis
1000 µg/g = 1 mg/g



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
JUL 16, 2024

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
TOTAL TERPENES	13.0 %	130 mg/g		N/A	E-NEROLIDOL	ND	ND	0.688/1.38	N/A
D-LIMONENE	3.59 %	35.9 mg/g	0.688/1.38	N/A	EUCALYPTOL	ND	ND	0.688/1.38	N/A
β-CARYOPHYLLENE	3.15 %	31.5 mg/g	0.688/1.38	N/A	FENCHONE	ND	ND	0.688/1.38	N/A
α-HUMULENE	1.51 %	15.1 mg/g	0.688/1.38	N/A	γ-TERPINENE	ND	ND	0.688/1.38	N/A
β-MYRCENE	1.49 %	14.9 mg/g	0.688/1.38	N/A	GERANIOL	ND	ND	0.688/1.38	N/A
LINALOOL	1.42 %	14.2 mg/g	0.688/1.38	N/A	GERANYL ACETATE	ND	ND	0.688/1.38	N/A
α-PINENE	0.395 %	3.95 mg/g	0.688/1.38	N/A	GUAIOL	ND	ND	0.688/1.38	N/A
β-PINENE	0.392 %	3.92 mg/g	0.688/1.38	N/A	ISOBORNEOL	ND	ND	0.688/1.38	N/A
ENDO FENCHYL ALCOHOL	0.277 %	2.77 mg/g	0.688/1.38	N/A	ISOBORNYL ACETATE	ND	ND	0.688/1.38	N/A
α-BISABOLOL	0.231 %	2.31 mg/g	0.688/1.38	N/A	ISOPULEGOL	ND	ND	0.688/1.38	N/A
FARNESOL	0.197 %	1.97 mg/g	0.688/1.38	N/A	M-CYMENE	ND	ND	0.688/1.38	N/A
FARNESENE	0.175 %	1.75 mg/g	0.688/1.38	N/A	MENTHOL	ND	ND	0.688/1.38	N/A
TERPINEOL	0.163 %	1.63 mg/g	0.688/1.38	N/A	MENTHONE	ND	ND	0.688/1.38	N/A
CAMPHENE	< LOQ	< LOQ	0.688/1.38	N/A	NEROL	ND	ND	0.688/1.38	N/A
CARYOPHYLLENE OXIDE	< LOQ	< LOQ	0.688/1.38	N/A	O-CYMENE	ND	ND	0.688/1.38	N/A
(-)-VERBENONE	ND	ND	0.688/1.38	N/A	OCTYL ACETATE	ND	ND	0.688/1.38	N/A
2-PIPERIDONE	ND	ND	0.688/1.38	N/A	P-CYMENE	ND	ND	0.688/1.38	N/A
α-CEDRENE	ND	ND	0.688/1.38	N/A	PHYTANE	ND	ND	0.688/1.38	N/A
α-PHELLANDRENE	ND	ND	0.688/1.38	N/A	PIPERITONE	ND	ND	0.688/1.38	N/A
α-TERPINENE	ND	ND	0.688/1.38	N/A	PULEGONE	ND	ND	0.688/1.38	N/A
α-THUJONE	ND	ND	0.688/1.38	N/A	SABINENE	ND	ND	0.688/1.38	N/A
BORNEOL	ND	ND	0.688/1.38	N/A	SABINENE HYDRATE	ND	ND	0.688/1.38	N/A
CAMPHOR	ND	ND	0.688/1.38	N/A	SAFRANAL	ND	ND	0.688/1.38	N/A
CARVACROL	ND	ND	0.688/1.38	N/A	TERPINEN-4-OL	ND	ND	0.688/1.38	N/A
CEDROL	ND	ND	0.688/1.38	N/A	TERPINOLENE	ND	ND	0.688/1.38	N/A
CIS-β-OCIMENE	ND	ND	0.688/1.38	N/A	THYMOL	ND	ND	0.688/1.38	N/A
CITRAL	ND	ND	0.688/1.38	N/A	TRANS-β-OCIMENE	ND	ND	0.688/1.38	N/A
CITRONELLOL	ND	ND	0.688/1.38	N/A	VALENCENE	ND	ND	0.688/1.38	N/A
D-CARVONE	ND	ND	0.688/1.38	N/A	Z-NEROLIDOL	ND	ND	0.688/1.38	N/A
Δ ³ -CARENE	ND	ND	0.688/1.38	N/A					

RSOL.1: RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS
PREPARATION: JUL 15, 2024 // ANALYSIS: JUL 15, 2024

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.456/0.912	PASS	HEXANE	290 µg/g	ND	0.912/2.28	PASS
ACETONE	5000 µg/g	ND	45.6/91.2	PASS	ISOPROPYL ALCOHOL	5000 µg/g	ND	45.6/91.2	PASS
ACETONITRILE	410 µg/g	ND	45.6/91.2	PASS	METHANOL	3000 µg/g	ND	45.6/91.2	PASS
BENZENE	1 µg/g	ND	0.456/0.912	PASS	METHYLENE CHLORIDE	1 µg/g	ND	0.456/0.912	PASS
BUTANE	5000 µg/g	7.62	0.912/2.28	PASS	PENTANE	5000 µg/g	ND	9.12/18.2	PASS
CHLOROFORM	1 µg/g	ND	0.456/0.912	PASS	PROPANE	5000 µg/g	ND	18.2/36.5	PASS
ETHANOL	5000 µg/g	ND	45.6/91.2	PASS	TOLUENE	890 µg/g	ND	4.56/9.12	PASS
ETHYL ACETATE	5000 µg/g	ND	9.12/18.2	PASS	TRICHLOROETHYLENE	1 µg/g	ND	0.456/0.912	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.456/0.912	PASS	O-XYLENE	2170 µg/g	ND	9.12/18.2	PASS
ETHYL ETHER	5000 µg/g	ND	9.12/18.2	PASS	P- AND M-XYLENE	2170 µg/g	ND	18.2/36.5	PASS
HEPTANE	5000 µg/g	ND	9.12/18.2	PASS	TOTAL XYLENES	2170 µg/g	ND		PASS

NOTES

ZACHARY SMITH JUL 16, 2024	POTENCY & CANNABINOID PROFILE BY HPLC-UV THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.
ZACHARY SMITH JUL 16, 2024	RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS THE CONTINUING CALIBRATION VERIFICATION (CCV) SAMPLE ANALYZED CONCURRENTLY WITH THIS SAMPLE BATCH RECOVERED ABOVE THE ESTABLISHED ACCEPTANCE CRITERIA SET BY THE LABORATORY FOR CHLOROFORM AND TRICHLOROETHYLENE. THIS INDICATES A HIGH BIAS IN THE ANALYTICAL BATCH, ONLY SAMPLE RESULTS BELOW THE LIMIT OF QUANTITATION HAVE BEEN REPORTED - PURSUANT TO CH5 §6.14E(2)E(I).
ZACHARY SMITH JUL 16, 2024	RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS THE LABORATORY CONTROL SAMPLE (LCS) ANALYZED CONCURRENTLY WITH THIS SAMPLE BATCH RECOVERED ABOVE THE ESTABLISHED ACCEPTANCE CRITERIA SET BY THE LABORATORY FOR METHANOL, ETHANOL, PENTANE, ACETONE, ACETONITRILE, CHLOROFORM, BENZENE, HEPTANE, TOLUENE, O-XYLENE, AND M-/P-XYLENE. THIS INDICATES A HIGH BIAS IN THE ANALYTICAL BATCH, ONLY SAMPLE RESULTS BELOW THE LIMIT OF QUANTITATION HAVE BEEN REPORTED.
ZACHARY SMITH JUL 16, 2024	RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS THE LABORATORY'S ELECTIVE, SECOND-SOURCE SOLVENT QUALITY CONTROL SAMPLE LEVEL 2, RECOVERED ABOVE THE ESTABLISHED ACCEPTANCE CRITERIA SET BY THE LABORATORY FOR METHANOL, METHANOL, ETHANOL, ACETONE, ACETONITRILE, CHLOROFORM, BENZENE, HEPTANE, TOLUENE, O-XYLENE, AND M-/P-XYLENE. THIS INDICATES A HIGH BIAS IN THE ANALYTICAL BATCH, ONLY SAMPLE RESULTS BELOW THE LIMIT OF QUANTITATION HAVE BEEN REPORTED.

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.



