Nova Analytic Labs
Tomorrow's Testing ▸ Today

NOVA ANALYTIC LABS // 65 MILLIKEN STREET, UNIT C PORTLAND ME 04103 // PH: 2074664661
EMAIL: INNOVATION@NOVA-ANALYTICLABS.COM
ME LICENSE #: TF284

CERTIFICATE OF ANALYSIS

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

TB - JUICED (EDIBLE LIQUID) // PRODUCED: OCT 26, 2026

CLIENT: TASTEFULLY BAKED // **BATCH**: PASS



BATCH NO.: TBJRLI26 [1]
MATRIX: EDIBLE LIQUID [1]
DENSITY: 0.996 g/ml [2]
SAMPLE ID: NAL-261021-080
COLLECTED ON: OCT 21, 2026
RECEIVED ON: OCT 21, 2026
SAMPLE SIZE: 1419 ML [1]
SAMPLED BY: JANELLE LAPLANTE
RECEIVED BY: CHRISTOPHER COLE
SERVING SIZE: 473 ML [1]
PACKAGE SIZE: 473 ML [1]

[1] ENTERED BY CLIENT, [2] ENTERED BY LAB

CANNABINOID OVERVIEW

Δ^9-THC:	**97.5 mg/srv**
CBG:	**1.01 mg/srv**
TOTAL CANNABINOIDS:	**99.2 mg/srv**

BATCH RESULT: PASS

POTENCY	TESTED
HOMOGENEITY	PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV
PREPARATION: OCT 23, 2026 // ANALYSIS: OCT 25, 2026

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		ND	ND	0.000750/0.00150	N/A
CBCA		ND	ND	0.000750/0.00150	N/A
CBD		ND	ND	0.000750/0.00150	N/A
CBDA		ND	ND	0.000750/0.00150	N/A
CBDV		ND	ND	0.000750/0.00150	N/A
CBDVA		ND	ND	0.000750/0.00150	N/A
CBG		0.000215 %	0.00214 mg/ml	0.000750/0.00150	N/A
CBGA		ND	ND	0.000750/0.00150	N/A
CBL		ND	ND	0.00150/0.00150	N/A
CBLA		ND	ND	0.000750/0.00150	N/A
CBN		ND	ND	0.000750/0.00150	N/A
CBNA		ND	ND	0.000750/0.00150	N/A
Δ^8-THC		0.000152 %	0.00151 mg/ml	0.00150/0.00150	N/A
Δ^8-THCA		ND	ND	0.00150/0.00150	N/A
Δ^9-THC		0.0207 %	0.206 mg/ml	0.000750/0.00150	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
Δ^{10}-THC		< LOQ	< LOQ	0.000750/0.00150	N/A
EXO-THC		ND	ND	0.00150/0.00150	N/A
THCA		ND	ND	0.00150/0.00150	N/A
THCV		< LOQ	< LOQ	0.000750/0.00150	N/A
THCVA		ND	ND	0.000750/0.00150	N/A
TOTAL THC**		0.0207 %	0.206 mg/ml		N/A
TOTAL CBD**		ND	ND		N/A
CBD/SRV		ND			N/A
Δ^9-THC/SRV		97.5 mg			N/A
TOTAL THC/SRV**		97.5 mg			N/A
TOTAL CBD/SRV**		ND			N/A
CBD/PKG		ND			N/A
Δ^9-THC/PKG		97.5 mg			N/A
TOTAL THC/PKG**		97.5 mg			N/A
TOTAL CBD/PKG**		ND			N/A

** TOTAL THC = (THCA X 0.877) + DELTA-9-THC
** TOTAL CBD = (CBDA X 0.877) + CBD
Reported on an as received basis.
1000 µg/g = 1 mg/g

AUTHORIZED BY:
ZACHARY SMITH
LABORATORY DIRECTOR, NOVA ANALYTIC LABS
OCT 26, 2026

HOMO.1: HOMOGENEITY BY HPLC-UV
PREPARATION: OCT 23, 2026 // ANALYSIS: OCT 25, 2026

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
TOTAL CBD RSD		0.000	N/A

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
TOTAL THC RSD	15 %	2.74	PASS

NOTES

ZACHARY SMITH
OCT 26, 2026

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

PRODUCT IMAGES



** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT