

Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

Alumroot (Heuchera americana) **Perennial** (Herbaceous) | **Sun:** Part Sun/Shade **Soil:** Rich moist; drought tolerant **Flower:** Panicle cream, green, orange or purple **Bloom time:** June-August **Height:** Low to the ground; flower stalk 1-2 feet **Attracts:** Pollinators, specialized Bees, i.e., Colletid or short tongued bees. **Special:** Adds multi season interest spring through fall. A good container plant. Use along driveways and paths, rock or shade gardens. Roots contain the mineral substance alum (used as a dye mordant). Resistant to Black Walnut (juglones), deer, and rabbits. Native to Eastern & Central US **Appalachian Mountain Mint** (Pycnanthemum flexuosum) **Perennial** (Herbaceous) | **Sun**: Full Sun to Part Shade **Soil:** Good drainage/Moist to occasionally dry **Flower:** White, purple/lavender. **Bloom time**: June-August **Height:** 2'-3' tall; 1'-3' wide **Attracts:** Bees, butterflies, moths and wasps. Deer and rabbit resistant. Larval host: Gray Hairstreak Butterfly and Wavy Lined Emerald Moth. Special: Traditional uses include medicinal. Nectar source for Black Swallowtail butterfly. Fall color (red/burgundy). Good in coastal gardens. Native to Southeastern US

Arrowwood Viburnum (Viburnum dentatum) **Perennial** (Shrub) **Sun:** Sun/Part Shade **Soil:** Moist/Well drained Flower: White Bloom time: Late Spring/Early Summer Height: 5-10 feet Attracts: Butterflies, Native Bees, Songbirds Special: Dark bitish back crupe fruit. Tolerates variety of soils. Broadleaf. Good specimen for hedges. Native to Maine

Bee Balm (Monarda fistulosa) Perennial (Herbaceous) | Sun: Full/Part Shade Soil: Dry/Well drained/moist Flower: Very light purple Bloom time: July-August Height: 2-5 feet Attracts: Butterflies, Bumblebees, Hummingbird Moths, Hummingbirds **Special:** Favorite nectar source of long tongued bees such as Bumblebees. Leaves have been traditionally used for tea. Fragrant leaves, stems, flowers. Remains fragrant after drying. Pollinators LOVE this plant. Native to Maine

Black Chokeberry (Aronia melanocarpa) Perennial (Shrub) | Sun: Full Soil: Tolerant of a variety of soils Flower: White w/dark pink stamens Bloom time: May-June Height: 3-10 feet Attracts: Bumblebees, Native bees **Special:** Bees, Dark Blue Berries Small shrub with glossy green leaves. Autumn interest as the leaves turn orange, red & purple. Native to Maine

Last Update: Wednesday, June 11, 2025 Page **1** of **12**



Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

Boneset (Eupatorium perfiolatum) Perennial (Herbaceous) | Sun: Sun/Part Shade/Shade Soil: Moist/Wet Flower: White (fuzzy cluster) atop a leafy stem. Bloom time: August-October Height: 3-6 feet **Attracts:** Butterflies, Birds **Special:** Native bees. Traditionally used in herbal medicine. Understated, plant may be used in a rain garden or naturalized wet areas. Native to Maine Bristly Sarsaparilla (Aralia hispida) Perennial (Shrub) | Sun: Full/Part Shade Soil: Moist/Medium Wet Flower: White/Green radial Bloom time: June-July Height: 4 feet Attracts: Bumblebees, Wasps, Native bees **Special:** Native Bees. Grows as wide as it does tall in an open habit. Very interesting globes of flowers that become dark blue berries. Fall interest as the spent flower stems and flower heads turn purple. Native to Maine

Brome-like Sedge (Carex bromoides) Perennial (Herbaceous) | Sun: Part Shade Soil: Moist to Wet **Flower:** Green fading to light brown **Bloom time:** May-July **Height:** Up to 1' with slightly larger spread **Attracts:** Butterflies and Songbirds **Special:** Wet soil. Clump or tussock forming. Native to Maine **Bunchberry** (Cornus canadense) **Perennial** (Herbaceous) | **Sun:** Full/Part Shade/Shade **Soil:** Humus rich (woodland) Flower: Green sepals; white bracts Bloom time: May-September Height: 6-8 inches (groundcover) Fruit: Bright red berries in fall Attracts: Native bees, birds, large & small mammals. Sepals are burgundy colored in fall. Prefers damp, cool, acidic soils, woodland native. Often found in seasonal succession with Winterberry, Canada Mayflower, Partridgeberry, Low Bush Blueberry, Goldthread, Starflower (in that order) with Bunchberry as the last to bloom. Native to Maine Butterfly Weed (Asclepias tuberosus) Perennial (Herbaceous) | Sun: Full Sun Soil: Well drained/Sandy/Drought Tolerant Flower: Orange; Umbel of many small flowers Bloom time: August-September **Height:** 1-2 feet **Attracts:** Hummingbirds, Butterflies, Ants **Special:** Larval host Grey Hairstreak, Monarch Butterflies. One of the Milkweeds and the showiest native plants with its bright orange flowers. Traditionally used as a medicinal by indigenous people. Deer resistant. Native to Maine

Last Update: Wednesday, June 11, 2025 Page **2** of **12**



Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

Buttonbush (Cephalanthus occidentalis) Perennial (Shrub) | Sun: Full Sun Soil: Consistently moist/Rich Flower: Small fragrant tubular flowers on round clusters Bloom time: June-September **Height:** Up to 12'-20' feet & 8' wide **Attracts:** Every pollinator! **Special:** Attracts as many pollinators as the non-native/invasive Chaste Tree (Vitex) & Butterfly Bush (Buddleia). Enjoyed by a wide variety of wildlife, including waterfowl, birds and mammals. Mildly deer resistant. Native to Maine

Cardinal Flower (Lobelia cardinalis) Perennial (Herbaceous) | Sun: Full Sun Soil: Moist/Wet, Loam, Clay or Sandy **Flower:** Red (8" terminal spikes w/multiple flowers) **Bloom time**: July-October **Height:** 1'-6' feet **Attracts:** Hummingbirds **Special:** Hummingbirds are the principal pollinator. Spectacular plant of river, pond and wetland edges. Prefers wet areas but grows in a variety of soils. One of very few truly deep red native flowers. Native to Maine

Common Milkweed (Asclepias syriaca) Perennial (Herbaceous) | Sun: Full Sun Soil: Moist (but may grow in a variety of soils) **Flower:** Umbel with up to 100 flowers per head. **Bloom time:** June-August **Height:** 3-6 feet **Attracts:** Over 450 different lifeforms **Special:** Larval host to many species of insects including Monarch Butterfly; fragrant, HUGELY beneficial plant. Milkweed is a food, nesting and larval host to over 450 different species of insects, moths, butterflies, beetles, etc., etc., Toxic to livestock. Native to Maine (Available as seed only Fall '24/Winter '25)

Common Yarrow (Achillea millefolium) Perennial (Herbaceous) | Sun: Full, Full, Full Soil: Dry (road edge) Flower: White (flat head) Bloom time: July-September Height: 1-3 feet Attracts: Native bees, Honeybees, Syrphid and Hover Flies. VERY drought tolerant can be used in poor soils. Scented leaves are traditionally used in skin care, i.e., soaps and lotions for its soothing properties. Also used as a calming tea. Native to Maine

Culver's Root (Veronicastrum virginicum) Perennial (Herbaceous) | Sun: Full Soil: Medium (well drained) to Dry Flower: White (spires) Bloom time: July-September Height: 3-6 feet Attracts: Bees, Bumblebees, Moths, Butterflies **Special:** Native Bees. Great in a pollinator or cottage garden looks wonderful planted with Bee Balm and Butterfly Weed. Good for sunny woodland edges. Native to Maine

Last Update: Wednesday, June 11, 2025 Page **3** of **12**



Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

Foam Flower (*Tiarella cordifolia*) **Perennial** (Herbaceous) **| Sun:** Shade/Deep shade **Soil:** Rich, well drained **Flower:** White or Pink with pink accents **Bloom time:** August-October **Height:** 6 inches to 1 foot **Attracts:** Native bees (small flowers) **Special:** Native bees. A plant of shaded woodland gardens. Understory plant that thrives under deepest shade provided by larger plants. Native to Maine

Fox Sedge (Carex vulpinoidea) **Perennial** (Herbaceous) **Sun:** Full Sun to Part & Full Shade **Soil:** Moist to Wet **Flower:** Clustered spikelet turns bronze later in the season **Bloom time:** July-Sept. **Height:** 2′-4′ tall (flowering stem), equal spread **Attracts:** Bees, Butterflies, Syrphid Flies **Special:** Host plant of Skipper Butterflies. Narrow grass like leaves (gives a spray appearance). A plant of floodplains, sedge meadows and wet areas near ponds and seeps. Unpalatable to deer. Native to Maine

Golden Alexanders (*Zizia aurea*) **Perennial** (Herbaceous) **Sun:** Full/Part Shade **Soil:** Moist/Sandy or Clay **Flower:** Yellow umbel **Bloom time:** June-August **Height:** Up to 3 feet **Attracts:** Butterflies & Bees **Special:** A plant of moist woods, prairies and glades. Does well in a variety of soils & light conditions. Good in naturalized areas, rain or wild gardens. Native to Maine

Gray's Sedge (Carex grayi) Perennial (Herbaceous) | Sun: Part Sun to Part Shade Soil: Moist to Wet/Clay Flower: Green/Tan; club like capsules. Bloom time: June-July Height: 12"-18" with equal spread Attracts: Pollinators and Songbirds Special: Broader leaf than most sedges. Light green almost lime color leaf blades. Great tactile plant may be used in a sensory garden and for wetland restoration. Tolerates periods of flooding. Grows naturally in my Orono, Maine woodland. Native to Northeast US

Great Blue Lobelia (Lobelia siphilitica) **Perennial** (Herbaceous) **| Sun:** Full/Part Shade **Soil:** Well drained/Moist/Medium Wet **Flower:** Blue (spire) **Bloom time:** July-October **Height:** 1-3 feet **Attracts:** Birds, Hummingbirds **Special:** Bumblebees, Native Bees. Great for woodland gardens, meadows, and stream banks. Striking blue color, a standout in a naturalized garden. Open-pollinated. Native to Maine

Last Update: Wednesday, June 11, 2025 Page 4 of 12



Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

Green Headed Coneflower (Rudbeckia laciniata) Perennial (Herbaceous) | Sun: Full Sun to Part Shade **Soil:** Variety inc. Clay, loam, sand & humus rich; Good drainage **Flower:** Yellow (green centers) Bloom time: July-October Height: 3-10 feet Attracts: Butterflies, Pollinators, Small mammals & Songbirds. Goldfinches eat seeds in fall. **Special:** Good for slopes, banks, meadows, and woodland edges. Traditional indigenous uses include as a vegetable known as Sochan. Resistant to deer, heat & humidity. Needs deadheading. Straight stem good as a cut flower. Native to Maine

Grey Birch (Betula populifolia) Perennial (Tree) | Sun: Full/Part Shade/Shade Soil: Dry to moist Flower: Golden catkins. Bloom time: May-June Height: 3-10 feet Attracts: Butterflies, songbirds, mammals **Special:** Larval host Eastern Tiger Swallowtail. Short lived. Yellow leaves in Fall. White bark (hints of grey). Its catkins (flower & seed pods) provide food for birds and small mammals at the beginning of the season. Considered a 'nurse' tree as it protects seedlings of slower growing, larger trees species. Native to Maine

Hairy Woodrush (Luzula acuminata) Perennial (Herbaceous) | Sun: Part Sun/Part Shade Soil: Moist/Rich woodland Flower: Tan/off white; radiating cluster Bloom time: June-July Height: 4-16 inches **Special**: Leaf blades are deep green with marginal hairs. Plant grows in basal tufts. Great for woodland gardens, shaded meadows, streambanks. A good specimen for stabilizing ravines and slopes. Native to Maine

Hoary Mountain Mint (Pycnanthemum incanum) **Perennial** (Herbaceous) **Sun**: Full Sun to Part Shade Soil: Dry to moist Flower: White, purple; silvery foliage Bloom time: June-July Height: 2-6 feet Attracts: Native bees, butterflies, and Bumblebees; Deer eat leaves Special: Traditional uses include tea and flavoring. It has been used to repel mosquitoes (rubbing leaves on skin). Use in meadows and open spaces. Divide every 3-5 years. Supports biological control. Native to Eastern US

Jacob's Ladder (Polemonium reptans) Perennial (Herbaceous) | Sun: Part Sun/Part Shade/Shade Soil: Loose, Rich Soil Flower: Lavender/Blue Bloom time: May-June Height: 12" flower stem & leaves **Attracts:** Bees, Syrphid Flies **Special:** Native Bees Spring ephemeral with long season foliage. One of the first to bloom in the late spring (stops blooming in mid-June). Understory plant. Happiest in early succession gardens. Lovely green leaves all season. Native to Eastern US

Last Update: Wednesday, June 11, 2025



Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

Marsh Marigold (Caltha palustris) Perennial (Herbaceous) | Sun: Full Sun/Part Shade Soil: Moist to Wet Flower: Bright yellow; heart shaped leaf Bloom time: April-May Height: Up to 2' feet Attracts: Native bees and early pollinators as one of the first to bloom in spring Special: Deer and rabbit resistant. A plant of pond edges. Good for rain gardens and bioswales. Native to Maine

Mountain Mint (Pycnanthemum muticum) Perennial (Herbaceous) | Sun: Full Sun to Part Shade Soil: Moist to medium, well drained Flower: Pink Bloom time: July-September Height: 1'-3' upright stems Attracts: Native Bees, Honeybees and Bumble Bees, Butterflies Special: Traditional uses include tea and medicinal. Lovely scent of mint. Use in meadows and open spaces. Native to Southern Maine

Narrowleaf Mountain Mint (Pycnanthemum tenuifolium) Perennial (Herbaceous) | Sun: Full Sun to Part Shade Soil: Dry to moist Flower: White, blue or purple; flowers when grown to 1' foot wide Bloom time: July-September Height: 2-4 feet, stiff erect stems Attracts: Bees, Butterflies and birds; Deer eat leaves Special: Traditional uses include tea and flavoring and to repel mosquitoes (rubbing leaves on skin). Unusual needle like leaf add texture to the garden. Use in meadows and open spaces. Native to Maine

New Jersey Tea (Ceanothus americanus) **Perennial** (Shrub) | **Sun**: Full Sun/Part Shade **Soil:** Well drained; sandy, rocky, dry areas **Flower:** White; branch tip clusters **Bloom time**: June-Aug **Height:** Up to 3' feet **Attracts:** Native Bees & Butterflies **Special:** Nitrogen fixer. Perfect for inhospitable growing areas. Rocky hillsides, hot, dry sandy areas. Grows in scorched areas. Traditionally used for tea. Larval host Spring & Summer Azures & Mottled Duskywing butterflies. Native to Maine

NY Ironweed (Vernonia noveboracencis) Perennial (Herbaceous) Sun: Full Soil: Moist (clay) Flower: Reddish purple (clusters) Bloom time: August-September Height: 5-8 feet Attracts: Bees, Bumblebees, Butterflies, Birds Special: Native bees; Tall plant of bottomlands. Good for fence lines or to add interest to empty corners. Will grow as wide as it does tall. Native to Eastern US

Path Rush (Juncus tenuis) **Perennial** (Herbaceous) | **Sun:** Full/Part Shade **Soil:** Wet to Dry (variety of soils) **Flower:** Green pods (1/16" inch) turn straw colored when ripened. Sticky seed inside. **Bloom time:** August **Height:** 6-12 inches **Attracts:** Bumblebees, Skipper Butterflies & smaller bees **Special:**

Last Update: Wednesday, June 11, 2025



Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

Native Bees. Rush or sedge family. Clumping form. Ground cover for problem areas. Rain gardens, etc. Useful in erosion control. Salt tolerant. Native to Maine

Pennsylvania Sedge (Carex pensylvanica) Perennial (Herbaceous) | Sun: Partial to Full Shade Soil: Dry to Medium, Sandy Flower: Greenish w/Pink edges Bloom time: April-June (Spring) Height: Up to 8" in bloom; very, very small delicate flowers **Attracts:** Bees, Butterflies, Syrphid Flies **Special:** Native Bees. Lawn alternative. Fills in overtime to form a dense low growing turf with textural interest. Perfect in a glade. Native to Eastern US

Plantain Pussytoes (Antennaria plantaginifolia) Perennial (Herbaceous) | Sun: Sun/Part Shade Soil: Thin/Acidic/Dry Soils Flower: Creamy white Bloom time: June-July Height: 1-3 feet Attracts: Butterflies, Adrenid, Halictic and Cuckoo Bees Special: Tolerates drought; deer & rabbit resistant. Host plant of American Lady Butterfly (Periods to form 1 ma). Perfect for poor soils at the edges of woodlands. Needs well drained to dry conditions. May be used as a turf substitute, rock gardens, dry beds, etc. Tolerates more shade than Prairie Pussytoes (A. neglecta). Native to Maine

Poverty Oat Grass (Danthonia spicata) Perennial (Herbaceous) | Sun: Full to Part Sun Soil: Dry, rocky slopes and roadsides Flower: Green Bloom time: June-July Height: 1-2 feet Attracts: Butterflies **Special**: Good for erosion control, groundcover, lawn replacement. Meadows, green roof, restoration and waterwise planting. Good candidate for use in regenerative landscaping. Native to Maine

Prairie Pussytoes (Antennaria neglecta) Perennial (Herbaceous) | Sun: Full Sun Soil: Dry-Medium; does well in some clay soil **Flower:** White w/silvery leaves **Bloom time:** June/July **Height:** Up to 10" stem **Special:** Deer & rabbit resistant. Spread up to 12" as a groundcover. Tolerates more intense sun than Plantain Pussytoes. Especially important to overwintering native pollinators. **Host:** American Painted Lady Butterfly. Native to Maine

Purple Coneflower (Echinacea purpurea) Perennial (Herbaceous) | Sun: Full/Part Shade Soil: Moist/Well drained Flower: Purple/Magenta Bloom time: July-September Height: 6-20 feet Attracts: Butterflies **Special:** Beautiful, erect flowers that stand out in any garden. A rich nectar plant and a favorite of butterflies. Native to Central US (Available as seed only Fall '24/Winter '25)

Last Update: Wednesday, June 11, 2025 Page **7** of **12**



Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

Rattlesnake Master (Eryngium yuccifolium) Perennial (Herbaceous) | Sun: Full Sun Soil: Dry/Well Drained Soil Flower: Greenish/white (1" globes) Bloom time: July-September Height: 12" leaves up to 3-6 feet flower stems **Attracts:** Bees, Butterflies **Special:** Aggressive self-seeder. Rigid stems hold multiple globular flowers. Adds interest in all seasons. The stems and flower heads dry to a bronze color in the fall. Native to Central US.

Red Twig (Osier) Dogwood (Cornus sericea) Perennial (Shrub) | Sun: Sun/Part Shade/Shade Soil: Moist/Wet Flower: White (very small) grows in an umbel. Bloom time: June Height: 3-12 feet Attracts: Birds, Butterflies. Special: Waterfowl, marsh birds, shorebirds; Deer browse. Large & small mammals. Larval host: Spring Azure butterfly. A plant of wet areas, riverbanks, lakeshores, wooded or open streambanks. Most distinctive in winter, red twigs against white snow are striking. Native to Maine Rose Sedge (Carex rosea) Perennial (Herbaceous) | Sun: Part Sun to Part Shade Soil: Moist to

Wet/Clay Flower: Green/Tan (star shaped clusters) Bloom time: June-July Height: 12"-18" with equal spread **Attracts**: Pollinators and Songbirds **Special**: Great for wetland restoration. Tolerates periods flooding. Native to Maine

Sensitive Fern (Onoclea sensibilis) Perennial (Herbaceous) | Sun: Full Sun/Part Shade/Shade Soil: Moist to wet, rich woodland, also at the edges (understory); various soils; not drought tolerant **Bloom** time: No flower; brown spore capsules persist all winter. Height: Up to 3-feet Attracts: Salamanders, frogs **Special:** Sensitive to frost; one of the first to succumb. Broad leaf; provides soft landing spaces for pollinators. Self-propagation via spore in the spring. Native to Maine

Silverrod or White Goldenrod (Solidago bicolor) Perennial (Herbaceous) | Sun: Full Sun/Part Shade Soil: Sandy/Poor/Rocky/Heavy Clay Bloom time: August-October Height: 3-6 feet Attracts: Butterflies, Bumblebees, Birds Special: Native bees. Beautiful, unusual as only Solidago with white flower rays. Stands out in areas where other plants may not thrive well. Broad, soft leaf. Native to Maine

Sneezeweed (Helenium autumnale) Perennial (Herbaceous) | Sun: Full Soil: Moist (clay) Flower: Yellow (discs) **Bloom time:** July-October **Height:** 3-6 feet **Attracts:** Bees, Bumblebees, Butterflies,

Last Update: Wednesday, June 11, 2025 Page **8** of **12**



Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

Birds **Special**: Native Bees and Bumblebees love this flower. Striking against a dark backdrop. Bright yellow. This flower makes me smile. With its bright yellow color and fluffy 'pom-pom'. Native to Maine

Soft Rush (Juncus effesus) **Perennial** (Herbaceous) **Sun:** Full Sun/Part Shade **Soil:** Moist to Wet Flower: Tiny straw colored when ripened. Bloom time: September Height: Up to 2 feet Attracts: Songbirds eat the seeds **Special**: Rush or sedge family. Inflorescence grows from the side. A plant of marshes, moist meadows, fields, rivers & lakes. Tolerates standing water; good for rain gardens, bioswales, etc. Useful in erosion control. Salt tolerant. Can be grown as a house plant/container plant. Native to Maine

Solomon's Seal (*Polygonatum biflorum*) **Perennial** (Herbaceous) **I Sun:** Partial Shade/Shade **Soil:** Cool, Humus rich, Moist/Well drained **Flower:** Small white bell-shaped twin (or more) flowers under the arching stem. Bloom time: May (fruits July-Sept) Height: 1-3 feet Attracts: Bumblebees, Hummingbirds **Special:** Native bees. An attractive architectural plant which will add interest to the shade or woodland garden. Traditional medicinal & edible uses. Native to Maine

Spotted Bee Balm/Horsemint (Monarda punctata) **Perennial** (Herbaceous) | **Sun**: Sun/Part Shade/Shade Soil: Dry/Well drained. Plower: parts steen, white or purple. Tubular flowers yellow w/maroon dots **Bloom time**: August-October **Height**: 1-3 reet **Attracts**: Butterflies, Birds **Special**: Native bees Traditionally used in herbal medicine. Stunning and unusual in a wildflower meadow or pocket prairie. Can be aggressive spreader. Native to Central US

Sunchoke (Helianthus tuberosus) **Perennial** (Herbaceous) **Sun:** Full, Full, Full **Soil:** Well drained, rich soil Flower: Yellow (many branches) Bloom time: July-September Height: Up to 12 feet (Heavy plant) Fruit: Roots are eaten as a vegetable, high in inulin. Attracts: Native bees, birds, large & small animals (rodents will eat tubers). Very heavy, thick, hairy stems. May need caging to support its multi-stemmed flowering branches. Native to Maine



Swamp Milkweed (Asclepias incarnata) Perennial (Herbaceous) | Sun: Full, Full, Full Soil: Well drained, rich soil Flower: Pink Bloom time: June-August Height: Up to 2 feet Attracts: Native

Last Update: Wednesday, June 11, 2025 Page **9** of **12**



Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

bees, Bumblebees and many pollinators (including Monarch Butterflies). A plant of moist/wet areas and a great addition to pond edges, rain gardens and wet meadows. Native to Maine

Virginia Mountain Mint (Pycnanthemum virginianum) Perennial (Herbaceous) | Sun: Part Shade Soil: Moist/Calcareous (chalk/limestone) Flower: White (tiny mint like flowers) Bloom time: August-September **Height:** 2'-3' multibranched stem **Attracts:** Bees, Butterflies & Beneficials **Special:** Native Bees, Bumblebees, Honeybees and Pearl Crescent butterflies. Erect stems. Leaves are narrow w/a whitish bloom. Can be aggressive (in shade), less so in dry soils (in sun). Lovely scent of mint. Use in meadows, naturalized areas and tall borders. Great cut flower. Native to Maine

White-tinged Sedge (Carex albicans) Perennial (Herbaceous) | Sun: Partial to Full Shade Soil: Dry to Medium Flower: Scaly flower spikes Bloom time: June Height: 15"-20" with equal spread Attracts: Bees, Butterflies, Songbirds **Special:** Prefers drier soils than most Carex. Good as a groundcover or lawn replacement. Grows in dry areas within communities of Oak, Maple & Beech.

Wild Bleeding Heart (Dicentra eximia) Perennial (Herbaceous) | Sun: Partial Sun/Full-Part Shade Soil: Moist, Well Drained, Humus soil Flower: Pink (pearlescent) 1" Bloom time: May-August Height: 6"-12" foliage & flower stem Attracts: Bees Special: Native Bees This lovely, understated plant producing 5-6 beautiful pink pearlescent flowers per stem. Mounding habit. Delicate looking, perfect for foundation, rock garden or woodland garden settings. Self-seeds. Native to the Appalachian Mountains

Wild Clematis or Virgin's Bower (Clematis virginiana) Perennial | Sun: Full/Part Shade Soil: Moist/Medium Wet **Flower:** White (elliptical) 1" **Bloom time:** July-September **Height:** 6-20 feet **Attracts:** Bumblebees, Wasps, Skipper Butterflies & smaller bees **Special:** Native Bees. Vigorous native twining vine of moist woods. Woody perennial: great against a wall or shed side. Interesting flower and stunning flower pod. Native to Maine

Wild Senna (Cassia hebecarpa) Perennial (Herbaceous) | Sun: Full/Part Shade Soil: Medium Well drained **Flower:** Yellow w/5 divided sepals (brown anthers) **Bloom time:** August-September **Height:** 3-6 feet (2-3 feet wide) **Attracts:** Cloudless Sulphur Butterflies & gamebirds Bobwhites **Special:** Larval

Last Update: Wednesday, June 11, 2025 Page **10** of **12**



Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

Host Sulphur Butterflies. Grows in rich, well-drained soil. Prefers no competition in the garden. Seed pods resemble pea pods. Native to Central US

Wild Strawberry (Fragaria virginiana) Perennial (Herbaceous) | Sun: Full/Part Shade Soil: Humus rich (woodland) and disturbed areas. **Flower:** White **Bloom time:** May-September **Height:** 3-6 inches (groundcover) Fruit: Red flavorful fruit Attracts: Native bees, birds, large & small mammals. Spreads via rhizomes and stolon (runners). Prefers well drained, acidic, rocky soils. Native to Maine

Willows (Salix spp) Perennial (Shrub) | Sun: Full Sun/Part Shade Soil: Moist/Wet Flower: Grey to White w/green & yellow anthers. **Bloom time:** Early Spring **Height:** 3-12 feet **Attracts:** Birds, Butterflies, Moths, Bees. Special: Over 150 species of tempora (Butterflies & Moths) use Willows. There are 26 Willows native to Maine. Larval Host: A variety of Moths and Butterflies. This remarkable shrub/small tree is beneficial to other flora, fauna and its roots filter water and stabilize the root systems. Great benefit to amphibians and other living things. Native to Maine

Winterberry (*Ilex verticillata*) Perennial (Shrub) | Sun: Sun/Part Shade/Deep Shade Soil: Moist/Acidic/Well drained **Flower:** White/Red berries. **Bloom time:** Fruit in Winter **Height:** 3-15 feet **Attracts:** Butterflies, Native Bees, Songbirds **Special:** Slow growing. Requires moist, acidic soil with good drainage. Tolerates heat, drought, and soil compaction. Winter forage for Black Capped Chickadee. Native to Maine

Witch-hazel (Hamamelis virginiana) Perennial (Shrub) | Sun: Sun/Part Shade Soil: Moist/Well drained Flower: Yellow Bloom time: Fall Height: 15-20 feet Attracts: Butterflies, Native Bees, Songbirds Special: Spidery, cheerful yellow flowers which bom the fall intolerant of drought. Tolerates heavy, clay, cool soils and deer browsing. Understory woodland margin tree found with Grey Birch. Native to Maine

ZigZag Goldenrod (Solidago flexicaulis) Perennial (Herbaceous) | Sun: Sun/Part Shade/Shade Soil: Medium/Well drained Flower: Yellow Bloom time: August-October Height: 1-3 feet Attracts: Butterflies, Native Bees, Bumblebees Special: Tolerates Deer, Heavy Shade & Clay. Spreads by seed and rhizome. Broadleaf. Grows in rich woods and thickets. Good for shaded woodland areas. Native to Maine

Last Update: Wednesday, June 11, 2025 Page **11** of **12**



Bas Rouge Farm & Forge | Orono, Maine | 207.221.6671 | basrougefarm.com | Email: ivonne@basrougefarm.com | Social: @basrougefarmforge

Bas Rouge Farm & Forge native plants are Zone 3-8 adaptable. The yellow



butterfly indicates a new 2025 addition to our nursery stock.

Glossary

Deciduous – Woody shrubs & trees which drop their leaves in the fall. Woody stems remain above ground.

Groundcover – Sometimes herbaceous, sometimes evergreen. Grows low to the ground (less than 6"-12" high) may spread via rhizome (horizontal underground roots & nodes) or stolon (or runners, sprout from the base of the plant, run along the surface of the soil, e.g., Strawberries).

Herbaceous – Plants die back in the late fall/early winter and re-emerge with new growth in the spring.

Shrub – Indicated by multi-stemmed growth. May grow from 2' – 20' tall. Many understory 'trees' are shrubs, e.g., Hazelnut, Chokeberry, Serviceberry, etc.

Sapling Tree – A young tree, usually 2-5 years old (based on growth of the species) with less than 2" diameter stem. Not yet producing fruit or seed.

We strive to have all the listed plants available. We are a small nursery and have limited quantities of many species. Additionally, we may have plants which are either listed/not listed which may not be ready for market until later in the season or the following year or available only as seed (late fall/winter).

We reserve the right to add/remove plants based on availability and other factors without notice. Please do not hesitate to contact us ivonne@basrougefarm.com with any questions or inquiries.

If you notice that our font is large it is to ensure that information may be read with assistive technology. We use a Verdana 14pt font for this purpose.

Last Update: Wednesday, June 11, 2025 Page **12** of **12**