

# INDUSTRIAL PRODUCTS EU







# **ICONS LEGEND**













調



LOW-CORROSION

**LA-CO Industries** creates specialized products that are right for the application. From general marking tools to markers made especially for the unique needs of your job, and from temperature indicators to industrial coatings and chemicals, you'll find the products that will always perform to your professional standards.

## **MARKAL®**

No other marker manufacturer has the quality, the precision, and the range of products for professionals and general industry as Markal. Made in the USA, and manufactured to deliver outstanding results, Markal is the industry's marking standard.

## TEMPIL®

From Tempilstik<sup>®</sup> to Bloxide<sup>®</sup>, Tempil is known worldwide as the performance leader in temperature indicating, monitoring, and coatings. Professionals depend on Tempil's precision and technical capabilities, making each Tempil product exactly right for the application.

## LA-CO®

Providing quality products for the plumbing, pipefitting, HVAC, and maintenance operations professional, LA-CO is a global leader in chemicals for a wide range of applications and solutions.

# TABLE OF CONTENTS

## Markal

Liquid Paint Markers Ink Markers Solid Paint Markers Hot Surface Markers General Purpose Markers Lumber and Timber Markers Welding Markers

# 

Temperature Indicating Products Electronics Specialty Coatings Temperature Indicating Labels

# 

Lubricants Leak Detectors Fluxes Heat Barriers Repair Sealants Pipe Thread Sealants

# IQUID PAINT MARKERS

For over 90 years, Markal<sup>®</sup> has been the trusted leader in industrial marking solutions because of our commitment to developing new and innovative products for use in some of the world's toughest environments. Ideal for use in the automotive industry, construction, welding, and metal production and fabrication, liquid paint markers are one of the most versatile and relied upon industrial marking tools across the world. These permanent and temporary liquid paint markers offer real paint in multiple tip sizes and colors, including a range of certified colors for nuclear and other corrosion-resistant applications.





# PAINT-RITER

## Paint-Riter<sup>®</sup> Valve Action

#### For general marking

- Fast-drying, permanent paint for immediate handling reduces work downtime
- Dura-Nib medium bullet tip resists wear to provide long marking life
- Durable metal barrel and clip-cap reduce breakage and store easily in pocket







**Case Quantity: 48** 

MADE IN USA ★

PART NO.	DESCRIPTION											
96809	Brown <sup>*</sup>	96821	Ye	ellow* 96	6824 📕	Orange*	96827	Gold*	96832	Aluminum*	97051	Fluor. Green <sup>+</sup>
96817	Purple*	96822	📕 Re	ed* 96	6825 🔳	Blue*	96828	Light Green*	96835	Light Blue*	97052	Fluor. Orange <sup>+</sup>
96820	White*	96823	Bl	ack* 96	6826 🔳	Green*	96830	Pink*	97050	Fluor. Yellow <sup>+</sup>	97053	Fluor. Pink <sup>†</sup>
96078	Cylinder Dis	olay - Includes: 🗌 W	/hite* (12)	/ Yellow* (12) /	/ 📕 Black*	(12)						

## Paint-Riter<sup>®</sup> Water Based

#### Bold marking where VOC issues are a concern

- Fast-drying, permanent paint for immediate handling reduces work downtime
- Low odor makes it great for indoor use and climate controlled facilities
- + Low VOC provides a safer marking tool
- Nine vibrant colors with excellent opacity



#### PART NO. DESCRIPTION

97400	White*	97403	Black*	97406	Green
97401	Yellow*	97404	Orange	97407	Purple
97402	Red*	97405	Blue*	97410	Pink

## Paint-Riter<sup>®</sup> Window Marker

#### Create bright marks that are easily removed

- Removable on any non-porous surface: Writes on glass, steel, aluminum, plastic and rubber
- Dries quickly to avoid smudging or running
- Easy removal with water and a cloth (or run the car through car wash)
- Fabric nib won't scratch delicate surfaces



#### PART NO. DESCRIPTION

97450	Yellow	97453	Pink
97451	Green	97454	Blue
97452	Orange	97455	Purple









MADE IN USA ★

## Paint-Riter<sup>®</sup> Fine

#### For precision marking

- Fine tip size for precise, permanent paint marking
- High-strength, lightweight barrel designed for industrial use
- Self-storing cap with clip protects tip for longer life and stores easily in pocket





PART NO.	DESCRIPTION				
96871	White	96874	Red	96877	Orange
96872	Yellow	96875	Blue		
96873	Black	96876	Green		

## **Paint-Riter® Jumbo**

#### Extra-large liquid paint marker

- Largest marks available (up to 14mm) in an industrial paint marker
- Extra-large tip ideal for signage or safety marking where immediate identification is required
- Valve-actuated tip releases paint on-demand for smooth continuous use

14mm 6		Ð	<b>*</b>	¢ የ ት
--------	--	---	----------	-------------

1000		A REAL PROPERTY AND
TER E	NAN -	
1	TER E	TER AND

Case Quantity: 24 Surfaces:  $I \otimes I \otimes I \otimes C$ 

**Case Quantity: 48** 


Surfaces: I 📎 🖾 🔞 🖉

PART NU.	DESCRIPTION		
90900	White	90903	Black
90901	Yellow	90904	Orange
90902	Red	90905	Blue

## **Security Check Paint Marker**

#### Torque security paint marker

- Paint marks crack for visual indication of loosening or tampering of bolts and parts
- Dry to touch: 15 minutes
- Full cure: 4 days
- Mark temperature resistance: 392°F. (200°C)



PART NO.	DESCRIPTION				
96668	White	96671	Blue	96674	Orange
96669	Yellow	96672	📕 Green	96675	Purple
96670	Red	96673	Black	96676	Plastic Tip (Pack of 12)
50070	- neu	50070	- Diack	50070	

\$ ₩ ₩

\*Indicates that this marker color is low in chlorides, halogens, and sulfurs for low corrosion marking requirements.

TM WARNING: This product can expose you to one or more chemicals which are known to the State of California to cause cancer. For more information, got to www.P65Warnings.ca.gov.

# **BALL PAINT MARKERS**

A steel ball tip makes these markers preferred when bright and precise marking is needed on rough, wet or oily surfaces.

### Paint-Riter<sup>®</sup> Metal Ball Tip

#### Metal roller ball marker

PART NO.

84620

84621

84622

DESCRIPTION

Yellow\*

Red\*

- Durable metal-ball tip resists wear and clogging for longmarking life on rough surfaces
- Non-drip paint formula allows for easy jobsite marking
- Industrial paint withstands harsh environments and weather conditions

84623

84624

84625

- · Sturdy plastic bottle with 3mm steel ball tip
- Plastic cap keeps tip clean between jobs



Black\*

Orange

Blue



## Paint-Riter<sup>®</sup> Pump Metal Tip

#### Metal-tipped, pressurized liquid paint marker

- Unique pump mechanism for smooth paint flow
- · Ideal for marking on smooth or rough surfaces
- Metal barrel and steel tip provide durability for longer marking life
- Weather, wear, and UV-resistant for long-lasting marks



DESCRIPTION

White

Yellow<sup>†</sup>

28710

28711





MADE IN USA 📩

PAINT-RI

### Replacement Tips Pack of 144

#### Extend the life of liquid paint markers

- Valve-actuated replacement tips release paint or ink on demand for smooth, continuous use
- Each tip style is designed to maximize marker use; do not interchange tips

	PAINT-I	RITER®					PAINT-F	RITER®+					DURA	-INK®+
PART NO.	VALVE ACTION	WATER- BASED	OILY SURFACE V	VET SURFACE	ROUGH Surface	CERTIFIED	ULTRA VIOLET	WATER REMOVABLE	DETERGENT REMOVABLE	HEAT TREAT	SAFETY Colors	AEROSPACE	EASY OFF WATER	EASY OFF DETERGENT
96867														
96908														
97023														



## **Stylmark**<sup>®</sup>

#### Ball tube marker for multiple surfaces

- Durable steel ball tip marks with indelible paint on smooth, rough or difficult surfaces
- Steel ball tip is resistant to very rough surfaces for long marking life
- Unique paint designed to not drip on vertical or overhead surfaces







Case Qua	ntity: 48	3		
Surfaces:	I 🗞	3	0	F

## Stylmark®+ Low Corrosion

#### Ball tube marker for stainless steel marking

- Safe for use on stainless steel and other alloy metals where corrosion resistance is a requirement
- Unique paint designed not to drip on vertical or overhead surfaces





Case Quantity: 48	
ouse quantity. 40	
Surfaces: I 📎 🖾 🔘 🖉	PLUS SERIES



97160 🗌 White / 3mm\*



\*Indicates that this marker color is low in chlorides, halogens, and sulfurs for low corrosion marking requirements.

## PAINT-RITER+

RITER.

MADE IN USA 📩

## Paint-Riter®+ Ultra Violet

#### Visible in UV light

PART NO.

97054

PART NO

96880

- · Makes clear, invisible marks that illuminate bright blue when viewed with an ultraviolet or black light
- Invisible paint formula is ideal for security, • theft-prevention, and quality control
- Fast-drying formula reduces smearing







#### Nuclear and military pre-certified

- Ideal for use on stainless steel or superalloys in industries that require prevention against corrosion, pitting, or degradation
- Certified to meet the following U.S.A. and international . specifications:

96883

• EDF PMUC

DESCRIPTION

Visible Blue<sup>+</sup>

- MIL STD-2041D
- U.S. DOE RDT F-7-3T (expired) • U.S. Navy C3070

DESCRIPTION

White\*



#### 96881 Yellow\* 96884 Blue\* 96885 96882 Red\* Green\*

### **Paint-Riter®+ Aerospace**

#### Paint markers designed for the Aerospace Industry

Black\*

- Batch certified formulas meet stringent aerospace GE D50TF8 and Rolls-Royce EMS 56752 specifications
- Fast drying, long lasting and wear/weather resistant liquid paint . formula

Red\*

Black<sup>a</sup>

- Valve-actuated nibs for better controlled flow
- Durable metal barrels offer large paint capacity





96894

96895

DESCRIPTION

White\*

Yellow\*

PART NO 96892

96893

## Paint-Riter®+ Low Corrosion Fine

#### Low-corrosion solid paint marker

- Ideal for use on stainless steel or super alloys in industries that require prevention against corrosion
- Fast-drying formula leaves wear, weather, and UV-resistant marks
- · Xylene-free paint reduces user health risks



**PLUS SERIES** 

MADE IN USA 📩

**Case Quantity: 48** 

Surfaces: I 🛇





28780 🔳 Black

## Paint-Riter<sup>®</sup>+ Galvanizer

#### Removable paint marker for galvanizing

- Makes durable marks on steel during fabrication. Marks are removed completely during the pickling process.
- More marks per marker more than 2x longer write-out vs leading competitor
- Fast-drying and xylene-free

White

Yellow

28785

28786

PART NO

97271

97272

97274

DESCRIPTION

Safety Yellow<sup>+</sup>

Safety Orange<sup>+</sup>

Safety Red<sup>+</sup>

- Weather resistant paint formula
- Durable acrylic nib marks on smooth, rough and rusty surfaces





## Paint-Riter®+ Safety Color

#### Touch-up safety identification

- Colors formulated to meet OSHA and ANSI safety color specs
- Durable and weather resistant formula for indoor/outdoor use
- Valve-actuated nibs provide continuous marking on smooth, rusty and rough surfaces
- Clip-Grip caps allow for easy storage and handling, even with work gloves



Safety Blue<sup>+</sup>

Safety Green<sup>+</sup>

97275

97276



\*Indicates that this marker color is low in chlorides, halogens, and sulfurs for low corrosion marking requirements.

TA WARNING: This product can expose you to one or more chemicals which are known to the State of California to cause cancer. For more information, got to www.P65Warnings.ca.gov.

## Paint-Riter®+ Oily Surface

#### For oily surface marking

- Unique paint formula resists spreading and dries quickly through oily surfaces to leave precise, permanent marks
- Durable metal barrel and nib reduce breakage for longer marking life.
- Easy-to-grip clip-cap allows for convenient pocket storage.



3mm		0°F 10 150°F	r P	*	* *	Case Quan Surfaces:	ntity: 48 I 📎 🔟 🖉	PLUS SERIES	MADE IN USA ★
PART NO.	DESCRIPTION								
96960	White*	96963 I	<ul> <li>Black*<sup>†</sup></li> </ul>	96966	Green <sup>+</sup>	96971 🔳 Lig	ht Blue* <sup>†</sup> 96974	Purple <sup>†</sup>	
96961	Yellow*†	96964	Orange <sup>†</sup>	96967	Silver*	96972 📕 Gol	d 96975	Brown*†	
96962	Bed* <sup>†</sup>	96965	Blue* <sup>†</sup>	96970	Light Green <sup>+</sup>	96973 📕 Pin	k*†		

## Paint-Riter®+ Rough Surface

#### For rough surfaces and extreme durability

- Engineered for continuous and highly-visible marking on rough, rusty, and dirty surfaces
- Enamel paint formula for enhanced abrasion resistance
- Durable metal barrel and clip-cap reduce breakage and store easily in pocket





## Paint-Riter®+ Wet Surface

#### For wet surface marking

- Specially formulated paint resists running or spreading on wet or damp surfaces to leave permanent, highly-visible marks
- Metal barrel and durable fiber tip provide long marking life
- Fast-drying, permanent paint reduces work downtime





PART NO.	DESCRIPTION				
96930	White*	96933	Black* <sup>†</sup>	96936	📕 Orange* <sup>†</sup>
96931	Yellow*	96934	Blue* <sup>†</sup>		
96932	Red* <sup>†</sup>	96935	Green* <sup>†</sup>		



## Paint-Riter®+ Heat Treat

#### For high temperature resistance

- For marking on ambient temperature metal surfaces, fast-drying liquid paint marker resists high temperatures
- Engineered with PrismaLock technology for long-lasting colors up to 1,800°F (982°C)
- Maximum mark readability (no color)
- White 2,100°F (1,148°C) - Yellow - 2,100°F (1,148°C)
- Black 2,200°F (1,204°C) - Blue - 2,000°F (1,093°C)





## Paint-Riter®+ Detergent Removable

#### Removable liquid paint markers

- Fast-drying paint easily removes leaving surfaces free of mark ghosting or paint residue
- Detergent Removable marks can be removed with detergent solutions that have a PH level of 10 or above
- High-strength, light-weight plastic barrel designed for industrial use



PART NO.	DESCRIPTION		
97010	White	97013	Black <sup>†</sup>
97011	Yellow	97015	Blue
97012	Red	97016	📕 Green†

## Paint-Riter®+ Water Removable

#### Removable liquid paint markers

- Fast-drying paint easily removes leaving surfaces free of mark ghosting or paint residue
- Water Removable marks can be removed simply and quickly with water
- High-strength, light-weight plastic barrel designed for industrial use

97033

97035

97036

Black<sup>†</sup>

Green<sup>+</sup>

Blue



DESCRIPTION

White

Yellow

Red

PART NO. 97030

97031

97032



**PLUS SERIES** 

MADE IN USA

PAINT-RITER

**Case Quantity: 48** 

Surfaces: I 🗞 🖾 🕼 🖉

\*Indicates that this marker color is low in chlorides, halogens, and sulfurs for low corrosion marking requirements.



# LIQUID PAINT MARKERS

Metals	Paint-Riter <sup>®</sup> Valve Action <sup>®</sup>	Paint-Riter <sup>®</sup> Water-Based	Paint-Riter® Window Marker	Paint-Riter <sup>®</sup> Fine	Paint-Riter <sup>®</sup> JUMBO	Security Check Paint Marker	Paint-Riter◎ Metal Ball Tip	Paint-Riter◎ Pump Metal Tip	Stylmark®	Stylmark®+ Low Corrosion
Clean, Dry										
Rough/Rusty	—	—								
Oily	—	—								
Wet	—	—		—		—	—	—		
Annealing, Heat Treating	—	—	—	—	—	—	—	—	—	—
Low Corrosion			_	_						
Nuclear & Military Specifications	—	—	—	—	—	—	—	—	—	—
Aerospace Specifications		_		_	_	_	_	_		—
Plastics										
Clean, Dry			_							
Wet	—	—				—	—	—		
Rubber										
Clean, Dry				_		_				
Rough	—	—	—	—						
Glass, Ceramic										
Clean, Dry							_	_		
Wet	_						_			
Brick, Stone										
Clean, Dry						_				_
Rough	—									
Metals										
Clean, Dry	—	_				_	—	—		
Galvanizing	—									
Plastics										
Clean, Dry	—									
Glass, Ceramic										
Clean, Dry								_		_

PERMANENT



Paint-Riter®+ Ultra Violet	Paint-Riter®+ Certified	Paint-Riter⁰+ Aerospace	Paint-Riter◎+ Low Corrosion Fine	Paint-Riter®+ Galvanizer	Paint-Riter®+ Safety Colors	Paint-Riter®+ Oily Surface	Paint-Riter®+ Rough Surface	Paint-Riter®+ Wet Surface	Paint-Riter®+ Heat Treat	Paint-Riter®+ Water & Detergent Removable
										_
						_				—
	_		_	_	_			_		
	—		_		—			—		
				—	—					—
					—	—		—		_
		_								
	_		_	_	_			_		
	—	—								_
	—		—							
	—		—		—			—		—
					_	_		_		
	_	_	_	_			_	- 21		
	_	_	_		_					_
	—		—	—	—	—		—		—
	—		—		—			—		—

LA-CO Industries Inc | 1201 Pratt Boulevard, Elk Grove Village, IL 60007-5746 | +1 (800) 621 4025 | markal.com

# INK MARKERS

Preferred for their ability to immediately mark and dry on almost any type of surface, felt-tip ink markers can be found on almost any job site, in any factory, or throughout warehouses and shipping departments around the world. Our DURA-INK<sup>®</sup> family of ink markers offers the best combination of performance, durability and value.





## **DURA-INK® Needle Nose**

#### Permanent ink marker with extended micro tip

- Extended nose is ideal for marking through holes and hard-to-reach areas
- Micro tip for precision marking on small surfaces
- Industrial-strength ink is smear and water-resistant for longer lasting marks





## **DURA-INK®** Dual-Tip

## Dual-sided marker provides the convenience of two markers in one

- Versatile dual tip design is excellent for broad writing on large spaces and ultra-fine precision marking on small surfaces
- Industrial-strength permanent ink dries quickly and is wear and weather-resistant for longer lasting marks
- Built-in clip-caps snap into each other, preventing lost caps and marker from rolling off work surfaces





DESCRIPTION

Red

Black

PART NO 96282

96283

96330

96331

\_\_\_\_ Case Quantity: 72

Surfaces: I 🗞 🖾 🖉 🖉

## Conveniently switch between colors for the perfect mark in your application

- Easily write on bright or dark metals with one marker
- Nesting ribbed caps snap into each other to prevent loss and resist rolling off table or workbench
- Tough bullet nib resists spreading or mushrooming and is durable to mark on almost any surface



Case Quantity: 72



### **DURA-INK® Controlled Flow**

Black & Red

Green & Red

#### Valve-actuated tip provides on-demand ink

- Valve-actuated tip releases ink when needed and reduces tip dryout
- · The strong metal barrel and clip-cap reduce breakage
- Extra-tough tip will not spread or mush, providing longer marking life





## **DURA-INK® Dry Erase**

#### Erasable ink marker

- Temporary marks are easily removed from most non-porous surfaces without ghosting or leaving a residue
- Larger ink supply outwrites conventional ink markers
- Opaque ink formula for bold marks



3mm	38		Case Quantity: 48	Surfaces: I 👒 🖾 C
PART NO.	DESCRIPTION			
96570	Red	96572	Blue	
96571	Black	96573	Green	

## **DURA-INK® Metal Barrel Chisel**

#### Permanent ink marker with medium chisel tip

- The versatile chisel tip can make both fine or broad marks for flexible marking needs
- Smear and water-resistant industrial ink allows for long-lasting marks
- Heavy-duty metal barrel contains extra-large ink supply for longer marking life



3mm 10 6mm 3s

PART NO 96222

96223

**Case Quantity: 48** 

Surfaces: I 🗞 🖾 🖉 🖉

### **DURA-INK® Chisel**

DESCRIPTION

Red

Black

#### Permanent ink marker with medium chisel tip

- Medium chisel tip produces both fine and broad permanent marks
- Durable plastic barrel withstands tough industrial uses and is the economical alternative to high-cost metal barrels
- Built-in clip-cap stores conveniently on back and prevents marker from rolling off work surfaces







## **DURA-INK® Jumbo Chisel**

#### Produces both fine and broad permanent marks

- Versatile, broad chisel tip produces both extra-large or medium-sized marks
- Industrial grade tip will not spread or mush
- Jumbo ink supply for greater marking mileage



9.5mm T0 16mm	3		Gase Quantity: 24	Surfaces: 🏾 🏹 <	§ [] { <i>]</i>	
PART NO.	DESCRIPTION					
96914	Green	96916	Red			
96915	Blue	96917	Black			

## **DURA-INK® Fine Cylinder Display**

#### Convenient, Ready-To-Sell POS Solution

• DURA-INK® Fine is a permanent ink marker with a fine bullet tip that uses industrial-strength ink which is smear and water-resistant for longer lasting marks. Ready-to-sell display is prefilled with product for fast and easy setup.





Quantity: 1 (Contains 72 Markers)



PART NO. DESCRIPTION 96028 Cylinder Displ

Cylinder Display filled with 72 🔳 96023 Black

### **Universal Cylinder Display**

Empty display fits all Markal® ink and liquid paint markers.

• Display your choice of industrial-grade marker or mix and match with this empty cylinder display that depicts a variety of our most popular products.



#### Quantity: 1

P/	ART NO.	DESCRIPTION
96	6021	Empty Cylinder Display

# **DURA-INK**+

DESCRIPTION Black\*<sup>†</sup>

PART NO

96924

## **DURA-INK®+ Aerospace**

#### Ink marker designed for the Aerospace industry

- · Batch certified formula meets stringent aerospace GE D50TF8 and Rolls-Royce EMS 56752 specifications
- · Valve-actuated nibs for better controlled flow
- Durable metal barrel offers large ink capacity
- Clip-grip caps allow for easy storage and handling, even with work gloves





## DURA-INK®+ Water Removable

#### Removable temporary ink washes off with water

- · Industrial-strength ink for temporary marking applications removes quickly and easily with dry rag, towel, or eraser
- · Marks will not ghost or leave a residue once removed from most non-porous surfaces
- Durable nib will not spread or mush, and not scratch painted surfaces
- and plantic harral will reduce break . . . . . . . .

• Durab	le clip-cap ar	nd plastic b	barrel will reduce breakage			
4.6mm T0 8mm	35		Gase Quantity: 48	Surfaces:	[ & ]] @	PLUS SERIES
PART NO.	DESCRIPTION					
96301	Pink	96303	Green			
96302	Blue					

## DURA-INK®+ Easy Off Water & Detergent

#### Removable temporary ink is easily removed with water or detergent

- Perfect for temporarily marking bare (non-treated, non-painted) metal. Marks that are removed leave no ghosting.
- · Will not ghost or bleed through when painted over
- Valve-actuated nibs provide continuous marking for better controlled flow
- Durable metal barrel prevents breakage for longer marking life





3mm	15-25s			Case Quantity: 48	Surfaces:	] 🗞 🛛		<b>PLUS SERIES</b>	MADE IN USA ★
PART NO.	DESCRIPTION	WATER		PART NO.	DESCRIPTION	DET	TERGENT		
96310	White	96313	Black <sup>†</sup>	96320	White	96323	Black <sup>†</sup>		
96311	Yellow	96315	Blue	96321	Yellow	96325	Blue		
96312	Red	96316	Green	96322	Red	96326	Green		



\*Indicates that this marker color is low in chlorides, halogens, and sulfurs for low corrosion marking requirements



# SOLID PAINT MARKERS

With the introduction of the original B<sup>®</sup> Paintstik<sup>®</sup> in 1934, Markal<sup>®</sup> changed the face of industrial marking by creating a product that combines the durability of paint with the convenience of a crayon. Since that time, we have continued to build on this innovation by engineering unique marking solutions, making our Paintstiks one of the most diverse and commonly used types of industrial marking tools available.





## PAINTSTIK

## Paintstik<sup>®</sup> Original B<sup>®</sup>

#### Multi-purpose permanent marking

- Real paint for long-lasting, highly-visible marks
- Superior marking on rough, rusty, or dirty surfaces
- Weather and UV-resistant for long-lasting marks





13mm 25	.4mm 12h	-50°F T0 150°F				Surfaces:	] (	≥ E © © € .		MADE IN USA ★
PART NO.	DESCRIPTION									
80220	White*	80224	Orange	80228 🔳 Purple <sup>†</sup>	80233	Silver	82835	Fluor. Blue <sup>†</sup> ▼	80421	Yellow / Fine
80221	Yellow	80225	Blue	80229 📕 Brown	82831	Fluor. Yellow <sup>†</sup> ▼	82836	■ Fluor. Green <sup>†</sup> ▼	80250	White / HEX*
80222	Red	80226	Green <sup>†</sup>	80230 🔳 Gray	82832	■ Fluor. Red <sup>†</sup> ▼	82842	■ Fluor. Pink <sup>†</sup> ▼	80251	Yellow / HEX
80223	Black	80227	Pink	80232 Aluminum	82834	Fluor. Orange <sup>†</sup> ▼	80420	White / Fine*	80260	White / JUMB0*

## Paintstik<sup>®</sup> Rough Surface

#### For marking very rough surfaces

- Soft solid paint for easier marking on rough or colder surfaces
- Marks withstand prolonged immersion in water for long mark life
- Easy-to-hold, recyclable paperboard holder protects Paintstik for maximum use
- Weather and UV-resistant





PART NO.	DESCRIPTION
80620	White
80621	Yellow
80623	Black

## Paintstik<sup>®</sup> High Intensity

#### High-intensity color marking

- High-intensity colors for coding, identification, layout, and assembly work
- Durable weather and UV-resistant marks
- Easy-to-hold, recyclable paperboard holder protects Paintstik for maximum use





PART NO.	DESCRIPTION		
88620	White	88625	Blue
88621	Yellow	88640	White / JUMBO
88624	Orange		



# PAINTSTIK<sup>®</sup>+

#### Paintstik®+ Lacquer Fill-In

#### For filling-in stamped or engraved lines

- Meets U.S.A. federal specification TT-F-325a I and MIL-STD 171, Finish No. 30.1.1, Type I
- Mark temperature resistance: up to 500°F (260°C)
- Paint stays flexible, expands and contracts with the surface
- Rubs in and wipes off easily, dries quickly





## Paintstik<sup>®</sup>+ Non-Bleed Thru

DESCRIPTION

White

Black

Gold

PART NO. 51120

51123

51131

#### Marks will not show through top coat of paint

- Marks will not show through top coat of primer or finished layer of paint
- · Ideal for shipbuilding or other metal fabrication
- Solid paint formula designed for marking on wet, dry, oily, rusty, icy, smooth, or rough surfaces
- Easy-to-hold, recyclable paperboard holder protects Paintstik for maximum use





## Paintstik<sup>®</sup>+ Water Removable Fine

#### Water-soluble, removable

DESCRIPTION

White

PART NO. 82120

- Water-soluble for easy removal before production or finishing
- Smaller diameter for finer line marking

- Ideal for temporary marking on nonporous surfaces
- Easy-to-hold, recyclable paperboard holder protects Paintstik for maximum use



9.5 mm	12h	-50°F T0 150°F		MADE IN USA ★
PART NO.	DESCRIPTION			
82420	White	82423	Black	
82421	Yellow			
82422	Red			

\*Indicates that this marker color is low in chlorides, halogens, and sulfurs for low corrosion marking requirements.

## Paintstik®+ Fast Dry

#### Fast-drying solid paint crayon

- Marks dry within 5 minutes on wet, oily, dry, and rough surfaces
- Quick-drying marks allow for immediate handling without smearing
- Easy-to-hold, recyclable paperboard holder protects Paintstik for maximum use



## Paintstik®+ Galvanizer

DESCRIPTION

Yellow

PART NO 82721

Marks are removed in the galvanizing process

- Marks remove in pickling baths to allow excellent adhesion for zinc coating
- Superior marking on rough, rusty, oily, or smooth surfaces compared to liquid paint markers
- Solid paint crayon makes wide, bold marks for instant identification





PART NO. DESCRIPTION 83420 White<sup>†</sup>

## Zephyr®

#### Wear-resistant, water-soluble

- Water-soluble for easy removal from glass and other non-porous surfaces
- Wider, more wear-resistant marks than Paintstik®+ Water Removable Fine
- Marks will not damage surface or ghost after removal
- Easy-to-hold, recyclable paperboard holder protects Paintstik for maximum use







PART NO

51321



DESCRIPTION

Yellow

## Paintstik®+Bleed Thru Oil-based Paint

#### Bleeds through oil-based paints

- Marks bleed through solvent or oil-based primers or paints
- + Used for inspection, coding, layout or assembly operations
- Durable weather and UV-resistant marks
- To prevent bleeding through the finished coat of paint, seal the marked areas with water-based epoxy paint



## Paintstik®+ Bleed Thru Water-based Paint

#### Bleeds through water-based paints

- Marks bleed through water-based primers or paints
- Used for inspection, coding, layout or assembly operations
- Easy-to-hold, recyclable paperboard holder protects Paintstik for maximum use
- Durable weather and UV-resistant marks





**PLUS SERIES** 

MADE IN USA 📩

## PART NO.DESCRIPTION80735Blue

PART NO

DESCRIPTION

PART NO

80725


DESCRIPTION

Blue

## Paintstik®+ Heat Treat

#### For annealing and heat-treating

- · Marks will withstand immediate quenching in water or oil
- Ideal for welds, ingots, castings, forgings, and other annealed parts
- Durable marks will not rub off, allowing for long-lasting identification
- Withstands temperatures up to 1600F (871C) and 82020 withstands 1800F (982C)





\*Indicates that this marker color is low in chlorides, halogens, and sulfurs for low corrosion marking requirements.

TA WARNING: This product can expose you to one or more chemicals which are known to the State of California to cause cancer. For more information, got to www.P65Warnings.ca.gov.

Case Quantity: 144

# **TYRE MARQUE**<sup>®</sup>


## Tyre Marque

#### Temporary tire marking

- Smooth marking on rough or dirty surfaces for bold, visible marks
- Marks easily on wet or cold rubber surfaces



13mm	-20°F T0 130°F		Case Quantity: 144	Surfaces:	()	MADE IN USA	I
PART NO.	DESCRIPTION						
51420	White	51421	Yellow				



# HOLDERS



## **102 Standard Size Holder**

#### Adjustable metal holder

- Durable metal holder promotes long work-life for all standard equivalent 11/16" (17mm) size Markal® solid paint crayons
- · Adjustable mechanism easily advances paint crayon
- Designed for use with the following Markal<sup>®</sup> standard size solid paint crayons: Original B<sup>®</sup>, Rough Surface<sup>®</sup>, Bleed Thru Oil-based<sup>®</sup>, Bleed Thru Water-based<sup>®</sup>, High Intensity<sup>®</sup>, Heat Treat<sup>®</sup> (1600F and 1800F), Non-Bleed Thru<sup>®</sup>, Galvanizer<sup>®</sup>



#### **Case Quantity: 12**

#### PART NO. DESCRIPTION

85100 Adjustable metal holder for standard diameter solid paint crayons - length 6in (15.2cm)

#### **107 Fine Size Holder**

#### Metal holder for small diameter solid paint crayons

- Dependable holder protects fine size Markal® Paintstiks for long work life
- Easy-to-use, push-button design reduces work downtime
- Designed for use with the following Markal solid paint markers:  $B^{\circledast}$  Fine, and Water Removable Fine



#### Case Quantity: 12

#### PART NO. DESCRIPTION

85300 Metal holder for small diameter solid paint crayons - length 5.5in (14cm)



MADE IN USA 📩

MADE IN USA

**QUIK STIK**°

## **Quik Stik® All Purpose**

#### Fast-drying solid paint in twist-up holder

- · Fast-drying vibrant paint marks on virtually any surface: wet, smooth, rough, or hot
- · Easy Grip Airtight Cap for convenient pocket storage, self-storing cap keeps the marker clean and fresh between uses
- · Solid paint marker advances and retracts by turning twist-up knob





$\square$					\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		Case Quanti	ty: 72	2		
13mm	5-7m	0°F T0 392°F					Surfaces: 🔟	3	₽Ø@ <i>₿∥</i>		MADE IN USA ★
PART NO.	DESCRIPTION										
61049	Red <sup>+</sup>	61051	White	61069	📕 Green <sup>†</sup>	61071	Orange <sup>†</sup> 61	1041	Fluor. Yellow <sup>†</sup>	61043	Eluor. Orange <sup>†</sup>
61050	Black	61053	Yellow <sup>†</sup>	61070	Blue <sup>†</sup>	61073	Purple <sup>†</sup> 61	1042	Fluor. Green <sup>†</sup>	61044	Fluor, Pink <sup>†</sup>

## Quik Stik<sup>®</sup> All Purpose Mini

#### Fast-drying solid paint in compact twist-up holder

- · Marks on virtually any surface; wet, smooth, rough or hot
- · Solid paint marker advances and retracts by turning twist-up knob
- Compact plastic holder with clip-cap stores easily in pocket and keeps hands and clothing clean

Д	<b>W</b>	肕		<b>\$</b>	\$ *		Case Qua	antity: 48
8mm	5-7m	0°F T0 392°F			1		Surfaces:	I & Z @ @ <i>C d</i>
PART NO.	DESCRIPTION	l -						
61126	White	61127	Yellow	61128	8 📕 Red	61129	Black	







# QUIK STIK\*+

## Quik Stik®+ Oily Surface

## Premium solid paint marker that writes on oily and wet surfaces

- Industrial-grade paint formula for exceptional performance on oily and wet surfaces. Also writes on dry, smooth or rough
- Twist-up knob easily advances permanent solid paint to keep hands, clothing and toolboxes clean



PART NU.	DESCRIPTION			
28880	White	28882	Red	
28881	Yellow	28883	Black	

## Quik Stik<sup>®</sup>+ Oily Surface Mini

Premium solid paint marker that writes on oily and wet surfaces

- Industrial-grade paint formula for exceptional performance on oily and wet surfaces. Also writes on dry, smooth or rough
- Push advance easily advances permanent solid paint to keep hands, clothing and toolboxes clean



**PLUS SERIES** 

MADE IN USA 📩

## Quik Stik<sup>®</sup>+ Glow-In-The-Dark

28772

28773

Solid paint marker creates marks that glow in the dark for increased visibility in low lighting conditions

Red

Black

- Photoluminescent white paint glows in the dark for up to 30 minutes when charged with light to provide increased visibility of marks
- · Weather-resistant paint formula for long-lasting marks





DESCRIPTION

White

Yellow

28770

28771

\*Indicates that this marker color is low in chlorides, halogens, and sulfurs for low corrosion marking requirements.

TA WARNING: This product can expose you to one or more chemicals which are known to the State of California to cause cancer. For more information, got to www.P65Warnings.ca.gov.

**Case Quantity: 48** 

Surfaces: I 💊 🗁 🖾 🔘 🖉 🖉

# SOLID PAINT MARKERS

Metals	Paintstik <sup>®</sup> Original B <sup>®</sup>	Paintstik® Rough Surface®	Paintstik <sup>®</sup> Bleed Thru Oil <sup>®</sup>	Paintstik <sup>®</sup> Bleed Thru Water <sup>®</sup>	Paintstik® High Intensity®	Paintstik <sup>®</sup> FAST DRY <sup>®</sup>	Paintstik <sup>®</sup> Heat Treat 1600°F - 1800°F	Paintstik <sup>®</sup> Non-Bleed Thru
Clean, Dry								
Rough								
Rusty								
Oily								
Wet								
Annealing, Heat Treating		—		—		—		
Low Corrosion			—					—
Plastics								
Clean, Dry								_
Rough					_			
Oily			_					_
Wet			_					_
Rubber								
Clean, Dry								
Rough								
Oily								
Wet			_					_
Glass, Ceramic								
Clean, Dry								
Rough								
Wet			_					
Brick, Stone								
Clean, Dry								
Rough								
Wet	- 21		_					_
Before Painted Sur	face							
Bleed Through Pair								
No Bleed Through		_	_			_	_	
Painted Surface								
Clean, Dry								
Rough			_					_
Oily			_					_
Wet								_
Non-Porous Surfac	es							
Clean, Dry								

Primary Selection

Secondary Selection

REMOVABLE



	Paintstik <sup>®</sup>						
Paintstik <sup>®</sup> Galvanizer	Water Removable Fine	Paintstik <sup>®</sup> Lacquer Fill-In		Quik Stik® All Purpose	Quik Stik <sup>®</sup> All Purpose Mini	Quik Stik <sup>®</sup> + Oily Surface	Quik Stik®+ Oily Surface Mini
	_						
—			—				-
—							-
—							
—							
—							
						_	-
—			—				-
—		—	—		—		
—			—				
—							_
—							
—			_	_	_		
	_	_					
			_				_
				_			
_		_			_		
				_			_
				_			
—	—	—	—	—			—
			_		_		_
—	—		—	—			—
—	—	—	—	—	—		
—	—						
				—			—

LA-CO Industries Inc | 1201 Pratt Boulevard, Elk Grove Village, IL 60007-5746 | +1 (800) 621 4025 | markal.com

# HOT SURFACE MARKERS

The tools required in a smelter or forge and casting foundries must be able to consistently perform and be able to withstand extreme temperatures, and industrial markers are no exception. Our hot surface line of solid paint markers will only begin producing marks when in the stated working temperature, and will provide long-lasting, highly-visible marks that will not run, char, flow, discolor, peel, or crack. With rated temperatures from 120°F (49°C) to 2200°F (1204°C), these markers are ideal for use on coils, billets, bars, ingots, and plates.





# HEAT STIK

# Heat Stik<sup>®</sup> Fine (225°F - 1100°F)

107°C to 593°C

- Hot surface marker writes on hot castings, forgings, coils, billets, plates and other hot metal surfaces
- · Forgings and parts can be immediately dipped into cold water baths without damaging the marks



Surfaces: I 🛇

MADE IN USA 📩

DESCRIPTION PART NO. 81020 White 81023 Black<sup>†</sup> 81021 Yellow 81025 Blue 81022 Red 81026 Green

# Heat Stik<sup>®</sup> (400°F - 1600°F)

#### 204°C to 871°C

JUMBO Size

Standard Size

81222

- · Red-hot surface marking crayon writes on billets, coils, bars, slabs, ingots and other hot metal surfaces
- · Fast-drying marks are not damaged during handling or when immersed in cold water baths



9.5mm	19mm 2min	400 TO 1600°F		<b>ጵ</b> የ	Case Quantity: 144	Surfaces:	I 🗞	MADE IN USA ★
PART NO.	DESCRIPTION							
81220	White / Standard	81223 I	Black / Standard <sup>+</sup>					
81221	Yellow / Standard	81225	Blue / Standard					

Case Quantity: 144

# Heat Stik<sup>®</sup> (400°F - 1800°F)

#### 204°C to 982°C

Red / Standard

· Red-hot surface marking crayon writes on billets, coils, bars, slabs, ingots and other hot metal surfaces

81210

White / JUMBO

• Fast-drying marks are not damaged during handling or when immersed in cold water baths



Size	JUMB0 Size			
9.5mm	19mm	2min	400°F T0 1800°F	ጵ ቁ ት



# Heat Stik<sup>®</sup> (350°F - 1700°F)

#### 177°C to 927°C

- · Extra-wide hot surface marker lasts longer than competitive hot chalk, for extended writing life
- Durable marks will not run, char, flow, discolor, peel or crack
- · Fast-drying marks are not damaged during handling or when immersed in cold water baths
- Real paint for long-lasting, highly visible marks





Surfaces: Case Quantity: 144

MADE IN USA 📩

DESCRIPTION PART NO. 81610 White

# Heat Stik<sup>®</sup> (200°F - 1000°F)

#### 93°C to 537°C

- · Red-hot surface paint crayon on billets, coils, bars, slabs, ingots and other hot metal surfaces
- · Extra-wide hot surface marker lasts longer than competitive hot chalk for extended writing life
- Durable marks will not run, char, flow, discolor, peel or crack
- Easy-to-hold, recyclable paperboard holder protects Heat Stik® for maximum use

19mm Zmin	200°F T0 1000°F		\$ \$ *
-----------	--------------------	--	---------------



Case Quantity: 144	Surfaces:	I 🗞
--------------------	-----------	-----

MADE IN USA 📩

DESCRIPTION PART NO.

84820 White

# Heat Stik<sup>®</sup> (1800°F - 2200°F)

#### 982°C to 1204°C

- · White-hot surface paint crayon writes on iron, steel castings, ingots, forgings, blooms, billets and high temperature metal alloys
- · Extra-wide hot surface marker lasts longer than competitive hot chalk, for extended writing life
- Marks are readable even on white-hot steel for instant identification





81820 White

# Heat Stik<sup>®</sup> (150°F to 900°F)

#### 66°C to 482°C

- Dual-purpose paint crayon is ideal for use where temperatures vary rapidly from hot to cold
- Formulated for foundries and mills where extreme temperature change occurs
- Durable marks will not run, char, flow, discolor, peel or crack, but can be removed at higher temperatures





Case Quantity: 144 Sur

Surfaces: 🔟 🜭

MADE IN USA 📩









# Holder 100

#### Wooden holder

- Durable wooden holder protects the marker during use for long marking life
- · Adjustable metal ring secures marker in holder
- Designed for use with the following Markal<sup>®</sup> hot surface solid paint markers: Heat Stik<sup>®</sup> Fine (225°F - 1000°F) Heat Stik<sup>®</sup> (400°F - 1600°F), Heat Stik<sup>®</sup> (400°F - 1800°F) Heat Stik<sup>®</sup> (350°F - 1700°F), Heat Stik<sup>®</sup> (150°F - 900°F)



#### Case Quantity: 12

 PART NO.
 LENGTH

 85500
 4in (10.25cm)

# Holder 102K

#### Metal holder for hot surface solid paint markers

- Combining holder (85200) and the 2ft extension (85210) provides
   additional length to protect the user from dangerous heat
- Fast button advancing for high production, even with heavy duty gloves
- Designed for use with the following Markal® hot surface solid paint markers:

Heat Stik<sup>®</sup> (1800°F - 2200°F) Heat Stik<sup>®</sup> (200°F - 1000°F) Heat Stik<sup>®</sup> (400°F - 1600°F) King size Heat Stik<sup>®</sup> (400°F - 1800°F) King size



102K holder with 2ft (0.6m) extension pictured above



MADE IN USA 📩

#### Case Quantity: 12


PART NO.	LENGTH
85200	0.6 ft. (18.4cm)
85210	2 ft. (0.6m)

### Holder 111

#### Extra-long metal holder

- The longest metal holder for hot surface marking
- Durable, push-button metal holder is easy to use, even with heavy-duty gloves
- Designed for use with the following Markal<sup>®</sup> hot surface solid paint markers: Heat Stik<sup>®</sup> Fine (225°F - 1000°F)
  - Heat Stik<sup>®</sup> (400°F 1600°F) Heat Stik<sup>®</sup> (400°F - 1800°F) Heat Stik<sup>®</sup> (350°F - 1700°F) Heat Stik<sup>®</sup> (150°F - 900°F)

#### Case Quantity: 12



MADE IN USA ★

PART NO.	LENGTH
85700	11in (28cm)

# GENERAL PURPOSE MARKERS

From automotive quality control to construction, these markers offer exceptional flexibility and can be used on many different surfaces and in almost any industry. Engineered to meet the performance needs of industrial users and applications, these markers are an economical and effective marking solution for almost any user.





# MARKAL PRO

# Markal<sup>®</sup> Pro Holder

#### Mechanical holder for hard-to-reach areas

- Extended, needle-nose tip for tight and hard-to-reach areas
- Heavy-duty metal construction for use in the toughest jobs
- Easily refillable for continued use and built-in sharpener for precise marks
- 1x graphite lead included with holder





Case Quantity: 12 Surfaces: I 📎 🔁 🖾 C 🖉

PART NO. DESCRIPTION

96270 Holder

# Markal<sup>®</sup> Pro Refills

#### Pro refills for general purpose marking

- Marks on just about any surface; metal, plastic, glass, wood, paper, etc.
- Break-resistant, extra-wide leads
- For use only with Markal Pro Holder
- Refill size Ø: 2.8mm, L: 120mm



96274

#### Case Quantity: 12 Surfaces: I 🗞 🔁 🖾 🖉

#### PART NO. DESCRIPTION 96273 Graphite Refills 6 Pack

- Graphite Refills 6 Pack
   96275
   Red Crayon Refills 6 Pack
   96276
- Yellow Crayon Refills 6 PackMulti-pack Refills 6 Pack





# TRADES-MARKER<sup>®</sup>

MADE IN USA 📩

### **Trades-Marker® All Purpose**

#### Mechanical grease pencil

- Marker refills eliminate mess and paper waste of grease pencils, saving time and money
- · Holder maximizes complete use of marker
- · Push-button advancing makes for easy, one-handed use





PART NO.	STARTER PACK	: 1-HOLDER/12 REFILLS	Case Qty: 6	REFILL PACK: 12 REFILLS	Case Qty: 12	BLISTER C	CARD: 1 HOLDER/5 REFILLS Case Qty: 24
96130	White	96133 🔳 Black*		96240 White		96000	Assorted
96131	Yellow	96137 📕 Orange	E	96241 – Yellow			
96132	Red*			96247 📕 Orange			

# Trades-Marker®+Water Soluble

#### Water-removable, mechanical grease pencil

- · Marks can be easily wiped away with water, ideal for quality control and temporary marking needs
- Great for many surfaces including: smooth, rough, rusty, . or dirty surfaces
- Marker refills eliminate mess and paper waste of grease . pencils, saving time and money

96181

Yellow<sup>†</sup>



Yellow<sup>1</sup>

96171

Surfaces: I 📎 🕀 🖾 🖉 🖉



PART NO.

		Surfaces: I 📎 🗗 🖾 & é	PLUS SERIES MADE IN USA ★
ACK: 1-HOLDER/12 REFILLS	Case Quantity: 6	REFILL PACK: 12 REFILLS Case Quantity: 12	BULK PACK: 1 HOLDER/1 REFILL Case Quantity: 48
t		96180 White <sup>†</sup>	96170 White <sup>†</sup>

96190	White <sup>†</sup>	
96191	Yellow <sup>†</sup>	

STARTER PA

96192 Black<sup>†</sup>



\*Indicates that this marker color is low in chlorides, halogens, and sulfurs for low corrosion marking requirements.

\* WARNING: This product can expose you to one or more chemicals which are known to the State of California to cause cancer. For more information, got to www.P65Warnings.ca.gov.



# China Marker

#### Paper-wrapped marker, grease pencil

- Low-cost, general purpose marker for smooth writing on most surfaces
- Moisture-resistant marker, can be used effectively in most climates
- No sharpening required; pull string and unwrap paper





Case Quantity: 72 🛛 Surfaces: 🏾 🛇 🔁 🖾 🖉 🖉

PART NO.	DESCRIPTION		
96010	White	96013	Black
96011	Yellow	96015	Blue
96012	Red	96016	Green



## **Carpenter's Pencil**

#### Precise wood and concrete marking

- Economical pencil for clean, accurate marks on wood, concrete and other surfaces
- Flat marker design prevents rolling on work tables
- · Available in medium and hard lead to fit the surface needs
- Length: 7in (17.8cm)





Case Quantity: 144 Surfaces: 🗄 🖉

MADE IN USA 📩

PART NO.	DESCRIPTIO
96927	Hard
96928	Medium






# **Railroad Chalk**

#### Wide, temporary marks

- Large diameter chalk makes bold, wide temporary marks that are easy to read on virtually any surface
- Wide, tapered shape is easy to hold, even with gloves
- Length: 4in (10.2cm)





# LUMBER & TIMBER MARKERS

Whether marking raw materials in the field or in plant for processing, Markal has a marker engineered for use on almost any wood surface and for use with grade mark readers. For marking logs, boards, or raw lumber, our lumber crayons are an economical and effective way to mark wet, dry, rough, and dirty wood for improved processing and tracking. For use with grade mark readers, our scanning crayons have been engineered with exceptional color and vibrancy to reduce misreads and improve efficiency.







## Timberstik® All Purpose

#### Economical, wax-based

- Known in construction trades as "keel" or layout chalk
- Formulated for weather and fade resistant marking on most surfaces
- Special softer formula allows for superior marking in cold climates





12.7mm	-20°F T0 150°F				Case Quantity: 144	Surfaces:	I 🗞 🗗 🔘 🖗 🖉	MADE IN USA ★
PART NO.	DESCRIPTION							
80350	White	80353	Black	80356	Green <sup>†</sup>			
80351	Yellow	80354	Orange					
80352	Red	80355	Blue					

# Timberstik®+ Pro Grade

#### Ideal for hot or cold climates

- Stronger formula for reduced breakage and longer marking life
- Superior performance on wet, frozen, or treated wood
- Professional-grade formula makes bold and bright marks



13mm	-20°F T0 150°F		Case Quantity: 144	Surfaces:	I % Z @ <i>C #</i>	PLUS SERIES
PART NO.	DESCRIPTION					
80380	White	80383	Black			
80381	Yellow	80385	Blue			
80382	Red	80386	Green			





# **SCANNING CRAYONS**

# **ULTRASCAN®**

#### High-performance crayon for grade mark readers

- · Bright colors provide the highest fluorescent response of any lumber grading marker
- Dramatically longer use, provides up to 4X the writing life of competitive crayons
- Maximum character recognition and accuracy for the lowest possible reject rates
- · Each batch is tested to meet the specifications for Lucidyne ColorScan<sup>®</sup> and Newnes-McGehee grade mark readers
- One hardness for all temperatures, eliminates duplicate inventory
- Specifically developed for Lucidyne, Newnes-McGehee and Cypress grade mark readers
- Unique formula provides excellent writing on wet and green . lumber, even with fungicide coating
- 26 colors for superior color separation compared to competitive fluorescent wax crayons



17mm			Case Quan	tity: 72 Surfaces:		MADE IN USA ★
PART NO.	DESCRIPTION					
82430	Brick Red 11	82439 📕 Dark 0	range 42 82451	Bright Pink 91	82466	Purple 24
82431	Magenta 21	82440 📕 Brown	52 82452	Royal Blue 80	82467	Bright Red 34
82432	Red Orange 31	82441 🔳 Green	62 82457	Light Blue 81	82468	Neon Orange 103
82433	Orange 41	82442 📕 Rust 1	3 82459	Bright Orange 44	82469	Tan 45
82434	Berry 51	82446 📕 Yellow	Orange 53 82461	Spring Green 71	82470	Tangerine 03
82435	📕 Lime 61	82447 – Yellow	63 82462	Dark Brown 55		
82436	Burgundy 12	82450 🔳 Blue G	reen 70 82463	Golden Rod 54		

# **SCAN-IT® Plus**

#### For grade marking

HEX Round

- Each batch is tested to meet the specifications for Lucidyne ColorScan® grade mark readers
- Superior color separation for accurate grading compared to competitive crayons
- · Makes smear-resistant marks, reduces scanning errors
- · Variety of fluorescent colors in three hardnesses for varying production environments



13mm	17mm		Case Quantity: 144 Surfaces:					
PART NO.	HEX HARDNESS / SIZE	PART NO.	HARDNESS / SIZE	F	ROUND			
82231	Orange Sherbet Hard	82236	Orange Sherbet Hard	82337 📕 V	latermelon Red Med	82636	Orange Sherbet Soft	
82232	Watermelon Red Hard	82237	Watermelon Red Hard	82339 🔳 G	rasshopper Green Med	82637	Watermelon Red Soft	
82234	Grasshopper Green Hard	82239	Grasshopper Green Hard	82347 📕 P	umpkin Med	82639	Grasshopper Green Soft	
82331	Orange Sherbet Med	82336	Orange Sherbet Med	82359 📃 L	emon Yellow Med	82659	Lemon Yellow Soft	





## 106 Holder

#### Dual holder for lumber crayons and carpenter pencils

- Dual design for easy use of two markers for guick marking on multiple surfaces
- · Easy-to-adjust locking rings securely hold markers
- · Bright yellow color makes for easy on-the-job identification
- Designed for use with the following Markal<sup>®</sup> markers: Timberstik® All Purpose, Timberstik®+ Pro Grade, and carpenter pencils



**Case Quantity: 12** 

5in (12.7cm)

# PART NO. LENGTH

# 108

85401

# Metal holder for hex-shaped markers

- · Heavy-duty metal holder helps prevent breakage, reducing costs
- · Push-button advancing reduces downtime for increased productivity
- · Comfortable leather wrist strap helps prevent dropping
- Designed for use with all 13mm Markal<sup>®</sup> hex-shaped markers: Timberstik® All Purpose, Timberstik®+ Pro Grade, and Tyre Marque®



#### LENGTH PART NO.

85400 6in (15.2cm)

### **109 Peterson Holder**

#### Wood holder for hex-shaped lumber and timber markers

- · Adjustable locking ring keeps markers in place during use
- · Comfortable leather wrist strap fits over gloves and reduces dropping
- Designed for use with the following Markal® markers: SCAN-IT® Plus 13mm hex and other hex-shaped Markal markers



#### **Case Quantity: 12**

#### PART NO. LENGTH

85490 5in (12.7cm)





MADE IN USA 📩



# WELDING MARKERS

The first step to creating a durable, long-lasting weld is using the best tools available to meet the level of precision required during the process. Markal<sup>®</sup> offers the best in economical and specialized welding markers to produce longer-lasting and more visible marks guaranteed to not contaminate or cause inclusions, pitting, or porosity in the weld.





# SILVER STREAK®

# Silver-Streak®

#### For welding, metal layout and fabrication

- · Highly-visible marks illuminate when cutting or welding
- Superior to soapstone in markability and durability; will not rub, burn or blow off surface
- · Marks on oily, wet or rusty metals, and will not scratch or abrade surfaces
- Durable, mechanical holder prevents stick breakage and features a convenient, built-in sharpener and pocket clip for easy storage





Surfaces: I 📎 Case Quantity: 24

96006       1 Holder/ 1 Refill         96107       1 Holder/6 Refills         96007       Refill/ 6 Pack	PART NO.	DESCRIPTION
	96006	1 Holder/ 1 Refill
96007 Refill/ 6 Pack	96107	1 Holder/6 Refills
	96007	Refill/ 6 Pack

# Silver-Streak<sup>®</sup> Welding Pencil

#### For metal layout and fabrication

- · Reflective lead illuminates when cutting or welding for improved visibility
- Durable marks will not scratch or abrade metal surfaces •
- · High-strength, hex-shaped pencil reduces barrel roll unlike competitive brands
- Pre-sharpened





PART NO 96101

Case Quantity: 72	Surfaces:	Ι	$\langle \rangle$
-------------------	-----------	---	-------------------

MADE IN USA 📩

# **Red-Riter**<sup>®</sup>

DESCRIPTION

Silver

# **Red-Riter® Welding Pencil**

#### For metal layout and fabrication

- · Highly visible red color for aluminum or other bright metals
- · Durable marks will not scratch or abrade metal surfaces
- High-strength, hex-shaped pencil reduces barrel roll unlike • competitive brands
- Pre-sharpened •





Surfaces: I 📎 **Case Quantity: 72** 

MADE IN USA 📩

PART NO DESCRIPTION 96100 Red



# MARKAL PRO

Perfect for marking through holes or in other tight areas. Uses a long needle-nose tip to mark in hard-to-reach spots.

## Markal<sup>®</sup> Pro Holder

#### Mechanical holder for hard-to-reach areas

- Extended, needle-nose tip for tight and hard-to-reach areas
- Heavy-duty metal construction for use in the toughest jobs
- Easily refillable for continued use and built-in sharpener for precise marks
- 1x graphite lead included with holder



Case Quantity: 12 Surfaces: I 📎 🔁 🖾 🖗 🖉

#### PART NO. DESCRIPTION

96270 Holder



#### Reflective lead refills for welding and fabrication layout

- · Silver-Streak® Pro Unique reflective lead perfect for welding and fabricating
- Red-Riter<sup>®</sup> Pro Red lead perfect for welding and fabricating on aluminum, stainless steel and other bright metals
- · Durable and heat-resistant marks last longer than soapstone
- · Ideal for use on and safe for all metals; clean, oily, or rusty
- For use only with Markal<sup>®</sup> Pro Holder





Holders Case Quantity: 12 Case Quantity: 12 Surfaces: 🏾 🏾 🛇

 PART NO.
 DESCRIPTION
 HOLDERS

 96271
 Silver-Streak PRO Refills, 6 Pack
 96270
 Holder

 96272
 Red-Riter PRO Refills, 6 Pack
 96270
 Holder

# CHALK

# Soapstone

#### **Temporary Marking**

- Temporary marks can be easily removed
- · Marks will not contaminate weld or damage metal surface
- · Available in two easy-to-hold shapes: flat and round
- · Holders for flat and round shapes reduce breakage



Flat	Round	
Π	ſ	

Holders Case Quantity: 12 Case Quantity: 432 Surfaces: I

# TEMPERATURE INDICA

Whether used as part of a manufacturing process, welding, metal fabrication, or in quality control to help prevent damage caused by high temperatures, accurate temperature indication is a vital part of almost all industrial environments. For over 90 years, we have been a leading and trusted name in fast, reliable, and accurate temperature indication products for almost any job.



















Ś







# TING PRODUGTS

### **Accurate Temperatures**

Accurate to within +/-1% Fahrenheit and +/-3% Celsius rated temperatures

Ci i

Imprinted part number, temperature and lot code across entire stick for improved traceability

### **100% Reliability**

Calibration-free

## **Melts Instantly**

Melts at designated temperature for easy and immediate visual inspection

MADE IN USA ★



## **Tempilstik®**

#### Fast, accurate surface temperature indicator

- · Stick instantly melts at designated temperature for easy and immediate visual inspection
- · Calibration-free with 100% reliability
- · Comply with preheat temperature requirements of AWS D1.1, ASME Code Sec. I, III and VIII, ANSI/ASME Code B31.1 and B31.3
- Imprinted part number, temperature and lot code across entire stick for improved traceability
- Accurate to within +/-1% Fahrenheit and +/-3% Celsius rated temperatures

· Post heating

#### **Applications:**


- · Interpass heat treatment
- · Preheating Annealing

<ul> <li>Anneannių</li> <li>Stress rel</li> </ul>		• Post ne	ating			Surfaces:	I 💊	Case Quantity:	10	MADE IN USA ★
PART NO.	°F	°C	PART NO.	۴	°C		PART NO.	۴	°C	
28000	100	38	28026 <sup>†</sup>	300	149		28341	572	300	
28300	104	40	28318 <sup>†</sup>	302	150		28046 <sup>†</sup>	575	302	
28002	109	43	28027	306	152		28047	600	316	
28004	119	48	28319	311	155		28342 <sup>†</sup>	608	320	
28301 <sup>†</sup>	112	50	28028	313	156		28048	650	343	
28005 <sup>†</sup>	125	52	28320	320	160		28343	662	350	
28302	131	55	28029 <sup>†</sup>	325	163		28049 <sup>†</sup>	700	371	
28303 <sup>†</sup>	140	60	28321	329	165		28050 <sup>†</sup>	750	399	
28006	150	66	28322	338	170		28345†	752	400	
28304 <sup>†</sup>	158	70	28030	344	173		28051	800	427	
28007 <sup>†</sup>	163	73	28323 <sup>†</sup>	347	175		28052	850	454	
28305	167	75	28031 <sup>†</sup>	350	177		28347	860	460	
28008 <sup>†</sup>	169	76	28324 <sup>†</sup>	356	180		28053†	900	482	
28009	175	79	28032	363	184		28349†	932	500	
28306	176	80	28325	374	190		28055	950	510	
28010	182	83	28033	375	191		28056	1000	538	
28307†	185	85	28326	383	195		28057	1022	550	
28011 <sup>†</sup>	188	87	28034	388	198		28350 <sup>†</sup>	1040	560	
28308	194	90	28327 <sup>†</sup>	392	200		28058	1050	566	
28012	200	93	28035	400	204		28059	1100	593	
28309	203	95	28328	410	210		28351	1112	600	
28013	206	97	28036	413	212		28060	1150	621	
28310	212	100	28329	419	215		28352	1157	625	
28014 <sup>†</sup>	213	101	28037 <sup>†</sup>	425	218		28061	1200	649	
28015 <sup>†</sup>	219	104	28330	428	220		28062 <sup>†</sup>	1250	677	
28016	225	107	28331 <sup>†</sup>	437	225		28355	1292	700	
28312	230	110	28332 <sup>†</sup>	446	230		28063 <sup>†</sup>	1300	704	
28313	239	115	28039 <sup>†</sup>	450	232		28064	1400	760	
28314 <sup>†</sup>	248	120	28333†	455	235		28065	1450	788	
28019	250	121	28040	463	239		28066	1500	816	
28020 <sup>†</sup>	256	124	28041 <sup>†</sup>	475	246		28067	1550	843	
28315 <sup>†</sup>	257	125	28336 <sup>†</sup>	482	250		28068 <sup>†</sup>	1600	871	
28021	263	128	28042 <sup>†</sup>	488	253		28069	1650	899	
28316	266	130	28043	500	260		28070	1700	927	
28022	269	132	28338	518	270		28072	1800	982	
28023	275	135	28044	525	274		28073	1900	1038	
28317 <sup>†</sup>	284	140	28339	536	280		28074	1950	1066	
28024 <sup>†</sup>	288	142	28045	550	288		28075	2000	1093	
28025 <sup>†</sup>	294	146	28340 <sup>†</sup>	554	290					

**WARNING:** Cancer - www.P65Warnings.ca.gov

\* WARNING: Reproductive Harm - www.P65Warnings.ca.gov

MARNING: Cancer and Reproductive Harm - www.P65Warnings.



# Tempilstik® Test Kit

#### Temperature indicator and reference kit

- 20 Tempilstik indicators systematically spaced between 125°F(52°C) and 800°F(427°C)
- Stick melts at designated temperature for easy and immediate visual inspection with +/-1% accuracy
- Calibration free with 100% reliability





17mm	125°F T0 800°F							Surfaces:	Σ,		Case Quantity: 20	м	ADE IN USA ★
PART NO.	DESCRIPTION	PART NO.	°F	°C	PART NO.	°F	°C	PART NO.	°F	°C	PART NO.	°F	°C
28600	Test Kit 20 Sticks	28005	125	52	28019 <sup>†</sup>	250	121	28033	375	191	28043 <sup>†</sup>	500	260
		28306	150	66	28023	275	135	28035	400	204	28045†	550	288
		28009	175	79	28026 <sup>†</sup>	300	149	28037	425	218	28047 <sup>†</sup>	600	316
		28012	200	93	28029	325	163	28039	450	235	28049	700	371
		28016	225	107	28031 <sup>†</sup>	350	177	28041 <sup>†</sup>	475	246	28051†	800	427

# **TEMP-ALARM®**

## **Temp-Alarm**<sup>®</sup>

#### Time/Temperature Signaling Paint

- Paint will irreversibly transition colors within 5 minutes at stated temperature
- Permanent record for inspection and quality control
- · Highly identifiable color change for improved monitoring
- Sold as each

#### Applications:

- Monitor erosion and breakdown of refractory linings
- Temperature profiles on engines
- Aluminum specialty gas cylinders
- · Verifying heat treatment of parts



Surfaces: I 📎

MADE IN USA ★


PART NO.	°F °C	SIZE
24601 <sup>‡</sup>	310 154	4 1 gal.
24603	490 254	4 1 gal.

# <u>ที่การสากงากว่าไ</u>ร้®

## **Thermomelt**®

#### Accurate surface temperature indicating stick

- When the stick melts, the precise temperature is reached
- Long-lasting stick is 33% bigger than competition
- Accurate to within +/- 1% of Fahrenheit and +/- 3% Celsius rated temperatures; no need for sensor calibration
- Meets welding codes: AWS D1.1, ANSI/ASME Code B32.1 & B31.3, ASME Code Sec. I, III, and VII, NIST Traceable



52 0

						Surfaces:	][ 📎	Case Quantity: 12	MADE IN USA ★
PART NO.	°F	°C	PART NO.	°F	°C		PART NO.	°Celsius	
86400	100	38	86697	350	177		84664	150	
86436 <sup>†</sup>	125	52	86715	375	191		86401	100	
86463	150	66	86733 <sup>†</sup>	400	204		86402	50	
86481	175	79	86751	425	218		86516	200	
86517	200	93	86769 <sup>†</sup>	450	232		86563	250	
86526 <sup>†</sup>	213	101	86787	475	246		86734	400	
86544	225	107	86805	500	260				
86562	250	121	86823	550	288				
86589	275	135	86841 <sup>†</sup>	600	316				
86625 <sup>†</sup>	300	149	86859	650	343				
86661	325	163	86868 <sup>†</sup>	700	371				

# **Certified Thermomelt®**

#### Nuclear pre-certified

- Certified to meet the following U.S.A. and international specifications:
   EDF PMUC
  - MIL STD-2041D
  - U.S. DOE RDT F-7-3T (expired)
  - U.S. Navy C3070
- Engineered to meet:
  - 200 ppm total halogens
  - 250 ppm each low melting point metals
  - 300 ppm total low melting point metals
  - 200 ppm sulfur
- Individual lot analysis and certification available at www.markal.com for quick, accurate reference





Case Ouantity: 12

MADE IN USA

Surfaces: I 🛇

PART NO.	°F	°C	PART NO.	°F	°C	PART NO.	°F	°C	
89100*	100	38	89275*	275	135	89450* <sup>†</sup>	450	232	
89125*†	125	52	89300*†	300	148	89475*	475	246	
89150*	150	66	89325*	325	163	89500*	500	260	
89175*	175	79	89350*	350	177	89525*	525	274	
89200*	200	93	89375*	375	191	89550*	550	288	
89225*	225	107	89400*†	400	204	89650*	650	343	
89250*	250	121	89425*	425	218				

#### **WARNING:** Cancer - www.P65Warnings.ca.gov

\*Indicates that this marker color is low in chlorides, halogens, and sulfurs for low corrosion marking requirements



# Tempilaq<sup>®</sup> Advanced

#### Temperature Indicating Liquid

- Easy application with quick-dry formula on horizontal and vertical surfaces
- Melts at designated temperature leaving a noticeably different mark
- Excellent accuracy within +/- 1%
- Only use Tempilaq Advanced Green Label Thinner to dilute or replace evaporated solvent



Surfaces: 🗵 📎

MADE IN USA ★

PART NO.	°F	°C	2 oz BOTTLES Part No.	°F	°C	PART NO.	1 QUART B	OTTLES °C	
24405 <sup>†</sup>	300	149	24424 <sup>†</sup>	800	427	24565 <sup>†</sup>	1100	593	
24407†	325	163	24425†	850	454	24566†	1150	621	
24408 <sup>†</sup>	350	177	24426†	900	482	24567†	1200	649	
24410 <sup>†</sup>	375	191	24427†	950	510				
24411†	400	204	24428†	1000	538				
24413 <sup>†</sup>	450	232	24431†	1100	593				
24414 <sup>†</sup>	475	246	24432 <sup>†</sup>	1150	621				
24416 <sup>†</sup>	500	260	24433 <sup>†</sup>	1200	649				
24421	650	343	24435 <sup>†</sup>	1300	704				
24422 <sup>†</sup>	700	371	24438 <sup>†</sup>	1500	816				
24423†	750	399	24597	Green Labe	el Thinner <sup>†</sup>				

**WARNING:** Cancer - www.P65Warnings.ca.gov

**IRT-16** 

#### Infrared Thermometer

- Sensitive 16:1 distance to spot ratio with laser pointer for improved accuracy
- Excellent accuracy within +/- 2%
- Four-digit back lit dual display ideal for low-light areas
- Min/Max/Avg and differential temperature mode available
- Built-in jack for K-Type thermocouple probe





PART NO.	DESCRIPTION
24200	IRT-16
24202	K-Probe Thermocouple

# **SPECIALTY COATINGS**

Tempil's brand of specialty chemicals not only withstand use in some of the world's toughest environments, they can offer added efficiency, protection, and value that other primers and paints can't.

# **Bloxide**<sup>®</sup>

Bloxide is a versatile, rust-preventive, weldable primer with a unique formula that can be applied to a wide range of metals, preventing the formation of rust and corrosion during extended periods of storage. Bloxide eliminates the need to clean metal surfaces before welding due to its enhanced corrosion preventative features, thus saving time and labor costs during fabrication. Bloxide is a completely weldable primer, also improving the weld quality after application, resulting in X-Ray quality welds.



#### Weldable Primer

- Ideal for extended periods of outside steel storage
- · Ability to strike welding arc without removal
- Can be sprayed, brushed or parts can be dipped into it.



PART NO.     DESCRIPTION     CASE QUANTITY       24100 <sup>++</sup> 1 Gallon     4       24101 <sup>++</sup> 55 Gallon     Drum	
24101 <sup>+*</sup> 55 Gallon Drum	
24102 <sup>+*</sup> 5 Gallon Pail	
24104 <sup>+</sup> 12 oz Aerosol Can 12	

Applications:

· Almost all steels

· Marine and offshore metal fabrication

· Primer for paints and coatings

# **Pyromark**<sup>®</sup>

Pyromark is a silicone-based coating that is specifically formulated for protecting, decorating or color identifying metal surfaces that will be subjected to high temperatures. Pyromark provides long-lasting protection against oxidation and corrosion, and has excellent coverage characteristics with no blistering, chipping, cracking or peeling at rated temperatures.

#### High Temperature Paint

- Silicone-based coating for long-lasting protection against oxidation and corrosion
- Improves heat transfer in infrared heating applications due to high emissivity properties
- Solar absorptivity of 0.95 makes it an ideal black box absorber
- Only use Pyromark<sup>®</sup> Thinner to dilute or replace evaporated solvent



- Applications:
- Solar Absorbers
- Infrared Heaters/Boilers/Furnaces
- Ovens/Fireplace Accessories
- Mufflers/boat and auto engines

1000° TO 2000°F							Sur	faces: IC <		MADE IN USA ★
	10	00°F	(538°C)			20	00°F (	(1093°C)	)	
PART NO.	DESCRIPTION	SIZE	COLOR	CASE QUANTITY	PART NO.	DESCRIPTION	SIZE	COLOR	CASE QUANTITY	
25002†*	Series 1200	1 gal	Flat Black	1	25010†*	Series 2500	1 gal	Flat Black	1	
25001 <sup>†*</sup>	Series 1200	5 gal	Flat Black	Pail						

**WARNING:** Cancer - www.P65Warnings.ca.gov

\*Restricted for resale into U.S.A. or Canada.

# TEMPERATURE INDICATING LABELS

An economical temperature indication solution that can be easily applied to almost any surface for later monitoring, making it ideal for preventative maintenance, logistics, quality control, manufacturing, and many other applications.

# **TEMPILABELS®**

# **Series 4 Tempilabel®**

### Four-Level, Irreversible

- Four temperature readings per label for max/min application
- + Excellent accuracy to +/- 2% of the Fahrenheit rating
- Permanent record for inspection and quality control
- Calibration-free
- Oil, water and steam-resistant



#### Surfaces: I 💊 🖾 🖉 🔘

PART NO.	TEMP	PERATURI	E RANGE			QUANTITY	PART NO.	TEMP	PERATURI	E RANGE			QUANTITY
26700	°F	100	110	120	130	10 Pack	26706	°F	125	150	175	200	10 Pack
	°C	38	43	49	54			°C	52	66	79	93	
26709	°F	120	130	140	150	10 Pack	26707	°F	100	150	200	250	10 Pack
	°C	49	54	60	66			°C	38	66	93	121	
26701	°F	130	140	150	160	10 Pack	26708	°F	200	250	300	350	10 Pack
	°C	54	60	66	71			°C	93	121	149	177	
26702	°F	170	180	190	200	10 Pack	26750	°F	100	110	120	130	Roll of 500
	°C	77	82	88	93			°C	38	43	49	54	
26703	°F	190	200	210	220	10 Pack	26751	°F	170	180	190	200	Roll of 500
	°C	88	93	99	104			°C	77	82	88	93	
26705	°F	330	340	350	360	10 Pack	26752	°F	200	250	300	350	Roll of 500
	°C	166	171	177	182			°C	93	121	149	177	

## Series 21 Tempilabel®

#### Single-Level, Irreversible

- Excellent accuracy to +/- 2% of the Fahrenheit rating
- Single-way color change
- Permanent record for inspection and quality control
- Calibration-free
- Oil, water and steam-resistant



Label size: 13mm x 12mm

Surfaces: I 💊 🖄 🖉 🔘

PART NO.	TEMPERATURE	QUANTITY	PART NO.	TEMPERATURE	QUANTITY	PART NO.	TEMPERATURE	QUANTITY
26250	100 °F 38 °C	210 Pack	26259	190 °F 88 °C	210 Pack	26266	260 °F 127 °C	210 Pack
26275	100 °F 38 °C	Roll of 1,000	26283	190 °F 88 °C	Roll of 1,000	26289	260 °F 127 °C	Roll of 1,000
26251	110 °F 43 °C	210 Pack	26260	200 °F 93 °C	210 Pack	26267	270 °F 132 °C	210 Pack
26276	110 °F 43 °C	Roll of 1,000	26284	200 °F 93 °C	Roll of 1,000	26290	270 °F 132 °C	Roll of 1,000
26252	120 °F 49 °C	210 Pack	26261	210 °F 99 °C	210 Pack	26268	280 °F 138 °C	210 Pack
26277	120 °F 49 °C	Roll of 1,000	26285	210 °F 99 °C	Roll of 1,000	26291	280 °F 138 °C	Roll of 1,000
26254	130 °F 54 °C	210 Pack	26262	220 °F 104 °C	210 Pack	26269	290 °F 143 °C	210 Pack
26278	130 °F 54 °C	Roll of 1,000	26286	220 °F 104 °C	Roll of 1,000	26292	290 °F 143 °C	Roll of 1,000
26255	140 °F 60 °C	210 Pack	26263	230 °F 110 °C	210 Pack	26270	300 °F 149 °C	210 Pack
26279	140 °F 60 °C	Roll of 1,000	26287	230 °F 110 °C	Roll of 1,000	26293	300 °F 149 °C	Roll of 1,000
26256	160 °F 71 °C	210 Pack	26264	240 °F 116 °C	210 Pack	26271	400 °F 204 °C	210 Pack
26280	160 °F 71 °C	Roll of 1,000	26295	240 °F 116 °C	Roll of 1,000	26294	400 °F 204 °C	Roll of 1,000
26257	170 °F 77 °C	210 Pack	26265	250 °F 121 °C	210 Pack	26272	500 °F 260 °C	210 Pack
26258	180 °F 82 °C	210 Pack	26288	250 °F 121 °C	Roll of 1,000	26296	500 °F 260 °C	Roll of 1,000
26282	180 °F 82 °C	Roll of 1,000						

# **Tempilabel® Reversible**

#### **Reversible Temperature**

- Excellent accuracy of +/- 2% of the Fahrenheit rating
- LCD technology for real-time, accurate readings as temperature fluctuates
- Calibration-free
- Oil, water and steam-resistant



Surfaces: 🔟 📎 🖾 🖉 🔟

PART NO.	TEMP	ERATURI	E RANGE						QUANTITY
26901	°F	86	95	104	113	122	131	140	10 Pack
	°C	30	35	40	45	50	55	60	
26903	°F	140	149	158	167	176	185	194	10 Pack
	°C	60	65	70	75	80	85	90	

# **Thermax**®

#### Irreversible Temperature Indicating Strip Labels

- Multiple temperature configuration
- Excellent accuracy to +/- 2% of the Fahrenheit rating
- Single-way color change
- Permanent record for inspection and quality control
- Calibration-free
- Oil, water and steam-resistant

### 5 Level Label size: 39mm x 18mm



MADE IN USA 🛨

## Surfaces: I 💊 🖾 🖗 🔘

PART NO.	TEMP	eraturi	E RANGE				QUANTITY
26518	°F	99	104	109	115	120	10 Pack
	°C	37	40	43	46	49	
26519	°F	120	129	140	149	160	10 Pack
	°C	49	54	60	65	71	

#### 8 Level Label size: 51mm x 18mm

PART NO.	TEMP	ERATURI	E RANGE	Ξ						QUANTITY
26803	°F	160	171	180	190	199	210	219	230	10 Pack
	°C	71	77	82	88	93	99	104	110	

## 10 Level Label size: 18mm x 1mm

PART NO.	TEMP	ERATUR	E RANGE									QUANTITY
26101	°F	99	104	111	115	120	129	140	144	149	160	10 Pack
	°C	37	40	44	46	49	54	60	62	65	71	

Proudly made in the USA for over 90 years, workers have trusted LA-CO® to get the job done. LA-CO<sup>®</sup> has what quality control and maintenance workers need. We offer products for all kinds of jobs, from specialty fluxes for all metals to sealing high-pressure systems with our thread sealants. When your job is on the line, make sure you have the best materials for the job.



 $\bigcirc$ 







ൕ















WEATHER ESISTAN











# **LUBRIGANTS**

Keeping your machinery running smoothly can add years of life to your equipment and can help avoid dangerous failures and costly repairs. LA-CO<sup>®</sup> industrial strength anti-seize compounds, pipe gasket lubricant, thread cutting oil, and general purpose lubricants help to ensure that you get the most out of your equipment.

# LEAK DETECTORS

Specially formulated to work within a broad temperature range and release ultra-sensitive, long-lasting and highly visible fluorescent bubbles for easy leak identification. LA-CO brand leak detectors use non-corrosive, non-toxic formulas that are safe for oxygen or gas line connections and won't damage metal pipes.

MADE IN USA ★

# LUBRICANTS

# Lubri-Joint®

#### Water dispersible gasket lubricant

- FBC System Compatible
- Ideal for lubricating rubber gaskets, promoting proper expansion, and ensuring correct fit
- Suitable for all types of pipelines, including PVC and soil pipe, so only one brand of gasket lubricant is needed



# PART NO. SIZE CASE QUANTITY 78713 1 qt. 12

# **Cutting Oil**

# For hand tools and high-speed thread cutting machines

- Two cutting oils in one, eliminating the need for multiple cutting oils for lowspeed and high-speed thread cutting
- Combines the best properties of dark and light cutting oils with sulfur and other additives to provide superior heat protection for costly cutting dies





Surfaces: I 🛇


MADE IN USA 📩

PART NO.	SIZE	CASE QUANTITY
73414	1 gal.	6

## **Precision Spout® Oiler**

#### General purpose lubricating oil

- Special telescoping spout lubricates hard-to-reach areas up to 14" away
- Premium grade oil is excellent for all general purpose lubricating



PART NO.	SIZE	CASE QUANTITY
79704	4 fl. oz.	24

# EZ BREAK<sup>®</sup> Copper and Nickel Grade

#### Anti-seize compound

- EZ BREAK Copper is approved for use in food processing plants
- Lubricates and protects nuts and bolts, making disassembly easy, even after years of service
- Resists galling, rust and corrosion so your metal parts won't "freeze up"





UP 10 1800°F	00°F 2600°F						Surfac		MADE IN USA ★		
PART NO.	DESCRIPTION	GRADE	CASE QUANTITY	PART NO.	DESCRIPTION	GRADE	CASE QUANTITY	PART NO.	DESCRIPTION	GRADE	CASE QUANTITY
08907	16 oz. Brush-in-cap	COPPER	24	08916	14 oz. Aerosol	COPPER	12	08971	8 oz. Brush-in-cap†	NICKEL	24
08910	10 oz. Brush-in-cap	COPPER	24	08969	425 lbs.	COPPER	Drum	08972	16 oz. Brush-in-cap†	NICKEL	24

# LEAK DETECTORS





# Sure-chek<sup>®</sup>

#### Leak detector spray

DESCRIPTION

1 pt.†

• Handy spray bottle allows for easy, targeted application

CASE QUANTITY

24

- Ultra-sensitive long lasting bubbles for easy leak identification
- Non-corrosive, non-toxic, safe for oxygen



# **VISU-GLOW**°

### **Visu-Glow®**

PART NO

32850

#### High-visibility leak detector

- Built-in dauber and high viscosity allow for easy application
- Highly-visible fluorescent color shows brightly, even in dimly lit places
- Non-corrosive, non-toxic, safe for oxygen





 PART NO.
 DESCRIPTION
 CASE QUANTITY

 32898
 8 fl. oz.
 with dauber<sup>†</sup>
 24

Warning: This product can expose you to one or more chemicals which are known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

# FLUXES

When it comes to soldering and brazing, LA-CO<sup>®</sup> is the brand that workers around the world trust to do the job right the first time, every time. Proudly made in the USA for over 90 years, LA-CO makes specialty fluxes for all metals including stainless steel, brass, iron, tin and zinc. When your job is on the line, make sure you have the best materials for the job.

# FLUX

# **Regular Flux Paste**

#### Soldering flux for copper

- · Water-soluble paste won't leave residue in water piping
- Meets industry standard ASTM B813 and contains no zinc chloride to reduce corrosion concerns
- · Non-acid, non-toxic, and lead-free to eliminate safety concerns





PART NO.	DESCRIPTION	CASE QUANTITY	PART NO.	DESCRIPTION	CASE QUANTITY
22101†	2 oz.	48	22107†	1 lb.	24
22104†	4 oz.	48	22194†	4 oz. Brush-in-ca	p 48

# "M-A" Flux Liquid\*

#### Stainless steel flux liquid

- Fast-fluxing action for stainless steel and chrome
- Contains no heavy metal chlorides, preventing potential flux damage





PART NO.	DESCRIPTION	CASE QUANTITY
23913	1 qt.	12

\*Do not use on potable water tubing



MADE IN USA 📩

# HEAT BARRIERS


Whether soldering, brazing, or welding, heat can cause significant damage to sensitive materials, components, or surrounding areas. These excessive temperatures cannot only damage items in a work area, but can also create both health and safety hazards. Heat barrier products are specially designed to withstand these brutal temperatures when other materials can't to keep your jobsite productive, safe, and free of damage.



### Cool Gel<sup>®</sup>

#### Heat barrier spray

- Protects lead free valves during soldering
- Reduces the threat of costly heat damage to rubber seals and gaskets
- Protects painted and finished surfaces from discoloration due to torch heat
- Safe, non-toxic, harmless to skin, and odorless



PART NO.	SIZE	CASE QUANTITY	PART NO.	SIZE
11509	1 qt.	12	11513	1 pt.

## **Bloc-It**<sup>®</sup>

#### Heat-absorbing paste

- Absorbs heat effectively, protecting adjoining surfaces from heat damage
- Safe, non-toxic, no asbestos, harmless to skin, and odorless
- Easy application and cleanup; non-staining



## Anti-heat<sup>®</sup>

#### Heat-absorbing compound

- · Absorbs and dissipates heat to eliminate damage and discoloration
- Prevents heat migration through metal surfaces
- Non-toxic and non-hazardous
- Asbestos-free and odorless



Surfaces: I 🛇

MADE IN USA

# REPAR SEALATS

What may seem like simple repairs, such as cracking or holes, can create dangerous equipment failures and severe safety issues for everyone on a jobsite. To get your machinery and equipment back up and running safely and quickly, LA-CO's repair sealants offer a quick fix for hundreds of situations. These epoxy sealants are easy to apply, fast to cure, and offer a safe and effective temporary repair.

# **HEAT SEAL STIK®**

## Heat Seal Stik®

#### Premixed epoxy sealer

- Pressure: to 600 PSI (41 BAR)
- Repair pinhole leaks and get refrigeration system running again without having to replace an entire appliance
- No mixing of epoxy compounds, heat activation saves time on the job



UP T0 350°F	Certified to NSF/ANSI 61-G					Surfaces:	I 🗞	MADE IN USA ★
PART NO.	DESCRIPTION	CASE QUANTITY	PART NO.	DESCRIPTION	CASE QUANTITY			
11575	Heat-Seal Stik <sup>†</sup>	12	11577	Carded	12			

# EPOX7-SIIK

# Epoxy-Stik<sup>™</sup>

#### No mixing of epoxy compounds, heat activation saves time on the job

- Hardens in 5-10 minutes and cures fully in 24 hours, enabling the system to be up and running again in no time
- Can be applied under water for submerged pipe leaks

CASE QUANTITY

24



Surfaces: I 📎 🖗

MADE IN USA 🛧

DESCRIPTION

Epoxy-Stik<sup>†</sup>

PART NO

19571

# **Oyltite-Stik**<sup>®</sup>

#### Epoxy repair compound for low pressure equipment

- Pressure to 15 PSI (1 BAR)
- · Stops leaks fast for temporary repair of oil and gasoline leaks
- Apply directly to the fuel tank without draining, less time is spent stopping the leak



			Surfaces: I 📎 C	MADE IN USA
PART NO.	DESCRIPTION	CASE QUANTITY		
11475	Oyltite-Stik	24		

MARNING: This product can expose you to one or more chemicals which are known to the State of California to cause cancer. For more information, got to www.P65Warnings.ca.gov.

# **PIPE THREAD SEALANTS**

Industry professionals rely on thread compounds and sealants to help get the job done right. Made to highest quality standards and engineered to withstand some of the toughest environments, you can trust these products to help do the job faster, better, and safer.



Industry professionals rely on thread compounds and sealants to help get the job done right.

MADE IN USA 🛧

City

## Slic-Tite<sup>®</sup> Stik with PTFE

#### Premium thread sealant in a stick

- Pressures: 500 PSI (34 BAR) for gas; 5,000 PSI (340 BAR) for liquid
- · Contains PTFE particles for greater sealing power
- · Safe, non-toxic, non-drying
- Do not use on oxygen service; use Oxy-Tite paste or Slic-Tite PTFE tape

17mm -50°F T0 350°F	<b>B</b>	Certified to NSF/ANSI 61-G
------------------------	----------	-------------------------------

PART NO DESCRIPTION CASE QUANTITY 41600 □ White<sup>†</sup> 24

## Slic-Tite<sup>®</sup> Paste with PTFE

#### Heavy-duty pipe thread compound

- · Contains PTFE for greater sealing power
- Pressures: 3,000 PSI (204 BAR) for gas; 10,000 PSI (680 BAR) for liquid
- · Can be used on a variety of metals and plastic, eliminating the need for any other thread sealant



Surfaces: I 💊 🖗

PART NO.	SIZE	CASE QUANTITY	PART NO.	SIZE	CASE QUANTITY	PART NO.	SIZE	CASE QUANTITY
42009 <sup>†</sup>	1/4 pt. Brush-in-cap	24	42029 <sup>†</sup>	1 pt. Brush-in-cap	24	42014 <sup>†</sup>	1 gal.	4
42019 <sup>†</sup>	1/2 pt. Brush-in-cap	24	42013 <sup>†</sup>	1 qt.	12	42015 <sup>†</sup>	5 gal.	Pail
42012 <sup>†</sup>	1 pt.	24	42049†	1 qt. Brush-in-cap	12	42069†	55 gal.	Drum

# Slic-Tite<sup>®</sup> PTFE Pipe Thread Tape

Premium grade, high density thread seal tape

- Pressure: to 10,000 PSI (690 BAR)
- · 3 mils thick and made with PTFE for greater sealing power
- Non-toxic
- · Yellow for gas line usage Pink for water line usage





PART NO.	DESCRIPTION	CASE QUANTITY	PART NO.	DESCRIPTION	CASE QUANTITY	PART NO.	DESCRIPTION	CASE QUANTITY	PART NO.	DESCRIPTION	CASE QUANTITY
44082	1/2" x 300"	12	44084	□ 1/2" x 1200"	12	44086	3/4" x 600"	12	44095†	1/2" x 260"	12
44083	1/2" x 600"	12	44085†	3/4" x 300"	12	44094	1/2" x 260"	12			

FBC™ System Compatible indicates that this product has been tested, and is monitored on an ongoing basis, to assure its chemical compatibility with FlowGuard Gold®, BlazeMaster® and Corzan® piping systems and products made with TempRite® Technology

A WARNING: This product can expose you to one or more chemicals which are known to the State of California to cause cancer. For more information, got to www.P65Warnings.ca.gov.



## T-O-T®

#### Pipe thread compound

- Pressures: 350 PSI (24 BAR) for gas; 500 PSI (34 BAR) for liquid
- No-drip siliconized formula for fast application on metal threads
- Lead-free, non-toxic, no V.O.C.'s
- Do not use on oxygen service; use Oxy-Tite paste or Slic-Tite PTFE tape





# **Pipetite<sup>™</sup> Paste**

#### Soft set pipe thread compound

- Pressures: 2,600 PSI (177 BAR) for gas; 5,000 PSI (340 BAR) for liquid
- No V.O.C.'s
- Do not use on oxygen service; use Oxy-Tite paste or Slic-Tite PTFE tape



LECO





## **Pipetite-Stik®**

#### Metal thread sealant in a stick

- Pressures: 350 PSI (24 BAR) for gas; 2,000 PSI (136 BAR) for liquid
- Safe, non-toxic, non-drying
- Do not use on oxygen service; use Oxy-Tite paste or Slic-Tite PTFE tape





## **Plasto-Joint Stik®**

#### Plastic thread sealant in a stick

- Designed for superior sealing of plastic pipe threads
- Pressures: 300 PSI (20 BAR) for gas; 500 PSI (34 BAR) for liquid
- Do not use on oxygen service; use Oxy-Tite paste or Slic-Tite PTFE tape


UP T0 250°F	E Contraction of the second se	Surfaces: 6ª	MADE IN USA ★
PART NO.	DESCRIPTION	CASE QUANTITY	
11775	Plasto-Joint Stik	144	

# LEAK-TITE<sup>®</sup> BLUE

## Leak-Tite® Blue

#### Economical thread sealant with PTFE

- Pressures: 1,500 PSI (102 BAR) for gas; 5,000 PSI (340 BAR) for liquid
- Contains PTFE particles for greater sealing power will not harden or dry out over time, remaining flexible for easy disassembly
- Will not harden or dry out over time, remaining flexible for easy disassembly



# **OXYTITE**<sup>®</sup>

# **Oxy-Tite**<sup>®</sup>

#### Pipe thread sealant for oxygen systems

- Pressures: 2,600 PSI (180 BAR) for oxygen gas
- PTFE thread sealant specifically formulated for oxygen services
- No V.O.C.'s



UB-0

-320°F T0 450°F			Surfaces: I 📎	MADE IN USA ★
PART NO.	DESCRIPTION	CASE QUANTITY		
42805†	4 oz.	6		

# **Pipe Thread Tape of PTFE**

#### Economy grade

- Pressure: to 10,000 PSI (690 BAR)
- 3 mils thick and made with PTFE for effective sealing power
- Non-toxic



Surfaces: ]] 📎

F FI	н
ĘΪ	
	)
-450°F 550°	F

				041140	vu, v
PART NO.	DESCRIPTION	CASE QUANTITY	PART NO. DESCRIPTION	CASE QUANTITY	
44071 <sup>†</sup>	1/2" x 260"	144	44075 <sup>†</sup> 🔲 3/4" x 520"	144	
44072 <sup>†</sup>	1/2" x 520"	144	44078 <sup>†</sup> 🔲 1" x 520"	144	

MARNING: This product can expose you to one or more chemicals which are known to the State of California to cause cancer. For more information, got to www.P65Warnings.ca.gov.



## Introducing Markal<sup>®</sup> Plus Series!

PLUS SERIES

Premium performance items are joining our new "Plus (+) Series" product line. These highly engineered tools are designed to perform in specific applications and environments. LA-CO Industries United States 1201 Pratt Boulevard, Elk Grove Village, IL 60007-5746 +1 (800) 621 4025 | +1 (847) 956 7600

LA-CO Industries Europe SAS Allée des Combes, PI de la Plaine de l'Ain, 01150 Blyes, France +33 (0) 4 74 46 23 23 info-europe@laco.com

markal.com

LP99R00097 v1.24

