PREMIUM SPRAY PAINTS & ENAMEL





PREMIUM ENAMEL

- · Quick-drying multi-purpose enamels for interior/exterior use
- · Superior coverage, durability and rust-resistant finish
- Resists chipping and peeling
- · Use on metal, wood, plaster and masonry surfaces that have been primed with primer below
- · Dry time: 8-12 minutes to touch
- Case contains: 6 16 oz (10.5 oz net wt) cans Sold by case only (148 cs per pallet)

OSHA

MFR # 419-0900 Gloss Purple Control # 5687100

MFR # 419-0924

Aluminum Metallic Control # 568/10/



MFR # 419-0930 Danger Orange Control # 5687113

MFR # 419-0940 Gloss Machinery Gray Control # 5687119

MFR # 419-0901 Gloss Pink Control # 5687101

MFR # 419-0925

Gold Metallic Control # 5687108

MFR # 419-0931 Gloss Rich Brown Control # 5687114

MFR # 419-0941 **Dull Aluminum** Control # 5687120 OSHA

MFR # 419-0905 Gloss Candy Apple Red Control # 5687102

MFR # 419-0926

Gloss Forest Green Control # 5687109

MFR # 419-0932 Gloss Clear Coat Control # 5687115

OSHA

MFR # 419-0942 Gloss Ocean Blue Control # 5687121 OSHA

MFR # 419-0920 Gloss White Control # 5687103

MFR # 419-0927

Gloss Light Blue Control # 5687110

MFR # 419-0936 Gloss Royal Blue Control # 5687116

OSHA

MFR # 419-0943 Gloss Medium Gray Control # 5687122

MFR # 419-0921 Gloss Black Control # 5687104

MFR # 419-0928 Flat White

Control # 5687111

MFR # 419-0937 Gloss Deep Red

Control # 5687117

OSHA MFR # 419-0944 Gloss Light Green

Control # 5687123

MFR # 419-0922 Flat Black Control # 5687105

OSHA


MFR # 419-0929 Gloss Canary Yellow Control # 5687112

MFR # 419-0938

Satin Black Control # 5687118



premium



PREMIUM PRIMER

- Fast-drying formula seals, primes, adds protection against rust for interior/exterior use
- · Improves adhesion of the color coat and provides base for a smoother finish
- · Dry time: 8-12 minutes to touch
- Case contains: 6 16 oz (10.5 oz net wt) cans Sold by case only (148 cs per pallet)

MFR # 419-0934 Red Metal Primer Control # 5687135

MFR # 419-0935 Grav Metal Primer Control # 5687136



WARNING: Cancer and Reproductive Harmww.P65Warnings.ca.gov



INVERTED PAINT

- · Fast-drying water based formula
- Top-down-only valve designed for use with wands below or manual application
- · Indoor/outdoor use to mark hazards, playing fields, landscaping, surveying, construction areas, underground utilities
- · For use on grass, gravel or paved surfaces
- · APWA (American Public Works Association) and fluorescent colors available
- For use with wands 419-4831 or 419-4832 below
- · Dry time: 30 minutes to touch
- Case contains: 12 20 oz (17 oz net wt) cans Sold by case only (72 CS per pallet)

FLUORESCENT COLORS



MFR # 419-4803 Fluorescent Yellow Control # 5697102



Fluorescent Green Control # 5697104



MFR # 419-4811 Fluorescent Orange Control # 5697106

MFR # 419-4802 Fluorescent Red-Orange Control # 5697101

MFR # 419-4809 Fluorescent Pink Control # 5697105

Gas, oil, steam

MFR # 419-4850 APWA Yellow Control # 5697120

Potable water

MFR # 419-4853 APWA Blue Control # 5697123

Proposed excavation, construction boundaries

MFR # 419-4856 APWA White Control # 5697126

APWA COLORS

MFR#419-4851 APWA Orange Control # 5697121

Temporary survey

MFR # 419-4854 APWA Pink Control # 5697124

Electric Lines

MFR # 419-4857 APWA Red Control # 5697127



Reclaimed or

MFR # 419-4855 APWA Purple Control # 5697125

General purpose

MFR # 419-4858 APWA Black Control # 5697128



* Manufacturer Discontinued - Limited Availability



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

WANDS

- · For use with only inverted spray paints above
- · Pistol trigger handle
- · Tool free assembly
- · Sold by each

MFR#	SIZE	CONTROL #
419-4831	34.5" LENGTH	5697190
419-4832	12.5"LENGTH	5697191





Inverted Field Marking, Pavement & Striping Spray Paints Available-Please call for details.

ROOF ACCESSORIES PAINT

- Flat finish, rust-resistant spray that camouflages and protects gutters, flashing, vents, soil stacks, and other roof accessories
- For use on metal, masonry, wood, vinyl, and PVC (not for use on asphalt shingles)
- · Dry time: 8-12 minutes to touch
- Case contains: 6 16 oz (10.5 oz net wt) cans Sold by case only (148 cs per pallet)





MFR # 419-4872

Hickory

Control # 5687156



MFR # 419-4874

Wedgewood

Control # 5687157





MFR # 419-4876 Birchwood Control # 5687158





WARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov



- Formulated to withstand temperatures of 1200°F with excellent adhesion
- Use on all indoor and outdoor surfaces exposed to high temperatures, including radiators, barbecues, stoves, car exhaust manifolds, engines, boilers, heaters and steam pipes
- · Dry time: 1 hour to touch
- Case contains: 6 16 oz (12 oz net wt) cans Sold by case only (148 cs per pallet)




MFR # 419-0979 Aluminum Control # 5687165



Black Control # 5687166

FLUORESCENT PAINT

- · Quick-dry, fade-resistant indoor/exterior formula
- Provides optimum brilliance and outstanding durability
- Use to mark hazards in the home and workplace, including curbs, steps, house numbers, trucks, cars, boats, helmets
- Dry time: 8-12 minutes to touch
- Case contains: 6 16 oz (12 oz net wt) cans Sold by case only (148 cs per pallet)















LACQUER PAINT

- · A professional, water resistant, fast-drying spray for a uniquely even coating
- · Fills nicks and scratches
- · Can be buffed and re-coated any time for a smoother finish
- Designed for outdoor applications Non-yellowing
- · Dry time: 30-45 minutes to touch
- Case contains: 6 16 oz (12 oz net wt) cans Sold by case only (148 CS per pallet)



Clear Lacquer Control # 5687180 Manufacturer Discontinued - Limited Availability



COLD GALVANIZE (95% ZINC)

- · Complete zinc metal spray which rustproofs any metal surface with thorough protection that lasts for years
- It is equivalent to a hot galvanizing treatment as it fuses and adheres to all metal surfaces, stopping corrosion immediately
- Coated surfaces can be welded safely without fire or fumes
- · Resistant to abrasion, cracking or peeling, and oxidation
- Heat resistant up to 400° F & does not contain lead
- Conforms to military specifications MIL-P-21035 USAF, MIL-P-26915A, MIL-P-46105 for primer coatings and galvanizing repair
- Case contains: 6 16 oz (12 oz net wt) cans Sold by case only (148 CS per pallet)

MFR#	CONTROL #
419-T3408	5697170



WARNING: This product can expose you to chemicals including ethylbenzene, which is known to the State of California to cause cancer, and toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov





Please see our Paint Sundry catalog or call us for details



