



## Wrenches



| ADJUSTABLE WRENCHES | IMPA CODE | Length |       | IMPA<br>BAHCO<br>Type No. | BAHCO      |           | Williams Alternative<br>Global |        |
|---------------------|-----------|--------|-------|---------------------------|------------|-----------|--------------------------------|--------|
|                     |           | mm     | inch  |                           | Chrome     | Black     | Chrome                         | Black  |
|                     | 616101    | 110    | 4-1/4 | 8069                      | 8069 RC US | 8069 R US |                                | 13604A |
|                     | 616102    | 155    | 6     | 8070                      | 8070 RC US | 8070 R US | 13406A                         | 13606A |
|                     | 616103    | 205    | 8     | 8071                      | 8071 RC US | 8071 R US | 13408A                         | 13608A |
|                     | 616104    | 255    | 10    | 8072                      | 8072 RC US | 8072 R US | 13410A                         | 13610A |
|                     | 616105    | 305    | 12    | 8073                      | 8073 RC US | 8073 R US | 13412A                         | 13612A |
|                     | 616106    | 380    | 15    | 8074                      | 8074 RC US | 8074 R US | 13415A                         | 13615A |
|                     | 616107    | 455    | 18    | 8075                      | 8075 RC US | 8075 R US | 13418A                         | 13618A |
|                     | 616108    | 615    | 24    | 86                        |            | 86        | 13424A                         | 13624A |
|                     | 616109    | 770    | 30    | 87                        |            | 87        |                                |        |



| UNIVERSAL PIPE<br>WRENCHES | IMPA CODE | Length |        | IMPA<br>BAHCO<br>Type No. | Williams<br>Global |
|----------------------------|-----------|--------|--------|---------------------------|--------------------|
|                            | 616111    | 215    | 8-7/16 | 140                       | 140                |
|                            | 616112    | 280    | 11     | 141                       | 141                |
|                            | 616113    | 370    | 14-1/2 | 142                       | 142                |
|                            | 616114    | 555    | 21-7/8 | 143                       | 143                |
|                            | 616115    | 720    | 28-3/8 | 144                       | 144                |



| OPEN & 12 POINT BOX WRENCHES | IMPA CODE | Opening<br>mm | IMPA<br>BAHCO<br>Type No. | Williams Alternative<br>Domestic<br>Chrome |
|------------------------------|-----------|---------------|---------------------------|--------------------------------------------|
|                              | 616129    | 6             | PU6                       | 1206MSC                                    |
|                              | 616130    | 7             | PU7                       | 1207MSC                                    |
|                              | 616131    | 8             | PU8                       | 1208MSC                                    |
|                              | 616132    | 9             | PU9                       | 1209MSC                                    |
|                              | 616133    | 10            | PU10                      | 1210MSC                                    |
|                              | 616134    | 11            | PU11                      | 1211MSC                                    |
|                              | 616135    | 12            | PU12                      | 1212MSC                                    |
|                              | 616136    | 13            | PU13                      | 1213MSC                                    |
|                              | 616137    | 14            | PU14                      | 1214MSC                                    |
|                              | 616138    | 15            | PU15                      | 1215MSC                                    |
|                              | 616139    | 16            | PU16                      | 1216MSC                                    |
|                              | 616140    | 17            | PU17                      | 1217MSC                                    |
|                              | 616141    | 18            | PU18                      | 1218MSC                                    |
|                              | 616142    | 19            | PU19                      | 1219MSC                                    |
|                              | 616143    | 20            | PU20                      | 1220MSC                                    |
|                              | 616144    | 21            | PU21                      | 1221MSC                                    |
|                              | 616145    | 22            | PU22                      | 1222MSC                                    |
|                              | 616146    | 23            | PU23                      | 1223MSC                                    |
|                              | 616147    | 24            | PU24                      | 1224MSC                                    |
|                              | 616148    | 25            | PU25                      | 1225MSC                                    |
|                              | 616149    | 26            | PU26                      | 1226MSC                                    |
|                              | 616150    | 27            | PU27                      | 1227MSC                                    |
|                              | 616152    | 29            | PU29                      | 1229MSC                                    |
|                              | 616153    | 30            | PU30                      | 1230MSC                                    |
|                              | 616154    | 32            | PU32                      | 1232MSC                                    |
|                              |           | 34            |                           | 1234MSC                                    |
|                              | 616157    | 36            | PU36                      | 1236MSC                                    |
|                              |           | 41            |                           |                                            |

\* Manufacturer Discontinued-  
Limited Quantity Available

Tools stocked by Lasswell are  
highlighted in yellow

## Pliers, Nippers & Cutters



| ENGINEER'S SIDE<br>CUTTING PLIERS | IMPA CODE | Length<br>mm      inch |        | IMPA<br>BAHCO<br>Type No. | Williams Alternative<br>Global |
|-----------------------------------|-----------|------------------------|--------|---------------------------|--------------------------------|
|                                   | 616213    | 167                    | 6-9/16 | 2628G-160                 | 2628G-6                        |
|                                   | 616214    | 187                    | 7-3/8  | 2628G-180                 | 2628G-7                        |
|                                   | 616215    | 207                    | 8-1/2  | 2628G-200                 | 2628G-8                        |
|                                   |           |                        |        |                           |                                |



| ROUND/SNIP<br>NOSE PLIERS | IMPA CODE | Length<br>mm      inch |   | IMPA<br>BAHCO<br>Type No. | Williams Alternative<br>Domestic |
|---------------------------|-----------|------------------------|---|---------------------------|----------------------------------|
|                           | 616221    | 152                    | 6 | 2521G-140                 | PL-76C                           |



| SNIP NOSE<br>PLIERS<br>60° OFFSET | IMPA CODE | Length<br>mm      inch |       | IMPA<br>BAHCO<br>Type No. | Williams Alternative<br>Global |
|-----------------------------------|-----------|------------------------|-------|---------------------------|--------------------------------|
|                                   | 616227    | 174                    | 6-3/4 | 2427G-160                 | 2427G-6                        |
|                                   | 616228    | 190                    | 7-1/2 | 2427G-200                 | 2427G-8                        |



| ROUND<br>NOSE<br>PLIERS | IMPA CODE | Length<br>mm      inch |       | IMPA<br>BAHCO<br>Type No. | Williams Alternative<br>Global |
|-------------------------|-----------|------------------------|-------|---------------------------|--------------------------------|
|                         |           | 160                    | 6-1/4 |                           | 2521G-6                        |



| SIDE CUTTING NIPPERS | IMPA CODE |     | Length<br>mm    inch |       | IMPA BAHCO Type No. | Williams Alternative |          |
|----------------------|-----------|-----|----------------------|-------|---------------------|----------------------|----------|
|                      |           |     | 125                  | 5     |                     | Global               | Domestic |
|                      | 616231    | 140 | 5 1/2                | 1528D | 21HDG-5.5           |                      | PL-45C   |
|                      |           | 160 | 6 1/4                |       | 21HDG-6             |                      | PL-46C   |
|                      |           | 180 | 7                    |       | 21HDG-7             |                      | PL-47C   |
|                      |           | 200 | 8                    |       | 21HDG-8             |                      |          |



| BULLDOG END<br>CUT NIPPERS | IMPA CODE |     | Length<br>mm    inch |       | IMPA<br>BAHCO<br>Type No. | BAHCO |
|----------------------------|-----------|-----|----------------------|-------|---------------------------|-------|
|                            | 616240    | 230 | 9                    | 1519D | 1519D*                    |       |



| BOLT CUTTERS | IMPA CODE | Length |      | Cut Capacity |      | IMPA BAHCO Type No. | BAHCO   |
|--------------|-----------|--------|------|--------------|------|---------------------|---------|
|              |           | mm     | inch | mm           | inch |                     |         |
|              |           | 200    | 8    | 6            | 1/4  |                     | 1520G   |
|              |           | 300    | 12   | 6            | 1/4  |                     | 4559-12 |
|              | 616251    | 465    | 18   | 15           | 5/8  | 4559-18             | 4559-18 |
|              | 616252    | 610    | 24   | 9            | 3/8  | 4559-24             | 4559-24 |
|              | 616253    | 760    | 30   | 12           | 1/2  | 4559-30             | 4559-30 |
|              | 616254    | 910    | 36   | 15           | 5/8  | 4559-36             | 4559-36 |
|              | 616255    | 1070   | 42   | 15           | 5/8  | 4559-42             | 4559-42 |



| CUTTERS | IMPA CODE | Length |        | Cut Capacity |        | IMPA<br>BAHCO<br>Type No. | Williams<br>Global |
|---------|-----------|--------|--------|--------------|--------|---------------------------|--------------------|
|         |           | mm     | inch   | mm           | inch   |                           |                    |
|         | 616261    | 550    | 21-5/8 | 30           | 1-3/16 | 2520                      | 2520               |

Tools stocked by Lasswell are highlighted in yellow

\* Limited Qty Available-While Supplies Last

# Screwdrivers



| ROUND BLADE FOR<br>SLOT HEAD SCREW | IMPA CODE | Blade Length |      | Blade Tip Size |      | IMPA<br>BAHCO<br>Type No. | Williams Alternative |          |
|------------------------------------|-----------|--------------|------|----------------|------|---------------------------|----------------------|----------|
|                                    |           | mm           | inch | mm             | inch |                           | Global               | Domestic |
|                                    | 616301    | 50           | 2    | 6              | 1/4  | BE-6110                   | SPR-K-14-6           | SDS-62   |
|                                    | 616302    | 75           | 3    | 4.76           | 3/16 | BE-6120                   |                      | SDR-22   |
|                                    | 616303    | 100          | 4    | 5.5            | 7/32 | BE-6130                   | SPR-K-72-4           | SDR-24   |
|                                    | 616304    | 125          | 5    | 3              | 3/32 | BE-6140                   |                      |          |
|                                    | 616305    | 125          | 5    | 6              | 1/4  | BE-6150                   | SPR-K-14-5           |          |
|                                    | 616306    | 150          | 6    | 5.5            | 7/32 | BE-6160                   | SPR-K-72-6           | SDR-26   |



| ROUND BLADE FOR<br>CROSS HEAD SCREW | IMPA CODE | Blade Length |      | Blade Tip No. | IMPA<br>BAHCO<br>Type No. | Williams Alternative |          |
|-------------------------------------|-----------|--------------|------|---------------|---------------------------|----------------------|----------|
|                                     |           | mm           | inch |               |                           | Global               | Domestic |
|                                     | 616310    | 60           | 2    | 0             | BE-5600                   |                      |          |
|                                     | 616311    | 80           | 3    | 1             | BE-5610                   | SPR-P-1-3            | SDP-1-3  |
|                                     | 616312    | 100          | 4    | 2             | BE-5620                   | SPR-P-2-4            | SDP-2-4  |
|                                     | 616313    | 150          | 6    | 3             | BE-5630                   | SPR-P-3-6            | SDP-3-6  |
|                                     | 616314    | 200          | 8    | 4             | BE-5640                   |                      |          |




| SHORT BLADE<br>FOR SLOT<br>HEAD SCREW | IMPA CODE | Blade Length |      | Blade Tip Size |      | IMPA<br>BAHCO<br>Type No. | Williams Alternative |
|---------------------------------------|-----------|--------------|------|----------------|------|---------------------------|----------------------|
|                                       |           | mm           | inch | mm             | inch |                           | Global               |
|                                       | 616322    | 25           | 1    | 4              | 5/32 | BE-6540                   | SPR-C-14-1           |
|                                       | 616323    | 25           | 1    | 8              | 5/16 | BE-6560                   |                      |



| SHORT BLADE<br>FOR CROSS<br>HEAD SCREW | IMPA CODE | Blade Length |      | Blade Tip No. | IMPA<br>BAHCO<br>Type No. | Williams Alternative |          |
|----------------------------------------|-----------|--------------|------|---------------|---------------------------|----------------------|----------|
|                                        |           | mm           | inch |               |                           | Global               | Domestic |
|                                        | 616327    | 25           | 1    | 1             | BE-5710                   | SPR-P-1-1            |          |
|                                        | 616328    | 25           | 1    | 2             | BE-5720                   | SPR-P-2-1            | SDP-2-ST |

# MARKETS THAT WE SERVE

G. F. Lasswell Company, Inc.  
**Lasswell**  
 Manufacturers' Redistributor



AND MANY MORE...

## ALL PRODUCTS SOLD EXCLUSIVELY FOR RESALE



G. F. Lasswell Company, Inc.  
**Lasswell**  
 Manufacturers' Redistributor

713.644.4313 / 800.666.4313 | (fax) 713.644.0130 / 877.644.0130

masters@lasswell.com | www.lasswell.com