



Levels

2-3
4
5-6
5
7
7-10
11

Squares[®]

Speedlite® Squares14The Big® 12 Speedlite® Squares14Speed® Bevel Speed® Squares14Wizard® Folding Framing Squares15Combination Square15Speedlite® Combination Square15Pro Combination Square15Builder's Squares16-17Wallboard Squares18	Speed®Squares	12-13
The Big® 12 Speedlite®Squares 14 Speed® Bevel Speed® Squares 14 Wizard® Folding Framing Squares 15 Combination Square 15 Speedlite® Combination Square 15 Pro Combination Square 15 Builder's Squares 16-17	Speedlite® Squares	14
Speed® Bevel Speed® Squares14Wizard® Folding Framing Squares15Combination Square15Speedlite® Combination Square15Pro Combination Square15Builder's Squares16-17	The Big [®] 12 Speedlite [®] Squares	14
Wizard® Folding Framing Squares15Combination Square15Speedlite® Combination Square15Pro Combination Square15Builder's Squares16-17	Speed® Bevel Speed® Squares	14
Combination Square15Speedlite® Combination Square15Pro Combination Square15Builder's Squares16-17	Wizard® Folding Framing Squares	15
Speedlite® Combination Square15Pro Combination Square15Builder's Squares16-17		
Pro Combination Square15 Builder's Squares16-17		
Builder's Squares16-17	Pro Combination Square	15

Accessories

Straight Edges	19
Tape Measures	
Compact Measuring Wheels	
Carpenter Pencils & Refills	
Saws	
Plumb Bobs	
Stair Gauges	
Blue Book of Instructions	
Hinge Butt Marker	

Factory Direct Distributor Pricing or Better!

MARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

ITEMS ALL WITHIN







Lighted Box Beam Levels

- · End caps provide maximum shock absorption
- V-grooved edge for working with round stock
- · Comfort grips for easy handling
- · Durable block vials accurate to .00050/in.
- · Professional box beam frame offers maximum durability
- Super Bright LEDs simultaneously light all 3 vials for low-light areas
- Available in magnetic model (BLL24M, BLL48M), with IMS
 Technology[™] Magnetic System-6 super strong earth magnets

MFR#	Length	Std Pk	Control #
BLL240	24"	3	
BLL480	48"	3	
BLL24M	24" Magnetic	3	
BLL48M	48" Magnetic	3	



Aluminum Box Beam Levels

- Deep accurized V-groove for round and square stock
- Multi-ring vials indicate 2° and 4° grade for drainage
- Super Shock® end caps
- · Cushion-grip hand grips
- Precision milled edges
- Superior heavy-duty aluminum frame for maximum durability
- Durable block vials accurate to .00050/in.
- Available in magnetic model (BBL24M, BBL48M), with IMS Technology[™] Magnetic System-6 super strong earth magnets

MFR#	Length	Std Pk	Control #
BBL240	24"	3	
BBL480	48"	3	
BBL720	72"	3	
BBL24M	24" Magnetic	3	
BBL48M	48" Magnetic	3	·



Professional Series Levels



Box Beam

Professional Box Beam Levels with Gelshock™ End Caps

- · Continuous dual rail frame
- .029° vial accuracy
- · Precision machined
- Gelshock[™] end caps
- Diamond® bumpers eliminate marring
- 80% stronger Savage™ strength frame
- · Acrylic block vials
- · Multi-ring vials
- Available in magnetic model (SVB24M-SVB96M)

		5		`
	MFR#	Length	Std Pk	Control #
	SVB180	18"	3	
	SVB240	24"	3	
	SVB320	32"	3	
	SVB360	36"	3	
	SVB480	48"	3	
	SVB540	54"	3	
	SVB600	60"	3	
	SVB720	72"	1	
•	SVB960	96"	1	
	SVB24M	24" Magnetic	3	
	SVB32M	32" Magnetic	3	
	SVB36M	36" Magnetic	3	
	SVB48M	48" Magnetic	3	
	SVB78M	78" Magnetic	1	
	SVB96M	96" Magnetic	1	



Lightning® Box Beam Luminated Levels


- · Continuous dual rail frame
- .029° vial accuracy
- · Precision machined
- Super Shock[®] end caps
- Diamond[®] bumpers eliminate marring
- 80% stronger Savage™ strength frame
- · Acrylic block vials
- · Multi-ring vials

MFR#	Length	Std Pk	Control #
SVLB24	24"	3	
SVLB48	48"	3	

Professional Box Beam Level Kits with Gelshock™ End Caps

- Contractor Value Kit (SVBCK0) Professional Box Beam Levels
- Jamber Kit (SVBJKM) Magnetic Professional Box Beam Levels
- Tub Surround Kit (SVBTS0) Professional Box Beam Levels

MFR#	Length	Std Pk	Control #
SVBCK0	24", 48", 78"	1	
SVBJKM	32", 78" Magnetic	1	
SVBTS0	32", 54"	1	





^{*} FOB - Houston GFL Dock Only Due to Overlength





I-Box[®] Levels

- Exclusive Diamond[™] Designs are raised slightly to avoid surface scratches
- · Multi-ring vials indicate 2° and 4° grade for drainage
- Super Shock[®] end caps
- · Precision milled edges
- Durable block vials accurate to .00050/in.
- Available in magnetic model (IBX24M, IBX48M)

MFR#	Length	Std Pk	Control #
IBX240	24"	3	
IBX480	48"	3	
IBX24M	24" Magnetic	3	
IBX48M	48" Magnetic	3	



I-Box[®] Levels

- Precision-milled, extruded heavy-duty aluminum frame for maximum durability
 BRIGHTVIEW reflects light for improved visibility
- · Ergonomic, rubberized grips for comfortable, easy handling
- Durable acrylic block vials accurate to .00050 in.
- Available in magnetic model (SWIBX24M, SWIBX48M)

MFR#	Length	Std Pk	Control #
SWIBX240	24"	3	1520830
SWIBX480	48"	3	1520826
SWIBX24M	24" Magnetic	3	
SWIBX48M	48" Magnetic	3	



Levels

I-Beam[®]

I-Beam[®] Levels

- V-grooved for working with round stock
- High-grade aluminum frame
- · Shock resistant rubber and end caps
- BRIGHTVIEW[®] reflects light for improved visibility
- · Ergonomic, rubberized grips for comfortable, easy handling
- Vials accurate to .029°/.00050 in.
- Available in magnetic model (SWIBL24M SWIBL78M)

MFR#	Length	Std Pk	Control #
SWIBL240	24"	3	
SWIBL480	48"	3	
SWIBL24M	24" Magnetic	3	1520800
SWIBL48M	48" Magnetic	3	1520801
SWIBL78M	72" Magnetic	3	1520819

I-Beam® Levels

- V-grooved for working with round stock
- · Oversized Vial Port to improve readability
- Screwed tight vial covers
- · Top read vial for an accurate read from all angle
- · Heavy duty rubber end caps for superior shock absorption
- Available in magnetic model (IBL24M IBL78M)

MFR#	Length	Std Pk	Control #
IBL240	24"	3	
IBL480	48"	3	
IBL24M	24" Magnetic	3	
IBL48M	48" Magnetic	3	
IBL78M	78" Magnetic	3	

Top Read I-Beam[®] Levels


- · Precision-milled, extruded heavy-duty aluminum frame for maximum durability
- Ruled edge for measuring, includes 1/8 and 1/16 gradations
- · V-grooved for working with round stock and pipes
- · Durable, acrylic windows protect vials
- · Continuous rail for uninterrupted scribe lines
- Top-read center vial for an accurate read in tight spaces
- Vials accurate to .029° .0005 in.

MFR#	Length	Std Pk	Control #
TRL240	24"	3	
TRL480	48"	6	

Top Read Aluminum Levels

- V-grooved for working with round stock
- · Ruled edge for measuring
- · High-grade aluminum frame
- · Acrylic windows protect vials from breakage
- · Vials accurate to .029°/.00050 in.
- Continuous rail for continuous scribes without frame interruption

MFR#	Length	Std Pk	Control #
SWTRL240	24"	3	
SWTRL360	36"	3	
SWTRL480	48"	6	







SWTRL240



SAVAGE Professional Series Levels

I-Beam[®]

I-Beam Levels

- .029° vial accuracy
- · Precision machined
- · Multi-ring vials
- Gel Shock[®] end caps
- 2X stronger Savage[™] strength frame
- Available in magnetic models (SVI24M-SVI78M)

MFR#	Length	Std Pk	Control #
SVI240	24"	3	
SVI480	48"	3	
SVI24M	24" Magnetic	3	
SVI48M	48" Magnetic	3	
SVI78M	78" Magnetic	1	




LevelsSpeedlite, Torpedo

SWANSON

Speedlite[®] Levels

- · Durable acrylic windows protect vials
- Three different vials: Plumb, Level, and 45°
- Lightweight composite body
- · Cut outs for easy handling
- · Ruled edges on the top for easy measuring
- Inches and centimeter (1/8th & mm)

MFR#	Length	Std Pk	Control #
PL0024	24"	3	
PL0048	48"	3	



Aluminum Top Read Tool Box Magnetic Level

- Multi-pitch vial reads from level to 1/2 in Pitch in 1/8 in. increments
- Full-length strip magnet
- BRIGHTVIEW[®] reflects light for improved visibility
- · Extruded aluminum frame
- · V-Grooved for working with round stock and pipes
- · 2 Top Read Vials

MFR#	Length	Std Pk	Control #
TBL001M	12" Magnetic	5	



High-Impact Aluminum Magnetic Torpedo Level

- · Full length strip magnet
- · High grade solid aluminum frame
- High-impact composite inserts
- · Easy to read vial windows

MFR#	Length	Std Pk	Control #
TL001M	9" Magnetic	10	



Extruded Aluminum Torpedo Magnetic Level

- · 3 incredibly strong rare earth magnets
- · High grade aluminum extrusion construction
- High-impact composite inserts
- · Easy to read vial windows

MFR#	Length	Std Pk	Control #
TL002M	9" Magnetic	10	1520832







Levels Torpedo

Shock Resistant Magnetic Topedo Level

- · 6 Incredibly strong interally sealed rare earth magnets
- Features IMS Technology[™]
- Super Shock® end caps
- · Durable extruded aluminum frame
- · Deep V-grooved for working with round stock and pipes

MFR#	Length	Std Pk	Control #
TL009M	9" Magnetic	6	



Lightweight Speedlite® Torpedo Level

- · Lightweight and compact design for portability
- · Impact-resistant composite body
- · Acrylic high visibility vials

MFR#	Length	Std Pk	Control #
TL011	9"	20	1520828



Shock Absorbing Speedlite® Magnetic Torpedo Level

- Full-length strip magnet
- · Top read feature for ease of use in tight spots
- Rubber end caps for shock absorption
- · Impact-resistant composite body
- · Acrylic high visibility vials

MFR#	Length	Std Pk	Control #
TL021M	9" Magnetic	6	



Pro-Cast® Magnetic Torpedo Level

- · Milled working surface for precision accuracy
- 4 super strong rare earth magnets
- Heavy-duty acrylic block vials accurate to .00050/in.
- Thermally bonded high-visibility powder coat finish

MFR#	Length	Std Pk	Control #
TL035M	10" Magnetic	6	



TL035M

Levels

Torpedo

Shock-Resistant Magnetic Torpedo Level

- · 6 incredibly strong internally sealed rare earth magnets
- Features IMS Technology™
- BRIGHTVIEW®reflects light for improved visibility
- Super Shock®end caps
- · Extruded aluminum frame
- · V-grooved for working with round stock and pipes

MFR#	Length	Std Pk	Control #
SWTL900M	9" Magnetic	6	1520817



Extruded Magnetic Torpedo Level

- · 3 Incredibly strong rare earth magnets
- BRIGHTVIEW[®] reflects light for improved visibility
- · Extruded aluminum frame
- · V-grooved for working with round stock and pipes

MFR#	Length	Std Pk	Control #
SWTL800M	9" Magnetic	10	1520815



DIY Magnetic Aluminum Torpedo Level

- · Durable extruded aluminum frame
- · V-grooved, full-length, heavy-duty magnetic strip provides stability and strength when working with round stock and pipes
- · Lightweight, compact design for portability carry it in your pocket or tool pouch
- BRIGHTVIEW[®] reflects light for improved visibility


MFR#	Length	Std Pk	Control #
SWTL700M	9" Magnetic	10	1520814




Aluminum Tool Box Magnetic Level

- Multi-pitch vial reads from level to 1/2 in. pitch in 1/8 in. increments
- Full-length strip magnet
- BRIGHTVIEW® reflects light for improved visibility
- · Extruded aluminum frame
- V-grooved for working with round stock and pipes

MFR#	Length	Std Pk	Control #
SWTBL500M	12" Magnetic	6	







SWTBL500M



Professioanl Series Levels

Torpedo

Shock Absorbing Magnetic Aluminum Torpedo Level

- 4 strong Neodymium V-grooved magnets
- · Solid billet 3X stronger
- BRIGHTVIEW® vial surrounds
- .029° / .0005 in. vial accuracy
- V-grooved edge
- · Shock absorbing end caps

MFR#	Length	Std Pk	Control #
SVT011	11" Magnetic	6	1520806

Digital Magnetic Torpedo Level

- 4 strong Neodymium V-grooved magnets
- BRIGHTVIEW® vial surrounds
- · Audible tones
- · Green backlight
- · 3 Modes
- 90° & 0° vials
- · Precision machined

MFR#	Length	Std Pk	Control #
SVT200	9" Magnetic	6	1520827





Magnetic Aluminum Torpedo Level with Conduit Clamps

- Tri-Loc® conduit clamp
- · 4 strong Neodymium magnets
- Solid billet 3X stronger
- 4 leveling vials for conduit bends
- BRIGHTVIEW® vial surrounds
- .029° / .0005° / in. vial accuracy
- · Acrylic vials are extremely durable

MFR#	Length	Std Pk	Control #
TL041M	6" Magnetic	6	1520807

Magnetic Aluminum Torpedo Level

- 4 strong Neodymium magnets
- · Solid billet 3X stronger
- · 4 leveling vials for conduit bends
- BRIGHTVIEW® vial surrounds
- .029° / .0005° / in. vial accuracy
- · Acrylic vials are extremely durable

MFR#	Length	Std Pk	Control #
TL043M	9" Magnetic	6	1520808

Lighting Aluminum Magnetic Torpedo Level

- 4 strong Neodymium magnets
- · Vial lighted system
- · Solid billet 3X stronger
- BRIGHTVIEW®vial surrounds
- .029° / .0005 in. vial accuracy
- 10 minute shut-off
- V-grooved edge
- · Includes 2 CR2032 batteries

MFR#	Length	Std Pk	Control #
TLL049M	9" Magnetic	6	1520809







Levels

Specialty Levels

Magnetic Angle Finder

- Determine any angle quickly
- · Can be used with a straight edge or carpenter square for fast layout
- · Block magnetic base
- · High-grade composite construction
- V-grooved edge

MFR#	Dimensions	Std Pk	Control #
AF006M	8 3/8" x 5 1/2"	6	

Cross Check Level

- · Precision accurate vials in a durable composite housing
- · Two mounting holes

MFR#	Dimensions	Std Pk	Control #
CCL001	1 1/2" x 2 1/2"	12	

Aluminum Line Level

- · High-grade aluminum frame
- · Snag-free open hooks allow level to slide freely

MFR#	Length	Std Pk	Control #
LLA001	4"	12	1520820

Lightweight Speedlite[®] Line Level

- · V-groove for use on pipe or conduit
- 2 pack
- Snag free open hooks allows to slide freely

MFR#	Length	Std Pk	Control #
LLP002	3"	12	1520816

Speedlite® Magnetic Post Level

- Strip magnets and elastic strap for hands free work
- · Constructed of high impact composite material
- · Hands free plumb and level of posts and more

MFR#	Length	Std Pk	Control #
PL001M	8 1/2" x 8 1/2"	10	

Surface Level

- · Lightweight, composite construction that you can take anywhere
- 3 Pre rounded fastening holes allow you to attach the level to working surface
- · Use to level appliances, fence posts, tables and more

MFR#	Diameter	Std Pk	Control #
SL0002	1.75"	12	


Wood Magnet®

- Compress fits to any 2X material (2x4, 2x6, etc.)
- Use with square posts, round posts up to 4 in. in diameter
- · Levels studs and joists
- · 3 easy to read vials
- · High impact composite body

	<u> </u>		
MFR#	Length	Std Pk	Control #
T04424	2" x 4"	6	



















Speed[®] Squares Speed[®] Square, Square Pro

Speed[®] Square with Black Markings & Blue Book

- The Speed[®] Square, is essential for every carpenter, construction professional, roofer and DIYer
- Multi-tool: Try square, miter square, saw guide, line scriber, and protractor
- Includes pocked-sized Swanson[®] Blue Book (Comprehensive Reference Guide)
- Features: 1/4 in. spaced scribing notches and the Diamond[®] cutout for easy rafter seat cuts and scribing the most common and popular stud widths
- Gradations included for marking common, hip, valley, and jack rafters.
 Useful for determining and marking angles and making square cuts on boards
- Heavy-gauge billet aluminum alloy construction is die-cast for increased accuracy over laser-etched and extruded stamped rafter squares
- High-visibility, black gradations with a non-glare, matte finish for easy reading in any lighting conditions
- Available with plain gradations & blue book (T0101)
- Available with Speed Clip (S0101-C)
- Available with bulk display merchandiser contains 20 Speed[®] Squares with plain markings (DB101) and bulk display merchandiser with 12 Speed[®] Squares (tag carded) with Plain Markings & Blue Books (DT101)


MFR#	Length	Std Pk	Control #	
S0101	7"	5	1520802	
S0101-C	7"	5		
T0101	7"	5		
DB101	7"	1 Box of 20		
DT101	7"	1 Box of 20		



Speed[®] Square Pro

- 2X longer scribe bar with 1/8 in. increments and the diamond cut out bridge that adds support and the famous trademark Swanson Diamond™ Cut Out at the 3 in. mark
- 1-1/2 in. EDGE the width of 2X material mark both sides of studs
- 22-1/2° ANGLE coming off of the pivot for quick layouts
- 3 1/2 in. Diamond™ cutout for working with 2 x 6 material
- Beveled edges get the square closer to the working material resulting in more accurate Top Cut measurements
- Easier to see numbers and markings
- 2 Convenient marking edges for 3/4 in. and 1/2 in.
- High-visibility, black gradations with a non-glare, matte finish for easy reading in any lighting conditions

MFR#	Length	Std Pk	Control #
S0100-A	7"	4	



Speed[®] Squares Trim, Big 12[®], Metric Speed[®] Square



Speed[®]Trim Square

- Swanson[®] Diamond[™] 3 1/2 in. mark
- Scribe Bar 1/8 in. marks
- 22-1/2° 30°, 45° and 67 1/2° markings easy angle finder
- 3/8 in. Drill Guide for self-centering drill bits on 3/4 in. stock
- Dual Reference Base: 1/4 in. & 3/8 in. perfect for centering morises and tenons
- · Anti-glare finish
- · Easy read markings


MFR#	Length	Std Pk	Control #
S0145	4 1/2"	4	1520829



The Big 12[®] Speed[®] Square

- Seven tools in one: framing square, try square, miter square, protractor, saw guide, stair gauge and out-of-square corner angle finder
- · Heavy gauge aluminum
- 1/4 in. and 1/2 in. spaced notches to facilitate scribing lines
- · Matte finish to prevent glare
- · Black gradations for easy reading
- · Great for deck framing and stairway building
- Patented layout bar
- Available without layout bar (T0108)

MFR#	Length	Std Pk	Control #	
S0107	12" 5		1520803	
T0108	12"	5	1520821	



S0107

Metric Speed[®] Square

- Two seperate scales for common and hip-valley rafters, metric and degree
- High-grade aluminum alloy construction
- Traditional One-Number MethodSM for rafter layout for easier measuring
- 0.5 cm spaced notches facilitate scribing lines
- Matte finish to prevent glare
- Available with English/German/French packaging and Green Book (EU202) and English/Spanish instruction book (NA202)

MFR#	Length	Std Pk	Control #
EU202	25 cm	25 cm 5	
NA202	25 cm	5	



EU202






Speedlite[®] Squares Speedlite, Big 12, Speed[®] Square Bevel

Speedlite[®] Level Square

- · Built-in block vial Easy to read from all angles
- · Beveled edge for ease of reading
- Lightweight high-impact structual composite material
- · Great for siding and won't mar finish
- 1/8 in, spaced notches to facilitate scribing lines
- · Center line guide for locating center of round stock
- Diamond® cut out for easy layout

MFR#	Length	Color	Std Pk	Control #
T0111	8"	Gray	5	
T0811	8"	Hi-Viz Orange	5	



Speedlite® Square

- 8 in. size is great for siding and larger materials
- · Beveled edge for ease of reading
- · Construction of lightweight high-impact structual composite material
- · Great for siding and won't mar finish
- 1/8 in. spaced notches to facilitate scribing lines
- · Center line guide for locating center of round stock

MFR#	Length	Color	Std Pk	Control #
T0112	8"	Gray	5	
T0118	8"	Hi-Viz Orange	5	1520804
T0119	8"	Hi-Viz Yellow	5	




T0118

Big 12[®] Speedlite[®] Square

- · Beveled edge for ease of reading
- · Construction of lightweight high-impact structural composite material
- · Great for siding and won't mar finish
- 1/4 in. and 1/2 in. spaced notches to facilitate scribing lines
- · Center line guide for locating center of round stock
- Diamond® cut out for easy layout

MFR#	Length	Color	Std Pk	Control #
T0701	12"	Orange	5	1520805



T0701

Speed[®] Bevel Folding Speed[®] Square

- 6 Tools in One: Try Square, Miter Square, Rafter Square, Line Scriber, Angle Finder, T-Bevel
- · Construction of lightweight high-impact structural composite material
- Won't mar finish
- Folds to only 10-1/4" in. L 2-1/4 in. W and 1 in. D

MFI	R#	Length	Color	Std Pk	Control #
T0S	B01	7"	Orange	5	



T0SB01

Folding & Combination Squares

Folding, Combination, Pro Combination

Wizard® Folding Aluminum Framing Square

- Multi-Tool: Framing Square, Miter Square, Angle Finder, Saw Guide and Try Square
- · Durable, high-grade anodized aluminum construction features pitch finder Swanson® Diamond® cutout
- · Simultaneously mark top and bottom stud plates
- · Portable, compact design folds down to fit into a standard toolbox
- Includes instruction book for using the Swanson® One-Number® Method and an Allen wrench for adjusting the square
- Precision laser etching on high-visibility blue finish creates contrast for easy readings
- · Includes Jack rafter/rake wall scales

MFR#	Length	Std Pk	Control #
T001WZ	24"	6	



Pocket Combination Square

- · Precision machined die-cast zinc body
- Hi-impact composite head
- · Spring loaded, brass bolt assures firm, accurate settings
- · Etched stainless steel blade

MFR#	Length	Std Pk	Control #
TC130	6"	6	

- · Screw fit brass scriber and impact resistant acrylic vial
- 1/8 in., 1/16 in., 1/32 in., and mm scale gradations
- Available in 12" model (TC132)



Speedlite® Combination Square

- · Spring loaded, brass bolt assures firm, accurate settings
- · Stainless steel blades with black precision etchings, includes brass hardware
- Screw fit brass scriber and impact resistant acrylic vial

MFR#	Length	Color	Std Pk	Control #
TC131	12"	Yellow	6	1520822
TC132	12"	Black	6	

Pro Combination Square

- · Precision machined die-cast zinc head
- · Spring loaded, brass bolt assures firm, accurate settings
- · Stainless steel blades with black precision etchings, includes brass hardware
- · Screw fit brass scriber and impact resistant acrylic level vial
- 1/8 in., 1/16 in., 1/32 in. and mm scale gradations

MFR#	Length	Std Pk	Control #
TC134	16"	6	

Combination Square

- · Chemical etching
- · Precision machined surfaces
- Stainless steel blade
- Brass tightening bolt and scribe all
- Acrylic block vial
- Savage[™] strength frame-aerospace aluminum

MFR#	Length	Color	Std Pk	Control #
SVC133	12"	Stainless Steel & Orange	6	1520813





SVC133



Builder Squares

Carpenter, Rafter

TS157

Steel Carpenter Square

- · High-grade tempered steel
- · Nickel Plated, resists rust
- · Reverse-reading scale
- · Acid wash for anti-glare matte finish
- · Permanently impressed gradations

MFR#	Length	Color	Std Pk	Control #
TS157	16" x 24"	Steel	6	1520824

Aluminum Carpenter Square

- · Reverse-reading scale
- 1/8, 1/10, 1/12, 1/16 & 1/100 Scales
- · Permanently impressed gradations

MFR#	Length	Color	Std Pk	Control #
TA123	16" x 24"	Aluminum	6	

Carpenter Square

- · Lightweight and Durable
- · Precision laser etching
- Anodized aerospace aluminum
- · Reverse reading scale

	MFR#	Length	Color	Std Pk	Control #
I	SVL123	16" x 24"	Orange	6	1520810

SAVAGE

Aluminum Rafter Square

- · Rafter, brace & essex tables; octagon scales
- 1/8, 1/10, 1/12, 1/16 & 1/100 Scales
- Permanently impressed gradations

MFR#	Length	Color	Std Pk	Control #
TA122	16" x 24"	Aluminum	6	

Black Anodized Rafter Square

- Highly visible, permanently impressed gradations in 1/8 in., 1/10 in., 1/12 in. and 1/16 in. scale
- 1/16 and 1/100 Scales

- White gradients over black anodizing for easy readability
- Rafter, brace and essex table, octagon scales

MFR#	Length	Color	Std Pk	Control #
TA126	16" x 24"	Black	6	

Heavy-Duty Aluminum Rafter Square

• 3/16 in. thick aluminum alloy

- 1/8, 1/10, 1/12, 1/16 & 1/100 Scales
- Rafter, brace & essex tables; octagon scales
- Permanently impressed gradations

MFR#	Length	Color	Std Pk	Control #
TA127	16" x 24"	Aluminum	6	



Builder Squares

Steel Rafter, Utility, Try & Miter, Sliding T-Bevel

Steel Rafter Square

- High-grade tempered steel with "Hi-Vis" yellow coated finish
- 1/8, 1/10, 1/12, 1/16, & 1/100 Scales
- · Reverse-reading scale
- Black thermo-bounded gradations
- Rafter, brace & essex tables; octagon scales

MFR#	Length	Color	Std Pk	Control #
TS154	16" x 24"	Hi-Vis Yellow	6	

Utility Square

- · High-grade steel
- · Back gradations in 8ths & 16ths
- Nickel Plated, resists rust
- · Acid wash for anti-glare matte finish
- Face gradations in 8ths & 12ths Permanently impressed gradations

MFR#	Length	Color	Std Pk	Control #
TS153	8" x 12"	Steel	12	1520823

Try & Miter Square

- 1/16 in. & 1/8 in. gradations
- High impact molded handle with vial
- Etched stainless steel blade, 1/8 in. & 1/16 in. gradations
- 45° angle in handle for easy layout

· Blade scribe bar

· Available with brass bound hardwood handle (TS152)

· Stainless steel etched blade

MFR#	Length	Color	Std Pk	Control #
TS151	8"	Black Plastic & Steel	6	
TS152 8"		Wood, Brass & Steel	6	

Try Square

- · Aerospace Aluminum anodized frame with rubber coated handle insert
- Retractable Kickstand[™] helps hold materials

MFR#	Length	Color	Std Pk	Control #
SVR149	9"	Stainless Steel & Orange	6	

SAVAGE

Sliding T-Bevel

- All brass hardware
- Etched stainless steel 9 in. blade
- Hardwood handle
- · Brass bound ends

MFR#	Length	Color	Std Pk	Control #
TS149	9"	Brass & Wood	6	

T-Bevel with Metal Knob

- Bottom located tightening bolt
- Stainless steel chemically ethiced hlade

	Stairness steel chemically ethiced blade						
	MFR#	Length	Color	Std Pk	Control #		
ı	0) 0 (450	0.11	0				


Stainless Steel & Orange

SAVAGE

Sliding T-Bevel with Level Vial

- Level vial in handle for easy referencing
 Etched stainless steel 8 in. blade
- · Heavy-duty composite handle

MFR#	Length	Color	Std Pk	Control #
TS150	8"	Black Plastic & Steel	6	













Wallboard Squares

Drywall, Wallboard

Drywall Square

- Durable alluminum alloy frame is 1/8" thick
- · Body is standard outlet size for easy marking
- · Five rivets and two steel roll pins accurately secure head and body
- Black thermobonded gradations over a hi-viz yellow for easy reading
- · Resists nicks from utility knives

	MFR#	Length	Color	Std Pk	Control #
ı	TDT148	48"	Yellow	2	



Adjustable Aluminum Drywall Square

- · Full adjustable head allows multiple angle cuts
- · Collapses fully, easier storage and portability
- · Thermo-bonded gradations
- · Resists nicks from utility knives

I	MFR#	Length	Color	Std Pk	Control #
	AD124	48"	Aluminum	3	



Aluminum T-Square Wallboard Square

- · Resists nicks from utility knives
- · Body is standard outlet size for easy marking
- Five rivets and two steel roll pins accurately secure head and body

MFR#	Length	Color	Std Pk	Control #
TD124	48"	Yellow	2	
TD540	54"	Yellow	2	



Wallboard Square

- · 5 Stainless steel rivots
- Body is 3/16" thick
- · Precision laser etching
- · Anodized aerospace aluminum

MFR#	Length	Color	Std Pk	Control #
SVW124	48"	Orange	2	





Straight Edges

Cutting Guide

Straight Edges

- High- grade aluminum alloy
- · Thermally fused yellow powder paint finish
- · Lightweight and stong
- Non-glare finish
- · Black thermo-bonded gradations

MFR#	Length	Width	Std Pk	Control #
AE141	36"	1-1/4"	10	
AE142	48"	2"	3	
AE143	60"	2"	3	
AE144	72"	2"	3	



Aluminum Cutting Guide

- Includes two 50" cutting guides; joining bar allows expansion to 100"
- · Low-profile design guides any saw, router, or utility knife
- Made of durable, high-grade anodized aluminum
- Includes C-clamps
- · Break-down design makes for easy storage

MFR#	Length	Std Pk	Control #
CG100	100"	6	



No Slip Straight Edges


- · No Slip Grip backing
- Thumb Saver raised edge
- Anodized aerospace aluminum
- · Precision laser etching

MFR#	Length	Std Pk	Control #
SVE240	24"	3	
SVE360	36"	3	
SVE480	48"	3	
SVE720	72"	1	
SVE960	96"	1	



* FOB - Houston GFL Dock Only Due to Overlength







Professional Series

Magnetic Proscribe™ 25ft. Tape Measure

- · Scribes circles into surfaces with centering pin
- · Scribe guide elinimates slivers
- 1 in. wide blade with large number display on top and bottom for easy readability
- Magnetic tip
- · 8 ft. standout

MFR#	Std Pk	Control #
SVPS25M1	6	1520811

SAVAGE

Proscribe™ 8 Meter Tape Measure

- · Scribes circles into surfaces with centering pin
- · Scribe guide elinimates slivers
- 1 in. wide blade with large number display on top and bottom for easy readability

MFR#	Std Pk	Control #
SVPS8M1M	6	

SAVAGE

Magnetic Gripline™ 25ft. Tape Measure

- · Grips PVC, conduit and pipe up to 2 in. in diameter
- · Grips vertical & rounded edges with rotating tip
- 1 1/16 in. wide blade with large number display on top and bottom for easy readability
- · Magnetic tip
- 8 1/2 ft. standout

MFR#	Std Pk	Control #
SVGL25M1	6	1520812

SAVAGE

Gripline™ 8 Meter Tape Measure

- Grips PVC, conduit and pipe up to 2 in. in diameter
- · Grips vertical & rounded edges with rotating tip
- 1 1/16 in. wide blade with large number display on top and bottom for easy readability

MFR#	Std Pk	Control #
SVGL8M1M	6	

SAVAGE

Compact Measuring Wheel

- Telescoping handle extends to 36" for comfortable handling
- Easy-to-read magnified counter features large numbers on high-contrast, black and white display
- · Button feature easily resets counter to 0
- Handle collapses to 20" for easy portability and storage
- Counter displays feet and inches in seperate formats for easy differentiation between units
- Available in Metric model (SWRT3940M)

MFR#	Std Pk	Control #
SWRT3940	1	
SWRT3940M	1	









Accessories

Carpenter Pencil, Refills, Holder & Saw

Always Sharp® Refillable Carpenter Pencil

- · Pack features refillable graphite that eliminates sharpening
- Pencil lasts 5 times longer than a traditional Carpenter Pencil
- · Each pencil comes with a cap to protect against damange during storage
- 3/8" Graphite tips are sharp on both sides
- · Pack includes 2 pencils & 8 refills

MFR#	Length	Color	Std Pk	Control #
CP216	7.88"	Gray	1	

CP216

Always Sharp® Replacement Tips

· 24 replacement tips

MFR#	Color	Std Pk	Control #
CPLBLK	Black	10	
CPLRED	Red	10	

Speed Draw Pencil Holder

- · Fits most carpenter pencils & markers
- Comfort rubber grip
- · Super strong magnets

MFR#	Length	Color	Std Pk	Control #
SDP217	7"	Orange	12	1520825

Always Sharp' A Peace and a lot of the control of t

CPLBLK



SDP217

Carpenter Pencils - 5 Pack & 72 Box

- · High visibility orange paint finish
- Ideal for all woodworking and remodeling projects
- Stays put won't roll
- CP700 (5 pack carded) | CP700B (72 bulk box)

MFR#	Length	Color	Std Pk	Control #
CP700	7"	Orange	10	
CP700B	7"	Orange	1 Box of 72	



(carded)



Folding Saw with 3 piece Saw Blade

- 2 cutting positions
- · Works with any reciprocating saw blade
- · Integrated utility knife
- · Convenient belt case
- Folding saw by itself (SVK667)

MFR#	Std Pk	Control #
SVK666	2	
SVK667	6	







Accessories

Plumb Bobs, Stair Gauges, Butt Marker, Instruction Manual

Brass Plumb Bob

- · Solid brass
- · Removable top to center string
- · Hardened steel tip

MFR#	Weight	Std Pk	Control #
PB008B	8 oz.	5	
PB016B	16 oz.	5	

Steel Plumb Bob

- · Removable head
- Plated Steel
- Resists rusts

MFR#	Weight	Std Pk	Control #
PB008S	8 oz.	5	

Solid Brass Stair Gauges

- · Precision accuracy
- For stairway construction
- · Use to layout repetitive cuts
- · Solid Brass construction

MFR#	Std Pk	Control #	
SG0020	6		

Little "Blue Book" of Instructions for Roof & Stairway Layout

- 60 page manual
- "One Number Method"SM for roof layout
- · Includes rafter tables & construction diagrams

MFR#	Std Pk	Control #
P0110	5	

Hinge Butt Marker

· High-grade die cast aluminum alloy

MFR#	Size	Std Pk	Control #
S0106	4"	5	



PB008B



PB008S



SG0020



P0110



S0106