



1600

Multi-Purpose Enamel Spray

Industrial Choice® 1600 System Multi-Purpose Enamel spray paint is a multi-purpose spray paint developed for everyday industrial maintenance applications. This ultra coverage formula provides maximum coverage and paints more area faster, using fewer cans.

- 360° any angle spray allows you to spray in any direction
- Use on surfaces that reach temperatures up to 200°F (93°C)
- High solids formula delivers complete, even coverage



Suitable for both indoor and outdoor application



Resists chipping, cracking and peeling




Fast drying formula- Dries to touch within 12 minutes

Application



Substrates



SKU	Description	SKU	Description	SKU	Description
Standard Colors (12 oz.)		Standard Colors (continued)		Fluorescent Colors (12 oz.)	
202211	Machine Green	1679830V	Black	1632830	Fluor. Green
202214	Machinery Gray	1684830	Dove Gray	1642830	Fluor. Yellow
202216	Dusty Pink	1686830V	Universal Gray	1654830	Fluor. Orange
257399	Purple	1688830	Smoke Gray	1655830	Fluor. Red-Orange
257401V	Emerald Green	1690830V	White (Flat)	1659830	Fluor. Pink
1614830	Dull Aluminum	1692830V	White	ANSI Colors (12 oz.)	
1622830V	Regal Blue	1696830	Antique White	214645	ANSI 61 Light Gray
1626830V	True Blue	1610830	Crystal Clear	214646	ANSI 49 Medium Light Gray
1638830	Hunter Green	Safety Colors (12 oz.)		214647	ANSI 70 Light Gray
1643830	School Bus Yellow	1624830	Safety Blue	Primers (12 oz.)	
1664830V	Cherry Red	1633830	Safety Green	257400	Black Primer
1666830	Banner Red	1644830	Safety Yellow	1667830	Red Primer
1671830	Beige	1653830V	Safety Orange	1680830V	Gray Primer
1672830	Almond	1660830	Safety Red	1681830V	White Primer
1674830	Leather Brown	1670830	Safety Purple		
1676830V	Black (Ultra-Flat)				
1678830	Black (Semi-Flat)				

SKU Description

Companion Products

241526 Comfort Grip

243546 Spray Grip

WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov

Sold by case only - 6 cans per case



UTILI-T™

UTILI-T™ is a quick, cost-effective solution for painting or marking items with reliable performance. It delivers a durable and even finish that facilitates easy recoating. Suitable for a range of surfaces, it provides protection and enhances visual appeal with minimal effort.

- Durable uniform finish that applies quickly, delivers a fine finish and can be rapidly recoated
- Ideal for use on wrapped pallets, shipping crates, lockers, railings, parking lot bollards and more



Application



Substrates



Metal



Plastic



Wood



General pattern spray tip delivers a fine, even coat of paint



Paint is formulated to withstand temperatures up to 200°F (93°C)



Resists fading, chipping and peeling

SKU	Description
UTILI-T™ General Purpose Colors (10oz.)	
387389	Flat Black
387390	Gloss Black
387391	Gloss Red
387392	Gloss Yellow
387393	Gloss Green
387394	Gloss Blue
387395	Gloss White
387396	Aluminum
387397	Gray Primer
387398	Gloss Orange
387399	Flat White
387400	Gloss Dark Gray

WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov

Sold by case only - 6 cans per case

HIGH PERFORMANCE



V2100

Rust Preventive Enamel Spray Paint

V2100 System Rust Preventive Spray Paint is the ultimate spray paint for industrial applications. This advanced formula provides the best possible corrosion protection with easy, one-coat coverage and long-lasting color, gloss and durability. Typical applications include general plant maintenance, machinery, equipment, structural steel, pipes, metal cabinets, conveyors, vents, tank exteriors and more.

- Extra-wide comfort nozzle prevents finger fatigue and sprays from any angle, even upside down
- Tough, professional finish- Superior resistance to chipping, cracking and peeling; MIR-compliant nationwide
- Meets USDA requirements for incidental food contact



High-output tip covers faster and dries to touch in only 20 minutes



Paint is formulated to withstand high temperatures up to 200°F (93°C)




One-coat coverage with most colors matching 7400 or V7400 System for quick touch-ups

Application



Aerosol

Substrates



SKU	Description	SKU	Description	SKU	Description
Colors ** (15 oz.)		V2188838	Smoke Gray	V2133838	Safety Green
V2170838	Almond	V2115838	Silver Aluminum*	V2155838	Safety Orange
V2171838	Tan	V2119838	Stainless Steel*	V2167838	Safety Purple
V2175838	Chestnut Brown	V2179838	Black (Gloss)	V2163838	Safety Red
V2125838	Deep Blue	V2177838	Black (Semi-Gloss)	V2143838	Safety Yellow
V2123838	Light Blue	V2178838	Black (Flat)	Equipment (15 oz.)	
V2137838	Dark Green	V2192838	White (Gloss)	209713	JD Green
V2134838	Bright Green	209567	White (Semi-Gloss)	209714	JD Yellow
V2138838	Hunter Green	V2190838	White (Flat)	209715	Caterpillar Yellow (Old)
V2147838	Industrial Yellow	V2196838	Fleet White	209717	International Harvester Red
V2164838	Bright Red	V2102838	Crystal Clear*	209718	Ford Blue
V2187838	Dark Machine Gray	Safety Colors (15 oz.)		V2148838	Equipment Yellow
V2184838	Dove Gray	V2124838	Safety Blue	V2156838	Equipment Orange
V2183838	Light Machine Gray				

*Selected color is a 14 oz. spray ** Product also available in hammered finish and fluorescent colors.

WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov

Sold by case only - 6 cans per case

G. F. Lasswell Company, Inc.
Lasswell
Manufacturers' Redistributor

713.644.4313 / 800.666.4313 | (fax) 713.644.0130 / 877.644.0130

masters@lasswell.com | www.lasswell.com

©2026 G.F. Lasswell Company, Inc. All Rights Reserved. 212-08-1025-1-2

INDUSTRIAL CHOICE®



• TRUSTED QUALITY SINCE 1921 •
RUST-OLEUM®

**INDUSTRIAL
— CHOICE —**

M1600/M1800

Solvent & Water - Based Precision Marking Paints


Precision Line® Inverted Marking Paint creates ultra-crisp, long-lasting marks. These solvent and water-based formulas create accurate, easy-to-read markings in bright, durable colors. Typical use includes utility, surveying, locating, construction, excavation, landscaping and golf course applications.

- Dries fast- Less than 5 minutes
- Great resistance against premature fading
- Can be sprayed in cold temperatures, as low as 25°F (-4°C)

Application



Substrates



SKU	Description
M1600 Solvent-Based (17 oz.)	
203022	APWA Caution Blue
203024	Caution Yellow
203025	High Visibility Yellow
203026	Alert Orange
201516	APWA Orange
1675838	Black
203030	White
1601838	Clear
239007	Silver (16 oz.)
1634838	APWA Safety Green
203029	Safety Red
1668838	Safety Purple
1669838	Fluorescent Purple
1662838	Fluorescent Red
203028	Fluorescent Red-Orange
203023	Fluorescent Green
203027	Fluorescent Orange
1661838	Fluorescent Pink

SKU	Description
M1800 Water-Based (17 oz.)	
203031	APWA Caution Blue
203033	Caution Yellow
203034	High Visibility Yellow
203035	APWA Alert Orange
1875838	Black
203039	White
1801838	Clear (16 oz.)
1834838	APWA Safety Green
1868838	Safety Purple
203038	Safety Red
205176	Fluorescent Blue
1869838	Fluorescent Purple
1862838	Fluorescent Red
203037	Fluorescent Red-Orange
203032	Fluorescent Green
203036	Fluorescent Orange
1861838	Fluorescent Pink



No mess spray tip keeps paint off hands and fingers



Available in both solvent and water-based formula



MIR compliant nationwide

SKU Description

Companion Products

268476 Marking Wand

210188 Marking Pistol

WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov

Sold by case only - 12 cans per case

G. F. Lasswell Company, Inc.
Lasswell
Manufacturers' Redistributor

713.644.4313 / 800.666.4313 | (fax) 713.644.0130 / 877.644.0130

masters@lasswell.com | www.lasswell.com

©2026 G.F. Lasswell Company, Inc. All Rights Reserved. 212-08-1053-1-2

INDUSTRIAL CHOICE®

• TRUSTED QUALITY SINCE 1921 •
RUST-OLEUM®

INDUSTRIAL CHOICE® AF1600

Athletic Field Striping Paint


Easily mark athletic fields, playgrounds, golf courses and more with Rust-Oleum Industrial Choice® AF1600 Athletic Field Striping Paint. This water-based paint produces durable, long-lasting lines that withstand weather and wear. Sprays upside-down for easy use.

- Creates bright, sharp, well-defined lines; resists smudging
- Safe for use on grass
- Dries in 30 minutes
- Guaranteed not to clog

Application



Substrates



No mess spray tip keeps paint off hands and fingers



Water-based formula

SKU

Description

AF1600 Athletic Field Striping Paint (17 oz.)

206043	Inverted White
206045	Inverted Yellow

SKU Description

Companion Product

206346 Stripping Machine

WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov

Sold by case only - 12 cans per case

G. F. Lasswell Company, Inc.
Lasswell
Manufacturers' Redistributor

713.644.4313 / 800.666.4313 | (fax) 713.644.0130 / 877.644.0130

masters@lasswell.com | www.lasswell.com

©2026 G.F. Lasswell Company, Inc. All Rights Reserved. 212-08-5201-1-2

INDUSTRIAL CHOICE



• TRUSTED QUALITY SINCE 1921 •
RUST-OLEUM®

INDUSTRIAL CHOICE® M1400

Water-Based Construction Marking Paint


M1400 Construction Marking Paint creates bold, durable lines. Our marking paint formulas are especially designed for the rigorous demands of construction, excavation, surveying, landscaping and other commercial operations.

- Great resistance against early fading and chalking
- Bold, easy to see markings; Dries in less than 5 minutes
- Excellent visibility on concrete, pavement, dirt, gravel, grass and more

Application



Substrates



SKU	Description
-----	-------------

Colors (17 oz.)

264693	Clear
264692	White
359824	Black
264697	Fluorescent Orange
264702	Fluorescent Pink
264699	Fluorescent Red-Orange
264700	Fluorescent Green
264694	Caution Blue

SKU	Description
-----	-------------

Colors (17 oz.)

264695	High Visibility Yellow
264696	Safety Red
314062	Safety Green
316312	Safety Purple



No clogging and no mess with locking spray tip that won't pop off



Water-based formula dries in 5 minutes or less



MIR compliant nationwide

SKU	Description
Companion Products	
268476	Marking Wand
210188	Marking Pistol

WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov

Sold by case only -12 cans per case

G. F. Lasswell Company, Inc.
Lasswell
 Manufacturers' Redistributor

713.644.4313 / 800.666.4313 | (fax) 713.644.0130 / 877.644.0130
masters@lasswell.com | www.lasswell.com

©2026 G.F. Lasswell Company, Inc. All Rights Reserved. 212-09-1059-1-2

INDUSTRIAL CHOICE®



• TRUSTED QUALITY SINCE 1921 •
RUST-OLEUM®

INDUSTRIAL CHOICE® 1600 Galvanizing Compound Spray

1600 Galvanizing Compound is a zinc-rich coating containing a high zinc content for excellent galvanic protection. The galvanizing aerosols are used to touch-up and repair damaged galvanized steel and are designed for use on galvanized steel, fences and bridges, utility towers, tanks, vehicles, trailers and more.

- Cold Galvanizing Compound contains 93% zinc in the dry film
- Meets USDA requirements for incidental food contact
- MIR compliant nationwide



Dries fast -
20 minutes to touch



Provides excellent
adhesion to
galvanized metal
substrates



Can be used on
surfaces that reach
temperatures up to
200°F (93°C)

Application



Substrates



SKU	Description
1685830	Cold Galvanizing Compound
244305	Bright Galvanizing Compound

Sold by case only - 6 cans per case

SKU Description

Companion Products

241526 Comfort Grip
243546 Spray Grip



WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov

G. F. Lasswell Company, Inc.
Lasswell
Manufacturers' Redistributor

713.644.4313 / 800.666.4313 | (fax) 713.644.0130 / 877.644.0130

masters@lasswell.com | www.lasswell.com

©2026 G.F. Lasswell Company, Inc. All Rights Reserved. 212-10-1299-1-2