

## Safety Supplies

**Hydration**

Squinchier.....	2-8
Bottled Water.....	9

**Safety Eyewear.....10-13**

Over the Glasses (OTG).....	14
-----------------------------	----

**Eye Protection**

Safety Goggles.....	15
---------------------	----

**Face Protection**

Face Shields.....	16-17
Visors.....	16
Adapters.....	17

**Head Protection**

Helmets.....	18
--------------	----

**Ear Protection & Accessories**

Earplugs.....	19
Lens Cleaning Towelettes.....	19
Eyewear Retainers.....	19

**Ear & Respiratory Protection**

Earmuffs.....	20
Disposable Respirator Mask.....	20
Face Mask.....	20

**Gloves****Disposable**

Nitrile PF.....	21
Work Glove Selection Chart.....	22

**Industrial**

Cotton "Dots".....	23
String Knit.....	23

**Work**

Leather Palms.....	24
Drivers.....	25
Welders.....	26
Chores.....	26
Yellow Latex.....	26
PVC.....	26
Cut Resistant.....	27
Coated.....	27
Nitrile.....	28
Neoprene.....	28

**Rainwear.....29****Coveralls.....30****Safety Wear & Tape**

Slush Boots.....	31
Steel Toe Slush Boots.....	31
Surveyor's Vests.....	31
Caution Tape.....	31

**Heat Stress Prevention**

Chill Tie®.....	32
-----------------	----

**First Aid Kits.....33****Batteries**

Alkaline.....	34
Non-Alkaline.....	34

**Flashlights**

Industrial.....	35
LED.....	35-36
Intrinsically Safe.....	35
Penlight.....	35
Laterns.....	36
Inspection.....	36

**Headlights.....36****GFCI Products.....37-38****Extension Cords.....38**



# Hydration

## Squwincher® Liquid Concentrate Full Sugar

### Squwincher

Squwincher hydration solutions contain a balanced source of sodium & potassium - key electrolytes necessary to hydrate the body. Proper hydration means the fluid level in your body is where it should be....balanced.

Squwincher's dedication to providing quality hydration products and convenient, innovative and economical packaging has made them "The Drink of Industry."

### 64oz Liquid Concentrate

- 64oz concentrate mix, yields 5 gallons
- Mix 1 part concentrate to 9 parts water
- Low sodium
- Gluten free
- Formula: Regular

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159030319	Strawberry Lemonade	(6) 64oz bottles	60	9971610
159030320	Mixed Berry	(6) 64oz bottles	60	9971611
159030321	Cherry	(6) 64oz bottles	60	9971612
159030322	Grape	(6) 64oz bottles	60	9971613
159030323	Lemonade	(6) 64oz bottles	60	9971614
159030324	Orange	(6) 64oz bottles	60	9971615
159030325	Fruit Punch	(6) 64oz bottles	60	9971616
159030328	Lemon-Lime	(6) 64oz bottles	60	9971617
159030329	Tropical Cooler	(6) 64oz bottles	60	9971618
159030330	Cool Citrus	(6) 64oz bottles	60	9971619
159030873	Clear - Fruit Punch	(6) 64oz bottles	60	-
159030875	Clear - Orange	(6) 64oz bottles	60	-

**NEW!  
NEW!**



**NEW  
CLEAR FORMULA  
AVAILABLE!**

### Fast Pack® - Liquid Concentrate

- 1 pack yields 6oz
- Pack is your cup, simply add water to the fill line
- No stirring required
- Low sodium
- Gluten free
- Formula: Regular

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159015300	Mixed Berry	(200) .6oz packs	80	9971620
159015301	Cherry	(200) .6oz packs	80	9971621
159015302	Grape	(200) .6oz packs	80	9971622
159015303	Lemonade	(200) .6oz packs	80	9971623
159015304	Orange	(200) .6oz packs	80	9971624
159015305	Fruit Punch	(200) .6oz packs	80	9971625
159015306	Tea	(200) .6oz packs	80	9971626
159015308	Lemon-Lime	(200) .6oz packs	80	9971627
159015309	Tropical Cooler	(200) .6oz packs	80	9971628
159015310	Cool Citrus	(200) .6oz packs	80	9971629



# Hydration

## Squincher® Powder Mixes & Powder Stik Full Sugar



### Powder Mix - 1 Gallon Yield

- Powder electrolyte drink mix
- Low sodium
- Formula: Regular
- Mixes easily with water
- Gluten free

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159016004	Orange	(80) 9.53oz bags	30	-
159016005	Fruit Punch	(80) 9.53oz bags	30	-
159016006	Grape	(80) 9.53oz bags	30	-
159016007	Assorted	(80) 9.53oz bags	30	9971631
159016008	Lemon-Lime	(80) 9.53oz bags	30	-



### Powder Mix - 2.5 Gallon Yield

- Powder electrolyte drink mix
- Low sodium
- Formula: Regular
- Mixes easily with water
- Gluten free

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159016040	Lemonade	(32) 23.83oz bags	36	-
159016041	Orange	(32) 23.83oz bags	36	9971601
159016042	Fruit Punch	(32) 23.83oz bags	36	9971602
159016043	Lemon-Lime	(32) 23.83oz bags	36	9971603
159016044	Assorted	(32) 23.83oz bags	36	9971630
159016045	Tea	(32) 23.83oz bags	36	-
159016046	Grape	(32) 23.83oz bags	36	9971606
159016047	Cherry	(32) 23.83oz bags	36	-
159016048	Mixed Berry	(32) 23.83oz bags	36	9971608
159016049	Tropical Cooler	(32) 23.83oz bags	36	-
159016050	Cool Citrus	(32) 23.83oz bags	36	-



### Powder Mix - 5 Gallon Yield

- Powder electrolyte drink mix
- Low sodium
- Formula: Regular
- Mixes easily with water
- Gluten free

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159016400	Mixed Berry	(16) 47.66oz bags	44	9971633
159016401	Cherry	(16) 47.66oz bags	44	9971634
159016402	Cool Citrus	(16) 47.66oz bags	44	9971635
159016403	Lemonade	(16) 47.66oz bags	44	9971636
159016404	Orange	(16) 47.66oz bags	44	9971637
159016405	Fruit Punch	(16) 47.66oz bags	44	9971632
159016406	Grape	(16) 47.66oz bags	44	9971638
159016408	Lemon-Lime	(16) 47.66oz bags	44	9971639
159016409	Tropical Cooler	(16) 47.66oz bags	44	9971640



### QwikServ® Powder Stik (original formula)

- 1 stik yields 16oz
- Low sodium
- Formula: Regular
- Mixes easily with water
- Gluten free

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159060900	Orange	(96) 1.26oz stiks	72	9971650
159060901	Fruit Punch	(96) 1.26oz stiks	72	9971651
159060902	Lemon-Lime	(96) 1.26oz stiks	72	9971652
159060904	Grape	(96) 1.26oz stiks	72	9971653





# Squwincher® Freezer Pops & RTD Bottles Full Sugar

## Squwincher Squeeze® Freezer Pops

- Hydration made easy-just freeze and serve
- Low sodium
- Gluten free
- Formula: Regular

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159200201	Assorted	(150) 3oz pops	60	9971655

Assorted flavors include: Cherry, Grape, Lemon-Lime, Mixed Berry, & Orange



## 20oz Widemouth Bottles RTD

- Ready to drink in plastic bottle
- Low sodium
- Gluten free
- Formula: Regular

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159030530	Mixed Berry	(24) 20oz bottles	54	9971660
159030531	Cool Citrus	(24) 20oz bottles	54	9971661
159030532	Grape	(24) 20oz bottles	54	9971662
159030534	Orange	(24) 20oz bottles	54	9971663
159030535	Fruit Punch	(24) 20oz bottles	54	9971664
159030536	Strawberry Lemonade	(24) 20oz bottles	54	9971665
159030538	Lemon-Lime	(24) 20oz bottles	54	9971666

FOB Houston - Not eligible for pre-paid shipments



# Hydration

## Sqwincher ZERO® Liquid Concentrate & Powder Mix Sugar Free



### 64oz ZERO® Liquid Concentrate

- 64oz concentrate mix, yields 5 gallons
- Mix 1 part concentrate to 9 parts water
- Low sodium
- Gluten free
- Formula: Sugar free



**NEW!  
NEW!**

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159050102	Fruit Punch	(6) 64oz bottles	60	9971670
159050103	Grape	(6) 64oz bottles	60	9971671
159050104	Lemon-Lime	(6) 64oz bottles	60	9971672
159050106	Mixed Berry	(6) 64oz bottles	60	9971673
159050107	Orange	(6) 64oz bottles	60	9971674
159030874	Clear - Fruit Punch	(6) 64oz bottles	60	-
159030876	Clear - Orange	(6) 64oz bottles	60	-

**NEW  
CLEAR FORMULA  
AVAILABLE!**

### Fast Pack ZERO® - Liquid Concentrate

- .6oz concentrate yields 6oz
- Pack is your cup, simply add water to the fill line
- No stirring required
- Low sodium
- Gluten free
- Formula: Sugar free



MFR #	Flavor	Case Pack	Pallet Pack	Control #
159015500	Orange	(200) .6oz packs	80	9971680
159015501	Fruit Punch	(200) .6oz packs	80	9971681

### ZERO® Powder Mix - 2.5 Gallon Yield

- 1 stik yields 2.5 gallons
- Mixes easily with water
- Low sodium
- Gluten free
- Formula: Sugar free



MFR #	Flavor	Case Pack	Pallet Pack	Control #
159016800	Lemon-Lime	(32) 1.76oz stiks	168	-
159016801	Orange	(32) 1.76oz stiks	168	-
159016802	Assorted	(32) 1.76oz stiks	168	9971685
159016803	Fruit Punch	(32) 1.76oz stiks	168	-
159016804	Grape	(32) 1.76oz stiks	168	-



# Hydration

## Squwincher ZERO® Powder Stiks Sugar Free

### Qwik Stik® ZERO Powder Stiks - 20oz Yield

- 1 stik yields 20oz
- Just pour into water, mix gently and enjoy
- Convenient, on the go electrolyte replenishment
- Low sodium
- Gluten free
- Formula: Sugar free

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159060099	Strawberry Lemonade	(500) .11oz stiks	96	9971690
159060100	Orange	(500) .11oz stiks	96	9971691
159060101	Mixed Berry	(500) .11oz stiks	96	9971692
159060102	Fruit Punch	(500) .11oz stiks	96	9971693
159060103	Lemonade	(500) .11oz stiks	96	9971694
159060098	Lemonade Tea	(500) .11oz stiks	96	9971695
159060097	Watermelon	(500) .11oz stiks	96	9971696
159060106	Lemon-Lime	(500) .11oz stiks	96	9971697
159060107	Grape	(500) .11oz stiks	96	9971698



### NEW! Dye Free

159060109	Cool Citrus	(500) .11oz stiks	96	9971699
159060972	Coconut	(500) .11oz stiks	96	-
159060973	Mango	(500) .11oz stiks	96	9981625
159060974	Pineapple	(500) .11oz stiks	96	9981626
159060975	Strawberry Kiwi	(500) .11oz stiks	96	9981627

### Qwik Stik® ZERO Powder Stiks - 10oz Yield

- 1 stik yields 8-10oz
- Just pour into water, mix gently and enjoy
- Convenient, on the go electrolyte replenishment
- Bulk packed
- Low sodium
- Gluten free
- Formula: Sugar free

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159060200	Orange	(500) .06oz stiks	96	9981630
159060201	Mixed Berry	(500) .06oz stiks	96	9981631
159060202	Fruit Punch	(500) .06oz stiks	96	9981632
159060203	Lemonade	(500) .06oz stiks	96	9981639
159060204	Grape	(500) .06oz stiks	96	9981633
159060205	Lemon-Lime	(500) .06oz stiks	96	9981634



### Qwik Stik® ZERO 20oz Powder Stiks in 10 Count Tubes

- 1 stik yields 20oz
- Just pour into water, mix gently and enjoy
- Convenient, on the go electrolyte replenishment
- Packed 10 stiks per tube
- Low sodium
- Perfect for vending machines
- Gluten free
- Formula: Sugar free

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159060119	Assorted	20 tubes of 10 (.11oz) stiks	108	9981610



Assorted flavors include: Fruit Punch, Orange, Mixed Berry, & Strawberry Lemonade  
20 tubes per box - 5 tubes of 4 flavors (10 stiks of one flavor per tube)

# Hydration

## Sqwincher Zero® Freezer Pops & RTD Bottles Sugar Free



### Sqwincher Squeeze® ZERO Freezer Pops

- Hydration made easy-just freeze and serve
- Low sodium
- Gluten free
- Formula: Sugar free



MFR #	Flavor	Case Pack	Pallet Pack	Control #
159200231	Assorted	(150) 3oz pops	60	9981620

Assorted flavors include: Dragon Fruit, Fruit Punch, Mixed Berry, Orange & Watermelon

### 20oz ZERO Widemouth Bottles RTD

- Ready to drink in plastic bottle for portability
- Low sodium
- Gluten free
- Formula: Sugar free

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159030800	Fruit Punch	(24) 20oz bottles	54	9981635
159030801	Orange	(24) 20oz bottles	54	9981636
159030803	Grape	(24) 20oz bottles	54	9981637
159030804	Mixed Berry	(24) 20oz bottles	54	9981638

FOB Houston - Not eligible for pre-paid shipments





# Hydration

## Sqwincher EverLyte® Powder Stiks Reduced Sugar

### 20oz EverLyte® Powder Stiks

- 1 stik yields 16.9 - 20oz
- Mixes easily with water
- Low sodium
- Gluten free
- Clear-no color added
- No preservatives
- Lower calories than original formulation
- No artificial sweeteners
- Naturally flavored
- Formula: Reduced sugar

MFR #	Flavor	Case Pack	Pallet Pack	Control #
159060280	Grape	(96) 1oz stiks	72	9981660
159060281	Orange	(96) 1oz stiks	72	9981661
159060282	Fruit Punch	(96) 1oz stiks	72	9981662
159060283	Lemon-Lime	(96) 1oz stiks	72	9981663



# Hydration

## Bottled Water



### Roxane® Purified Water

- Purified bottled water
- Eco-friendly clip-cap top
- 24 pk - 16.9 oz (.5L) per case
- 84 cases of 24 per pallet
- Sold by case only
- **Product Not Eligible for any shipments**

Control #	Qty		Size	Style
	Case	Pkt		
9976800	24	84 Cases	.5L	Bottled



- Easy Open: 1. "Crack" open cap.  
2. Push cap over until it "clicks."
- Recycles cap and bottle together!
- Resealable with snap-shut "click."

### Roxane® Purified Water

- Purified bottled water
- 6 pk - 1 gallon bottles per case
- Sold by case only
- **Product Not Eligible for any shipments**

Control #	Qty		Size	Style
	Case	Pkt		
9976806	6	48 Cases	1 gallon	Bottled



### Lens Selection Chart

More than ornamental, Gateway Safety lens options serve a specific function. This lens selection chart provides a general guideline for use. However, always consult your safety director to determine the proper lens option for each application. Unless otherwise noted, all Gateway Safety lenses feature an antiscratch coating for extra durability and block 99.9% of UVA, UVB and UVC light, up to 380 nm.

These un-tinted lenses are ideal for indoor and general purpose applications.



Clear

These lenses provide a significant level of contrast, particularly in low-light applications.



Amber



Pacific Blue

These tinted lenses significantly reduce bright light to minimize eye strain and fatigue.



Gray



Mocha

These lenses reflect some bright light while allowing a moderate amount of light through the lens.



Clear In/Out Mirror



Bronze Mirror



Pink Mirror

These mirrored lenses significantly reflect bright light to reduce eye strain and fatigue.



Red Mirror



Silver Mirror



Blue Mirror

IR filter lenses are for use around light welding, brazing or cutting applications only.



IR Filter Shade 5.0

**VLT Chart** VLT (Visual Light Transmittance) is the amount of visible light (+/- 2%) that passes through the lens.

Clear.....	92%	Pink Mirror.....	37%
Amber.....	89%	Red Mirror.....	14%
Pacific Blue.....	62%	Silver Mirror.....	23%
Gray.....	14%	Blue Mirror.....	23%
Mocha.....	23%	IR Filter 5.0 Shade.....	2%
Clear Indoor/Outdoor Mirror.....	50%		
Bronze Mirror.....	50%		

### Protection Icons to Look For

Each icon packs a lot of information into a little bit of space. Don't take them lightly. When choosing personal protection, consider whether the "mark" is appropriate for your application.



When you see the **ANSI Z87.1+ Certified** icon, you know that both Gateway Safety and an independent, third-party laboratory regularly test and certify that this product meets or exceeds the ANSI Z87.1+ standard.



When you see the **CSA Z94.3 Certified** icon, you know that both Gateway Safety and an independent, third-party laboratory regularly test and certify that this product meets or exceeds the CSA Z94.3 standard.



When you see the **Meets ANSI Z87.1+** icon, you know that Gateway Safety regularly tests and certifies that this product meets or exceeds the ANSI Z87.1+ standard.



When you see the **Meets CSA Z94.3** icon, you know that Gateway Safety regularly tests and certifies that this product meets or exceeds the CSA Z94.3 standard.



When you see the **Meets U.S. Military Ballistic Impact Requirements** icon, you know that Gateway Safety tests and certifies that this product meets or exceeds the ballistic impact resistance requirements for eyewear in US Military Performance Specification MIL PRF-32432(G1).



When you see the **99.9% UV-A, UV-B and UV-C Protection** icon, you know that Gateway Safety regularly tests and certifies that this product blocks 99.9% of UV-A, UV-B and UV-C radiation up to 380nm.



When you see the **c-UL-us LISTED** icon, you know that Underwriters Laboratories is the independent, third-party agency that has certified that this product meets the ANSI Z87.1+ and CSA Z94.3 standards. Confirmation can be found in their Online Certifications Directory at [www.ul.com](http://www.ul.com).



When you see the **UL LISTED** icon, you know that Underwriters Laboratories is the independent, third-party agency that has certified that this product meets the ANSI Z87.1+ standard. Confirmation can be found in their Online Certifications Directory at [www.ul.com](http://www.ul.com).



When you see the **FX<sup>3</sup>** icon, you know this product is available with our premium fog-fighter, which is longer-lasting and more effective than competing anti-fog products.



When you see the **D3** icon, you know that Gateway Safety tests and certifies that this product meets ANSI Z87.1-2015 requirements for the **D3** (droplets/splash) rating.



When you see the **D4** icon, you know that Gateway Safety tests and certifies that this product meets ANSI Z87.1-2015 requirements for the **D4** (dust) rating.

All certification information is accurate as of the print date of this catalog. For updated information and certifications visit ([www.ul.com](http://www.ul.com)).

# Safety Eyewear

## Safety Glasses



### Starlite® Series

- Lightweight, weighing less than one ounce
- Deep, universal-fit temples provide side protection equal to that of large side shields



### Starlite®



4680 (92% VLT)



4683 (14% VLT)



4686 (23% VLT)



4675 (89% VLT)

### Starlite® Anti Fog

Antifog coating removes/reduces fogging in most environments



4679 (92% VLT)



4678 (14% VLT)

### Starlite® In/Out Mirror

Clear lens (optical clarity) with gold mirror helps reduce glare



460M (50% VLT)

### Starlite® Mirror

Sun reflecting mirror coating minimizes eye strain and fatigue



468M (23% VLT)



469M (23% VLT)

### Starlite® IR Fliter Shade 5.0

For light welding, brazing or cutting



4666 (2% VLT)



MFR #	Qty/Box	Temple	Lens	Control #
4680	10	Clear	Clear	9374500
4683	10	Gray	Gray	9374501
4686	10	Mocha	Mocha	9374502
4679	10	Clear	Clear Antifog	9374503
4678	10	Gray	Gray Antifog	9374504
460M	10	Clear	Clear In/Out Mirror	9374505
468M	10	Gray	Silver Mirror	9374506
469M	10	Gray	Blue Mirror	9374507
4666	10	Black	IR Filter 5.0 Shade	9374509
4675	10	Amber	Amber	9374553



# Safety Eyewear Safety Glasses

## Starlite® Squared

- Incredibly light, all-around impact protection
- Soft, flexible nosepiece and rubber temples provide extra comfort

## Starlite® Squared Clear

Untinted lenses are ideal for indoor/outdoor general applications



4480 (92% VLT)

## Starlite® Squared Amber

Provide significant level of contrast, in low-light applications



4475 (89% VLT)




MFR #	Qty/Box	Temple	Lens	Control #
4480	10	Clear	Clear	9374555
4475	10	Amber	Amber	9374545



## Starlite® Mag

- Cost effective bifocal
- Ultra lightweight

MFG #	Qty/Box	Temple	Lens	Mag	Control #
46MC10	10	Clear	Clear	1.0	9374510
46MC15	10	Clear	Clear	1.5	9374511
46MC20	10	Clear	Clear	2.0	9374512
46MC25	10	Clear	Clear	2.5	9374513
46MG15	10	Gray	Gray	1.5	9374515
46MG20	10	Gray	Gray	2.0	9374516
46MG25	10	Gray	Gray	2.5	9374517



**Temples**  
Deep, universal-fit temples provide side protection

**Wraparound Lens**  
Antiscratch coated lens provides all-around impact protection



**Bifocal**  
Allows workers to easily read important documents  
Available in four diopter strengths

**Industry Leading Design (Men & Women)**  
Revolutionary dual base curvature for unobstructed vision

## Clearview Safety Glasses

- 99.9% UVA, UVB protection
- Anti-scratch
- Polycarbonate lens
- Meets ANSI Z87.1+ standards

**WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Frame	Lens	Control #
CV-C	144	Clear	Clear	6175860
CV-G	144	Black	Smoke	6175861



CV-C



CV-G

# Safety Eyewear

## Safety Glasses

### Conqueror®

- Polycarbonate wrap around lens
- Soft comfortable nosepiece with ergonomic contoured temple tips
- Breakaway retainer included
- Sleek sporty style is an industry favorite



MFR #	Qty/Box	Frame	Lens	Control #
28GB80	10	Black	Clear	9374551
28GB83	10	Black	Gray	9374536
28GB0M	10	Black	Clear In/Out Mirror	9374535
28CM79	10	Camo	Clear Antifog	9374520
28CM78	10	Camo	Gray Antifog	9374521
28CM5M	10	Camo	Bronze Mirror	9374522



28GB0M



28GB83 (14% VLT)



28CM79 (92% VLT)



28CM78 (14% VLT)



28CM5M (50% VLT)



### Flight™

- Cushioned temple 'wings' softly hug the user's head, alleviating pinching
- Floating lens design fights fogging and provides ultra modern style
- Lightweight construction and soft rubber nosepiece

MFR #	Qty/Box	Frame	Lens	Control #
35BK83	10	Black	Gray	9374561




35BK83



### Metro™

- Eye protection without the traditional look of safety eyewear
- Full frame spectacle weighing less than one ounce
- Soft, comfortable nosepiece and contoured temple tips

MFR #	Qty/Box	Frame	Lens	Control #
23PK11	10	Pink	Pink Mirror	9374523



#### Temple Technology™ Features

Patent-pending temple tips cushion the user's head, alleviating pinching and providing long term comfort



# Safety Eyewear

## Safety Glasses & OTG

### 4X4™

- Strong, four-sided frame weighs just one ounce
- Wrap-around frame supports dual polycarbonate
- Soft inset nosepiece helps ensure comfort and provides a snug secure fit
- Flexible temple tips relieve pressure behind the ear

MFR #	Qty/Box	Frame	Lens	Control #
41PG8M	10	Polished Granite	Silver Mirror	9374575



### Cover2® OTG


- One-piece polycarbonate lens for unobstructed view
- Lightweight design, with adjustable length temples for a customized fit (fits most prescription glasses)
- Flexible temple tips minimize pinching behind the head



6980 (92% VLT)



6983 (14% VLT)



MFR #	Qty/Box	Temple	Lens	Control #
6980	10	Black	Clear	9374541
6983	10	Black	Gray	9374552



### COVERALLS™

- Fits over nearly all prescription eyewear
- Adjustable length, ratcheting temples help provide a custom fit
- Integrated brow guard and side shields offer additional protection

MFR #	Qty/Box	Temple	Lens	Control #
6880	10	Black	Clear	9374518



# Eye Protection

## Safety Goggles



### Wheelz® Safety Goggles

- More comfortable compact frame than traditional bulky goggles
- Elastic head strap can easily be adjusted to ensure a safe, snug fit
- Flame resistant headstrap

Anti fog Vents  
Vents at top & bottom help reduce fogging



45079



45080

MFR #	Qty/Box	Frame	Lens	Control #
45080	10	Clear	Clear	9374524
45079	10	Clear	Anti-Fog	9374580



### Technician™

- Impact and splash goggles are designed to fit tight, wear comfortably and shield the entire eye area
- Durable, polycarbonate lens
- Soft vinyl frame and hassle-free headband for protection

Technician Impact Goggles  
Perforated vents provide protection against debris



32021 Impact Goggles  
(92% VLT)



32391 Splash Goggles  
(92% VLT)

MFR #	Qty/Box	Frame	Lens	Vent	Type	Control #
32021	10	Clear	Clear	Perforated	Impact Splash	9374518
*32391	10	Clear	Clear	390° Cap Vent	Impact Splash	9374519



### Venom™ Headgear/Face Shield

- Contemporary, contoured visor design creates a more complete seal to block debris
- Three-part adjustment system, for all day comfort
- Extra-soft brow pad and nape strap delivers superior cc
- Meets ANSI Z87.1+ and CSA Z94.3 standards
- 677 is headgear only without shield

MFR #	Qty/Case	Visor	Description	Control #
677	10	None	Headgear Only	9384513
699	10	Clear	Complete	9384500



699



**Easy Adjustment**  
Three-part adjustment system provides a custom fit



**Pivot**  
Allows for easy adjustment and comfortable fit



677



**Rotating Ratchet**  
Rotating ratchet easily slides over nape of the neck for secure fit

### Venom™ Visors

- .060 polycarbonate cylinder visor
- Molded to fit Venom® face protection gear
- Blocks 99.9% of UVA and UVB light, up to 380 nm

MFR #	Qty/Case	Visor	Size	Control #
675	10	Clear	8" x 15.5"	9384501
685	10	IR Filter Shade 5.0	9" x 15.5"	9384559



### Universal Molded Visors

- .06 polycarbonate rectangular visor
- Traditional visor design with universal-fit hold pattern that can be worn with most headgear and cap adapter brands

MFR #	Qty/Case	Visor	Size	Control #
660	10	Clear	8" x 15.5"	9384515



# Face Protection

## Face Shield & Adapter

### Universal Fit Cap Adapters

- Secured by a coil spring
- Fits with most hard hat brands

MFR #	Qty/Case	Control #
682	10	9384506



### Face Shield

- Clear face shield with foam band
- Hypoallergenic foam band
- Elastic band to fit around head

**!** WARNING: Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Control #
FS2020	200	18mm x 220mm	9383500



### Universal Fit Full Brim Adapter

- Fits full brim helmets
- Universal-fit, Aluminum

MFR #	Qty/Case	Control #
688	10	9384506



### Standard Safety Helmet

- Six-point nylon suspension with ratchet adjustment for sizing
- Includes soft, cushioned brow pad to absorb moisture
- Features universal accessory slots for visors
- Meets the ANSI Z89.1 standard for Type 1, Class E, G and C

Mfg	Qty/Case	Color	Control #
630	10	White	9384503




### Serpent® Class C & E

The Serpent®, Class C safety helmet is a durable, vented hard hat that is ideal for hot or humid work environments. Class E is an unvented, ultra-comfortable helmet that offers head protection for a wide range of work environments with a modern, snake-head-like shell design.

- Eight-point, six-strap nylon suspension is comfortable yet provides exceptional impact absorption

Cool Sense™ Air Flow System on vented Serpent lets heat escape, keeping workers cooler



MFR #	Qty/Case	Color	Style	Air Flow	Class	Control #
71200	10	White	Cap	Vented	C	9384505
71206	10	Pink	Cap	Vented	C	9384504
71400	10	White	Full Brim	Vented	C	9384509
71416	10	Hi-Viz Orange	Full Brim	Vented	C	9384512
71418	10	Hi-Viz Limon	Full Brim	Vented	C	9384510
72400	10	White	Full Brim	Unvented	E	9384507
72418	10	Hi-Viz Limon	Full Brim	Unvented	E	9384508




Rotating Ratchet Adjustment Adjusts to fit head sizes from 6-5/8 to 8-1/4



Soft Brow Pad Soft, cloth brow pad helps absorb moisture, keeping sweat out of worker's eyes

8-Point, 6-Strap Suspension For extended wear comfort



# Ear Protection


## Earplugs & Accessories



### GloPlugz® Tapered Earplugs

- GloPlugz® earplugs feature a high independently tested 31 NRR
- Soft and smooth like skin for easy insertion
- Made of non allergenic and moisture-resistant polyurethane
- Individually poly-bagged in a convenient dispenser box
- Sold by box only

MFR #	Qty/Box	Color	Style	Control #
92202	200 Pair	Blue	Uncorded	9384535
92212	100 Pair	Blue	Corded	9384536



### Kleen View™ Lens Cleaning Towelettes

- Anti fog and anti static formula for all Gateway Safety eyewear
- Compact lens cleaning station in durable cardboard dispenser
- 100 individually sealed pre-moistened towelettes per box
- Sold by box only

MFR #	Qty/Case	Style	Control #
552	10 Boxes	Towelettes	9384549



### DooDadz™ Safety Eyewear Retainers

- Soft nylon/polyester blend
- Quick release breakaway feature
- Sleeve fits most common spectacles

MFR #	Qty/Box	Color	Control #
424	10	Gray	9384540



Ideal for use on spectacles with wider temples

**DooDadz™**  
Provide superior protection from entanglement



**QuickRelease™**  
Built in breakaway safety feature



# Ear & Respiratory Protection

## Earmuffs & Disposable Respirator Masks

### Soundout™ II Earmuffs

- Soundout™ II features a high independently tested 29 NRR
- Durable design with bright red cups
- Large, thick soft cups, with large comfortable cushions
- Di-Electric design provides extraordinary versatility

MFR #	Qty/Box	Color	Control #
95334	10	Green	9384539



### PeakFit® Disposable Respirator Mask

- No metal nosepiece or staples
- Adjustable one-piece cloth head strap
- 95% filtration against particulate aerosols free of oils below PEL
- Sold by box only

MFR #	Qty/Box	Color	Style	Control #
80101	20	White	Unvented	9384550
80102V	10	White	Vented	9384554



80102V (vented)



80101 (unvented)

### TRUAIR® Disposable Respirator Mask

- Non-latex elastic head straps, with adjustable nose piece, provides secure fit
- 95% filtration against particulate aerosols free of oils
- Sold by box only

MFR #	Qty/Box	Color	Style	Control #
80302V	10	White	Vented	9314505



### Face Mask

- Disposable
- 3-ply with earloops

**WARNING:** Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty		Style	Control #
	Box	Case		
KN95	10	1,000	Disposable	9383501
ANNUOCHEN	50	2,000	Disposable	9383502

\*



KN95



ANNUOCHEN

# Disposable Gloves

## Nitrile PF - Heavy-Duty & Industrial Grade

### Lightning Gloves - Nitrile Heavy-Duty

- 6 mil, super strength and stretch - no more tearing
- Unique formulation reduces excess perspiration
- Quadruple washed - no excess chemicals lingering in the glove
- Fully textured grip
- Approved for medical use
- Tested against fentanyl
- Ambidextrous
- Sold by case only

MFR #	Qty		Size	Color	Control #
	Box	Case			
BL-S	100 ea	10 Boxes	S	Black	6163538
BL-M	100 ea	10 Boxes	M	Black	6163500
BL-L	100 ea	10 Boxes	L	Black	6163501
BL-XL	100 ea	10 Boxes	XL	Black	6163502
BL-XXL	100 ea	10 Boxes	XXL	Black	6163503
OR-S	100 ea	10 Boxes	S	Orange	6163537
OR-M	100 ea	10 Boxes	M	Orange	6163530
OR-L	100 ea	10 Boxes	L	Orange	6163531
OR-XL	100 ea	10 Boxes	XL	Orange	6163532
OR-XXL	100 ea	10 Box	XXL	Orange	6163533



BL-L



OR-L



### Nitrile PF (Industrial Grade)

- 5.5 mil industrial grade nitrile
- Meets and exceeds USDA & FFDC A standards for food contact
- Latex, powder & DEHP Free
- Non-sterile
- Ambidextrous
- Textured surface with prominent texture on fingertips
- Sold by case only

**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Mil	Qty		Size	Color	Control #
		Box	Case			
FT551	5.5	100 ea	10 Boxes	S	Black	6185824
FT552	5.5	100 ea	10 Boxes	M	Black	6185820
FT553	5.5	100 ea	10 Boxes	L	Black	6185821
FT554	5.5	100 ea	10 Boxes	XL	Black	6185822
FT555	5.5	90 ea	10 Boxes	2XL	Black	6185823



FT553



## Work Glove Selection

### The Right Glove For The Right Job

	ASSEMBLY	CONSTRUCTION	FOOD PROCESSING	FOUNDRY	IRON/STEEL WORK	JANITORIAL	LUMBER	METAL STAMPING	OIL DRILLING/REFINING	WAREHOUSE	WELDING
COTTON CANVAS	x	x		x		x	x	x	x	x	
JERSEY	x	x	x		x	x	x			x	
STRING KNIT	x	x	x			x				x	
LEATHER PALM	x	x	x	x	x	x	x	x	x	x	x
LEATHER DRIVER	x	x	x		x		x	x	x	x	x
LATEX / RUBBER	x	x	x			x	x				
NITRILE	x	x	x			x	x	x	x	x	
VINYL	x		x								
NEOPRENE	x	x	x	x		x	x	x	x	x	
PVC	x	x	x	x		x	x	x	x	x	
KEVLAR	x	x	x	x	x	x	x	x	x	x	x
CUT-RESISTANT COATED	x	x			x		x	x			

# Industrial Gloves

## Cotton & String Knit

### Cotton Canvas With Dots

- Black or orange dots on palm side
- Offers finger dexterity and excellent grip
- Black dot (8 oz), orange dot (10 oz)
- Clute pattern
- Knit wrist cuff

**WARNING:** This product contains chemicals including DBP that is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
CCD-0108	25 Bdl	Mens	Black Dots	6155503
CCD-7810	20 Bdl	Mens	Orange Dots	6155539



CCD-0108



CCD-7810



GLOVE SAFE, INC.

### Cotton String Knit

- Cotton/polyester
- Medium weight (7 gauge)
- Knit wrist cuff

**WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
S-16	40 Bdl	L	Natural White	6155509



S-16

### Coated String Knit

- Cotton/polyester
- Knit wrist cuff
- Available in dotted or blue latex rubber coating

**WARNING:** This product can expose you to chemicals including Pthalates and Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
S-16DD	25 Bdl	L	Black PVC Dots	6155510
40	10 Bdl	L	Blue Rubber Coating	6155511
SBS-1050	10 Bdl	L	Blue Coated	6155564
SBS-1050	10 Bdl	XL	Blue Coated	6155568



40



S-16DD (Dots on both sides)



SBS-1050



GLOVE SAFE, INC.



# Work Gloves Leather Palms

### Color Coded Hem:

Seattle Glove color codes the hems of many of their work gloves by size for easier size identification.

*(The color of the hem size identification varies by glove type.)*

### Regular Grade Leather Palms

- Reinforced leather on knuckle, full index and fingertips
- Welted seams on middle finger
- Gunn pattern
- 2.5" rubberized safety cuff
- Wing thumb



**WARNING:** This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
5210	6 Bdl	L	Yellow/Blue Stripes	Blue	6155594
5210	6 Bdl	XL	Yellow/Blue Stripes	Blue	6155593
LSO-3070	10 Bdl	L	Red/Blue Stripes	Blue	



5210



LSO-3070

### Regular Grade Double Palm Leather Palms

- Leather knuckle strap for extra protection
- Joint construction
- Gunn pattern
- 2.5" rubberized safety cuff
- Wing thumb



**WARNING:** This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
1270P	6 Bdl	Mens	Red/Green Stripes	Green	6155523



# Work Gloves

## Leather Drivers

### Unlined Cowhide Leather Drivers

- Available in B grain cowhide, cowhide with reinforced patch palm or in Hi-Viz Orange finger tips
- Welted seam on middle fingers
- Gunn pattern
- Keystone thumb

**⚠ WARNING:** This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
4064	10 Bdl	S	Natural	Red	6155584
4064	10 Bdl	M	Natural	Green	6155524
4064	10 Bdl	L	Natural	Brown	6155525
4064	10 Bdl	XL	Natural	Blue	6155526
4064	10 Bdl	XXL	Natural	Black	6155585
4364HVOF	10 Bdl	L	Gray	Brown	6155588
4364HVOF	10 Bdl	XL	Gray	Blue	6155589



### Unlined Pigskin Leather Drivers

- Regular grade pigskin
- Welted seam on middle fingers
- Shirred elastic back
- Gunn pattern
- Keystone thumb

**⚠ WARNING:** This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
6364	10 Bdl	L	Natural	Brown	6155529
6364	10 Bdl	XL	Natural	Blue	6155530



**Welding Economy**

- Regular shoulder leather
- Fully lined
- Self-hemmed leather cuff
- Gunn pattern
- Wing thumb

**⚠ WARNING:** This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
7110	6 Bdl	Mens	Gray	6155531



7110

**Welding Premium**

- Premium select blue shoulder leather
- Sock lined, kevlair sewn
- Self-hemmed leather cuff
- Gunn pattern
- Straight thumb with thumb strap reinforced

**⚠ WARNING:** This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
WSC-2071	6 Bdl	Mens	Blue	6155532



WSC-2071

**Chores**

- 3 Finger canvas, yellow chore
- Clute pattern

**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
G318G	10	L	Yellow	6155583



G318G

**Latex - Unsupported**

- Premium yellow latex
- Meets 21 CFR; 170-199 for food contact
- Flock lined (individually packaged)

**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
LY17	12 Bdl	S	Yellow	6155516
LY17	12 Bdl	M	Yellow	6155517
LY17	12 Bdl	L	Yellow	6155518
LY17	12 Bdl	XL	Yellow	6155519



LY17

Extra Thick  
17 mil

**PVC Dipped - Supported**

- Interlock lined 100% cotton
- Available in (rough or smooth palm finish)
- 12" or 14" gauntlet cuff
- Wing thumb

**⚠ WARNING:** This product contains chemicals including DEHP that is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Style	Control #
D8630-14	5 Bdl	Mens	Black	Rough	6155513
D8830-12	10 Bdl	Mens	Black	Smooth	6155514
D8830-14	5 Bdl	Mens	Black	Smooth	6155515



D8830-12

Extra Long  
14" Gauntlet  
Available

**All Items Exclusively For Resale  
Additional Products Available Upon Request**

# Work Gloves

## Coated & Cut-Resistant

### Nylon Spandex

- Abrasion resistant
- 15 gauge nylon/spandex liner
- Sandy nitrile palm coated

**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
HVNF338	10	9	Hi Vis Green/Black		6175891
HVNF338	10	10	Hi Vis Green/Black		6175892



### Cut-Resistant Polyurethane Palm Coated

- 13 gauge HPPE liner; PU palm coating
- Knit wrist
- Cut-resistant: level 5
- Abrasion: level 4
- Tear: level 4
- Puncture: level 3

**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
VHU-1334	10 Bdl	S	Gray	Red	6155548
VHU-1334	10 Bdl	M	Gray	Green	6155547
VHU-1334	10 Bdl	L	Gray	Brown	6155540
VHU-1334	10 Bdl	XL	Gray	Black	6155541
VHU-1334	10 Bdl	XXL	Gray	Brown	6155573



VHU-1334



### Polyurethane Coated

- Black nylon shell
- Polyurethane coated palm
- Machine washable
- Knit wrist
- Wing thumb

**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
BPU4	20 Bdl	M	Black	Yellow	6155506
BPU4	20 Bdl	L	Black	Brown	6155507
BPU4	20 Bdl	XL	Black	Black	6155508



BPU4

# Work Gloves

## Nitrile and Neoprene

### Nitrile Coated with Dots

- Gray nylon knit shell
- Black nitrile foamed dipped
- 15 gauge
- Knit wrist

**WARNING:** Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
KOQ-1520	10 Bdl	L	Gray	6155597



KOQ-1520

### Nitrile Coated

- White nylon knit shell
- Gray nitrile foamed dipped
- Palm coated
- Machine washable
- Knit wrist
- Wing thumb

**WARNING:** Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
KOE-1360	10 Bdl	9	Gray	Brown	6155329
KOE-1360	10 Bdl	10	Gray	Black	6155542



KOE-1360

### Nitrile Gloves

- Green nitrile
- 11 Mil
- Unlined

**WARNING:** Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
NU11	12 Bdl	M	Green	6155551



NU11

### Neoprene Over Latex-Unsupported

- 100% chloroprene over 100% natural rubber
- Flock lined with diamond embossed palm
- 28 mil, 13" length
- Individually packaged

**WARNING:** Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
UXN-2628	12 Bdl	L	Blue/Yellow	6155520



UXN-2628

# Rainwear

## Raincoats & Suits

### Raincoat

- 48" yellow raincoat
- Detachable hood
- .35 mm PVC/polyester broadloom fabric
- Sold by each or case

**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
3048	15 ea	L	Yellow	6175583
3048	15 ea	XL	Yellow	6175584
3048	15 ea	XXL	Yellow	6175585



### Rain Suit

- 3-piece yellow rain suit
- Comes with jacket, detachable hood and bib, plus overall pants
- .35 mm PVC/polyester broadloom fabric
- Corduroy collar
- Sold by set or case

**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
3001	15 sets	L	Yellow	6175580
3001	15 sets	XL	Yellow	6175581
3001	15 sets	XXL	Yellow	6175582



# Coveralls

## Microporous and FR Coveralls

### Microporous Coveralls

- Soft and flexible microporous PE film
  - Effective barrier against particulates, aerosols and liquids
  - Breathable and waterproof
  - Not flame-resistant or retardant with full zipper front
  - Snap free zipper closure
- 
- MP120 features open wrists and ankle
  - MP122 features attached hood, boots, & elastic wrists
  - MP127 features attached hood, elastic wrists and ankles

MIC417C



MP120

**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
MP120	25 ea	L	White	6175500
MP120	25 ea	XL	White	6175501
MP127	25 ea	XL	White	6175520
MP120	25 ea	2XL	White	6175502
MP120	25 ea	3XL	White	6175503
MP120	25 ea	4XL	White	6175515
MP120	25 ea	5XL	White	6175517
MP122	25 ea	5XL	White	6175521



MP127

### FR Coveralls

- Meets NFPA 2112, UL compliant
- Adjustable snap cuffs and elastic waist
- All exposed metal next to skin are FR fabric covered for maximum protection
- 7 oz 100% cotton/FR finish

**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
FR-NBC7-M	6	M	Navy	6175531
FR-NBC7-L	6	L	Navy	6175532
FR-NBC7-XL	6	XL	Navy	6175533
FR-NBC7-2XL	6	2XL	Navy	6175534
FR-NBC7-4XL	6	4XL	Navy	6175536



# Safety Wear

## Boots, Safety Vests and Caution Tape

### PVC Boots

- 16" black PVC
- Unlined, insole, plain toe
- B16 - PVC toe
- B16ST - steel toe



**⚠ WARNING:** This product can expose you to Di(2-ethylhexyl) phthalate (DEHP) which is known to the State of California to cause cancer, birth defects and/or reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Size	Color	Control #
B16	6 Pair	8	Black	6175568
B16ST	6 Pair	8	Black	6175561
B16	6 Pair	9	Black	6175569
B16ST	6 Pair	9	Black	6175562
B16	6 Pair	10	Black	6175570
B16	6 Pair	11	Black	6175571
B16	6 Pair	12	Black	6175572
B16	6 Pair	13	Black	6175573
B16	6 Pair	14	Black	6175574

### Surveyor's Safety Vests

- Lime green vest with yellow mesh
- Features reflective tape for improved visibility
- Convenient outside pockets and zipper closure

**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Pk	Size	Color	Control #
SV2200P	50	L	Lime Green	6175590
SV2200P	50	XL	Lime Green	6175591
SV2200P	50	2XL	Lime Green	6175592
SV2200P	50	3XL	Lime Green	6175593



Front



Back

### Caution & Danger Tapes

- Highly visible
- Nonadhesive, lightweight tape


**⚠ WARNING:** Cancer and/or reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Pk	Size	Style	Control #
Caution-2	12	3" x 1000'	2 Mil Yellow Caution	6175598
Danger-2	12	3" x 1000'	2 Mil Red Danger	6175599



The ultimate Chill Tie® for active wear is a kerchief filled with a special non toxic polymer, that when soaked in water activates and will keep you cool for hours. Chill Tie® cooling neck ties are made of durable cotton or poly-cotton blended fabric to ensure durability and comfort.

- Chill Tie® is proudly made in the U.S.A. by professional garment makers
- Finished tie ends are stronger and less likely to tear or fray, providing prolonged use of your tie
- Edges are sewn on smoothly and not bound, for better comfort and longevity
- Each tie is individually wrapped and labeled with activation instructions
- Non toxic and environmentally friendly
- Special polymer expands multiple times in size, preventing it from leaching through material



**WARNING:** Cancer and/or reproductive harm - www.P65Warnings.ca.gov

**Bandana**

- Black
- Red
- Royal Blue
- Turquoise
- Yellow

**Patriotic**

- Flag & Stars (black)
- Blue & Red Stars
- Red with White Stars

**Camo**

- Black
- Green
- Brown
- Purple
- Pink

**Solids**

- |               |                 |              |
|---------------|-----------------|--------------|
| Black         | Turquoise       | Ash Grey     |
| Brown         | Light Blue      | Orange       |
| Violet        | Holly Green     | Tan          |
| Claret        | Forest Green    | Light Purple |
| Navy          | Kelly Green     | Red          |
| Royal Blue    | Light Green     | Fuchsia      |
| Chambray Blue | Pencil Yellow   | Soft Pink    |
| Colonial Blue | Daffodil Yellow |              |



# First Aid Kits

## 10, 25 & 50 Person First Aid Kit



### 10 Series

- Available in plastic or metal case
- Sold by each

MFR #	Qty/Case	Size	Style	Control #
AK10W	4	10 Person	Plastic	9274910
AK10T	4	10 Person	Metal	9274915

CONTENTS	QTY
AeroBand™ Triangular Bandage 43in x 43in x 61in	1
AeroBurn™ Burn Gel Packets	5
AeroForm™ Conforming Gauze Bandage 2in x 4.3yds	1
AeroGlove™ Nitrile Gloves	4
AeroGuide™ First Aid Guide	1
AeroInstrument™ Tweezers	1
AeroKit™ 10 Series Case	1
AeroPad™ Gauze Pad 3in x 3in	4
AeroPlast™ Adhesive Tape 1/2in x 5.5 yds	1
AeroPlast™ Plastic Strip Bandage 3/4in x 3in	25
AeroPlast™ Thermal Blanket 55in x 83in	1
AeroSoothe™ Triple Antibiotic 0.5g	6
AeroSwab™ Cotton Tip Applicators 3in	10
AeroWipe™ Antiseptic Wipes	10
AeroWound™ Wound Pad 5in x 9in	1



9274910 (plastic)



9274915 (metal)

### 25 Series

- ANSI Class A
- Available in plastic or metal case
- Sold by each

MFR #	Qty/Case	Size	Style	Control #
AK25AW	4	25 Person	Plastic	9274920
AK25T	4	25 Person	Metal	9274925

CONTENTS	QTY
AeroBand™ Triangular Bandage 43in x 43in x 61in	1
AeroBurn™ Burn Gel Packets	10
AeroBurn™ Burn Dressing 4in x 4in	1
AeroCleanse™ Hand Sanitizer 0.9g	10
AeroForm™ Conforming Gauze Bandage 2in x 4.3yds	1
AeroGlove™ Nitrile Gloves	4
AeroGuide™ First Aid Guide	1
AeroInstrument™ Scissors	1
AeroInstrument™ Tweezers	1
AeroKit™ 25 Series Case	1
AeroPad™ Eye Pad	2
AeroPad™ Gauze Pad 3in x 3in	2
AeroPlast™ Plastic Strip Bandage 3/4in x 3in	25
AeroPlast™ Adhesive Tape 1/2in x 5.5 yds	1
AeroPlast™ Instant Ice Pack	1
AeroShield™ CPR Face Shield	1
AeroSoothe™ Triple Antibiotic 0.5g	10
AeroSwab™ Cotton Tip Applicators	10
AeroWash™ Eyewash 1 fl.oz	1
AeroWipe™ Antiseptic Wipes	20
AeroWipe™ Alcohol Wipes	3
AeroWound™ Wound Pad 5in x 9in	2



9274920 (plastic)



9274925 (metal)

### 50 Series plasticAK10W

- ANSI Class A
- Available in plastic or metal case
- Sold by each

MFR #	Qty/Case	Size	Style	Control #
AK50AW	4	50 Person	Plastic	9274930
AK50AT	4	50 Person	Metal	9274935

CONTENTS	QTY
AeroBand™ Triangular Bandage 43in x 43in x 61in	2
AeroBurn™ Burn Gel Packets	10
AeroBurn™ Burn Dressing 4in x 4in	1
AeroCleanse™ Hand Sanitizer 0.9g	10
AeroForm™ Conforming Gauze Bandage 2in x 4.3yds	2
AeroForm™ Conforming Gauze Bandage 4in x 4.3yds	1
AeroGlove™ Nitrile Gloves	4
AeroGuide™ First Aid Guide	1
AeroInstrument™ Scissors	1
AeroInstrument™ Tweezers	1
AeroKit™ 50 Series Case	1
AeroPad™ Eye Pad	2
AeroPad™ Gauze Pad 3in x 3in	4
AeroPad™ Gauze Pad 4in x 4in	4
AeroPlast™ Plastic Strip Bandage	25
AeroPlast™ X-Wide Strip Fabric Bandage 1in x 3in	25
AeroPlast™ Fabric Fingertip / Knuckle Bandages	12
AeroPlast™ Transparent Plastic Tape	2
AeroPlast™ Instant Ice Pack	1
AeroShield™ CPR Face Shield	1
AeroSoothe™ Triple Antibiotic 0.5g	10
AeroSwab™ Cotton Tip Applicators	20
AeroWash™ Eyewash 1 fl.oz	1
AeroWipe™ Antiseptic Wipes	50
AeroWipe™ Alcohol Wipes	30
AeroWipe™ Sting Relief Pads	10
AeroWound™ Wound Pad 5in x 9in	2



9274930 (plastic)



9274935 (metal)

# Batteries


## Alkaline & Non-Alkaline

Since its commercial introduction in 1959, the Alkaline battery has advanced to a dominate position in the portable battery market. This came about because the Alkaline system is recognized to have several advantages over Carbon-Zinc batteries, which are:

- Greater cost savings
- Higher energy density
- Superior service performance at all drain rates
- Superior cold temperature performance
- Longer shelf life
- Greater resistance to leakage

Note: Batteries have a shelf life of 7 years, with the exception of the 9V battery, which has a 5 year shelf life.

MFR #	Qty/Case	Qty/Pk	Size	Terminal	Volt	Control #
EN91	144	24	AA	Flat	1.5	2502703
EN92	144	24	AAA	Flat	1.5	2502704
EN93	72	12	C	Flat	1.5	2502705
EN95	72	12	D	Flat	1.5	2502706
EN22	72	12	9V	Mini Snap	9.0	2502701



### EVEREADY® Super Heavy-Duty 6V Battery

- Economical choice
- Ideal for lanterns
- Excellent leakage resistance
- Ready to use for up to 3 years (when not in use)


MFR #	Qty/Pk	Size	Terminal	Volt	Control #
1209	12	6V	Coil Spring	6.0	2502700



### POWER XP

- Alkaline batteries
- Economical choice

MFR #	Qty/Case	Qty/Box	Size	Terminal	Volt	Control #
PH-AA-XP	576	144	AA	Flat	1.5	2509580
PH-AAA-XP	576	144	AAA	Flat	1.5	2509590
PH-C-XP	144	-	C	Flat	1.5	2509591
PH-D-XP	144	-	D	Flat	1.5	2509592
PH-9V-XP	144	-	9V	Mini Snap	9	2509593



# Flashlights

## LED & Intrinsically Safe



### Safety Flashlight 2AA Intrinsically Safe

- Lamp output: 40 lumens
- Lamp life: Lifetime
- Division 1, Class 1 rated (internationally approved)
- Shatterproof lens
- Impact-resistant (survives 1 meter drop test)
- Waterproof (meets IEC 60529 IPX7 Standards)
- Requires (2) AA batteries (not included)



MFR #	Qty/Case	Color	Battery	Control #
MS2AALED	6	Orange	2-AA	2512709

\* Limited quantity available

### Safety Flashlight 2D Intrinsically Safe

- Lamp output: 150 lumens
- Division 1, Class 1 rated
- Shatterproof lens
- Waterproof (meets IEC 60529 IPX7 Standards)
- Requires (2) D batteries (not included)



MFR #	Qty/Case	Color	Battery	Control #
ENISHH25E.1	4	Orange	2-D	2512740

### General Purpose Economy LED Flashlight 2D

- Lamp output: 25 lumens
- Requires (2) D batteries (not included)



MFR #	Qty/Case	Color	Battery	Control #
EVEL25IN	12	Red	2-D	2512739

### Metal LED Penlight

- Lamp output: 21 lumens
- Lamp life: Lifetime
- Aluminum body
- Impact-resistant (survives 1 meter drop test)
- Shatterproof lens
- (2) AAA batteries (included)



MFR #	Qty/Case	Color	Battery	Control #
PLED23AEH	6	Silver	2-AAA	2512732

\* Limited quantity available



# Flashlights

## Lanterns, Work Lights & Headlights

### LED Floating Lantern

- Two light modes
- 100 lumens
- Pivoting head
- Packed with (3) AAA Energizer® MAX® Alkaline batteries

MFR #	Qty/Case	Color	Battery	Control #
HDA32E	4	Blue	3-AAA	2512734



### LED Floating Lantern

- Three light modes
- 180 lumens
- Pivoting head
- Adjustable elastic headband
- Packed with (3) AAA Energizer® MAX® Alkaline batteries

MFR #	Qty/Case	Color	Battery	Control #
HDBIN32E	4	Gray/Red	3-AAA	2512735



### Industrial LED Headlight

- Three light modes
- 300 lumens
- Pivoting head
- Adjustable elastic headband
- Packed with (3) AAA Energizer® MAX® Alkaline batteries

MFR #	Qty/Case	Color	Battery	Control #
HDDIN32E	4	Gray	3-AAA	2512736



### LED Floating Lantern

- Two light modes
- Shatterproof lens (survives 1-meter drop test)
- Packed with (2) D EVERREADY® batteries

MFR #	Qty/Case	Color	Battery	Control #
EVFL45S	4	Yellow	2-D	2512738



\* Limited quantity available

# GFCI Plugs

## LE Inline & Triple Tap

**TOWER**  
Manufacturing Corp.

### Inline GFCI Cord

- Protection: Open and grounded neutral
- Operation temp range: -35° C to +66° C
- Cord: 12/3 AWG SJTW
- Rating: 15 amp, 125 volt/60 Hz, 1875W
- Surge suppression: 160 joules
- Protection for 2-and 3-wire grounded appliances and tools
- UL listed, CUL approved and meets OSHA standards for construction site usage
- Allows for compliance to NEC Article 527 “temporary installations”
- Rainproof rated, impact-resistant and LED power on indicator
- Fits most indoor and outdoor receptacles

**⚠ WARNING:** This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Length	Reset	Control #
30438018-01	25	18"	Auto	1502900



### Triple Tap With Inline GFCI

- Protection: Open and grounded neutral
- Operation temp range: -35° C to +66° C
- Cord: 12/3 AWG SJTW
- Rating: 15 amp, 125 volt/60 Hz, 1875W
- Surge suppression: 160 joules
- Protection for 2-and 3-wire grounded appliances and tools
- UL listed, CUL approved and meets OSHA standards for construction site usage
- Allows for compliance to NEC Article 527 “temporary installations”
- Rainproof rated, impact-resistant and LED power on indicator
- Fits most indoor and outdoor receptacles

**⚠ WARNING:** This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Length	Reset	Control #
30438024-01	25	2'	Auto	1502902



### Triple Tap Right Angle GFCI Plug

- Protection: Open and grounded neutral
- Operation temp range: -35° C to +66° C
- Cord: 12/3 AWG SJTW
- Rating: 15 amp, 125 volt/60 Hz, 1875W
- Surge suppression: 160 joules
- Provides protection for 2-and 3-wire grounded appliances and tools
- UL listed, CSA approved and meets OSHA standards for construction site usage
- Allows for compliance to NEC Article 305-6 “temporary wiring”
- Rainproof, impact-resistant and LED power on indicator
- Fits most indoor and outdoor receptacles

**⚠ WARNING:** This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Length	Reset	Control #
30434008-01	25	2'	Auto	1502901



# Quad Outlet Box & Extension Cords

## GFCI Protected Quad (4) Outlet Box

- Protection: Open neutral
- Cord: 12/3 AWG SJTW
- Rating: 15 amp, 125 volt/60 Hz, 1875W
- Provides protection for 2-and 3-wire grounded appliances and tools
- UL listed, CUL approved and meets OSHA standards for construction site usage
- Allows for compliance to 2002 NEC Article 527 "temporary installations"
- Temporary indoor/outdoor protection
- Impact-resistant, covered outlets and LED power on indicator
- 15 amp circuit breaker with test and reset button

**⚠ WARNING:** This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Length	Reset	Control #
30334052	10	6'	Auto	1502903

**TOWER**  
Manufacturing Corp.



## ProStar™ Extension Cords

- Heavy-duty type 12/3 SJTW
- Rating: 15 amp, 125 volt
- -40F° cold weather jacket
- Water-and flame-resistant
- Both plugs have a built in amber neon light which indicates there is power in the cord and outlet
- C<sup>UL</sup>US OSHA approved and certified

**⚠ WARNING:** This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

MFR #	Qty/Case	Length	Reset	Control #
D11712025	12	25'	Yellow	1498709
D11712050	6	50'	Yellow	1498700
* D11712075	4	75'	Yellow	1498707
D11712100	4	100'	Yellow	1498701

**ProStar™** \* Limited quantity available



# MARKETS THAT WE SERVE

G. F. Lasswell Company, Inc.  
**Lasswell**  
 Manufacturers' Redistributor



AND MANY MORE...

## ALL PRODUCTS SOLD EXCLUSIVELY FOR RESALE



G. F. Lasswell Company, Inc.  
**Lasswell**  
 Manufacturers' Redistributor

713.644.4313 / 800.666.4313 | (fax) 713.644.0130 / 877.644.0130

masters@lasswell.com | www.lasswell.com