

Minimum exclusion periods for infectious conditions and diseases

Disease/Condition	Exclusion period
Chicken Pox	5 days from first appearance of rash
Cold Sores	None. Avoid contact with sores
Conjunctivitis	24 hours or until the discharge from eyes has stopped
Diphtheria*	Until certified well by doctor
Diarrhoea and Vomiting	48 hours after symptoms cleared
Glandular Fever	Until fully recovered
Gastro-enteritis, E. Coli, Food Poisoning, Salmonella and Dysentery	Until certified well by doctor
Hand, Foot and Mouth disease	While rash and ulcers are present
Hepatitis A*	Until certified well
Hepatitis B* and C*	None
High temperature	24 hours
HIV/AIDS	None
Impetigo	Until the skin has healed
Influenza	Until recovered
Measles*	5 days from onset of rash
Meningitis*	Until recovered
Molluscum Contagiosum	None
Mumps*	5 days from onset of swollen glands
Pediculosis (lice)	Until treatment has been given
Pertussis* (Whooping cough)	21 days from the onset or 5 days from commencing antibiotic treatment
Poliomyelitis	Until certified well by doctor
Ringworm of scalp	Until cured
Ringworm of the body	Until treatment has been given
Rubella* (German Measles)	5 days from onset of rash
Scabies	Until treatment has been given
Scarlet fever*	5 days from start of the treatment
Slapped Check, Fifth Disease	None
Streptococcal infection of the throat	3 days from the start of the treatment
Threadworms	None
Tonsillitis	None
Tuberculosis*	Until certified well by doctor
Typhoid*, Paratyphoid*	Until certified well by doctor
Warts (including Verruca)	None. Verruca sufferers should keep feet covered

* Denotes a notifiable disease.

If in any doubt contact local health services for further information.