

6th Annual Gene Cloud Memorial Spearfishing Tournament



Tournament Fish Payouts and Sponsors

July 12th and 13th at The Bradenton Yacht Club

Gag Grouper

Mycteroperca microlepis; Color brownish-gray with dark worm-like markings on sides Bottom of preopercle (cheek) has strong serrated spur Fins are dark, with white edges on anal fin and tail Dark lines radiate from the eyes. State Record: 80 lb 6 oz, caught near Destin

First Place \$1,000

Sponsored by <u>Cloud Pest Control</u>

Second Place \$500

Sponsored By Bortell's

Third Place \$250

Sponsored By Anna Maria General Store

<u>Red Grouper</u>

Epinephelus morio; Body color is brownish-red *Tiny black dots found on snout *Mouth lined in scarlet-orange color *Sides have irregular white blotches *Second spine of dorsal fin is long *Pectoral fins are longer than pelvic fins *No large black spot on caudal peduncle. State Record: 42 lb 4 oz, caught near St. Augustine Inlet

First Place	\$1,000
-------------	---------

Sponsored By <u>Abbotts' Construction</u>

Second Place \$500

Sponsored By Available

Third Place \$250

Sponsored By Gause and Associates

Hogfish

Lachnolaimus maximus; Hogfish are a reef species that inhabit rocky bottoms, ledges and reefs throughout Florida's off-shore waters. They are easily identified by their long, hog-like snout, which allows them to feed on bottom-dwelling mollusks and crustaceans. Hogfish are primarily harvested by spearfishing, and they are considered to be of excellent food quality. State Record: 19 lb 8 oz, caught in Daytona Beach

First Place \$1,000

Sponsored By Marine Max

Second Place \$500

Sponsored By Myakka's Gold Apiary

Third Place \$250

Sponsored By Mike's Tree Service

Mangrove Snapper

Lutjanus griseus: Also known as gray snapper, mango or black snapper. Dark brown or gray in color, with red-orange spots in bars along the sides *Two large canine teeth near front of upper jaw *Anchor-shaped vomerine tooth patch *Dorsal fins with dark or reddish borders *Young have dark stripe from snout, through eye, to upper edge of gill cover. Common to 24 inches (10 pounds)

First Place \$1,000

Sponsored By Available

Second Place \$500

Sponsored By Available

Third Place \$250

Sponsored By <u>Heath Marston- State Farm</u>

Flounder

Paralichthys albigutta: Flounder inhabit a wide variety of coastal habitats including brackish water rivers, tidal creeks, bays, estuaries, beaches, muddy or sandy bottoms and near-shore rocky bottoms. Flounder are ambush predators that feed primarily by sight - so it is often helpful to bump the bait across the bottom to make it more visible. Flounder can also be taken with a gig in shallow waters, especially at night with the use of a lantern. State Record: 20 lb 9 oz, caught in Nassau County

First Place \$1,000

Sponsored By Available

Second Place \$500

Sponsored By <u>Larry Beggs Reef Innovations</u>

Third Place \$250

Sponsored By West Bay Landscape

Sheepshead

Archosargus probatocephalus: Sheepshead are commonly found in brackish water river mouths, bays, estuaries and tidal creeks and especially near oyster bars, buoys, channel markers, piers and bridge piles where food is plentiful. Sheepshead feed primarily on crustaceans, mollusks, barnacles and small fish. The food quality of sheepshead is very good! State Record:15 lb 2 oz, caught near Homosassa

First Place \$1,000

Sponsored By Available

Second Place \$500

Sponsored By Available

Third Place \$250

Sponsored By <u>Tony DeStefano Painting</u>

Mangrove Snapper Trifecta

Heaviest Mangrove Snapper Trio

\$1,000

(Mangrove)

Sponsored By

West Coast Carpet

Lionfish

Pterois volitans: Known to eat fish like grunts, snapper, grouper, and shrimp * Not known to have any native predators * Equipped with venomous dorsal, ventral and anal spines, which deter predators * The spines deliver a venomous sting that can last for days and cause extreme pain, sweating, respiratory distress and even paralysis *Capable of reproducing year-round (females can reproduce every 2-4 days) * Able to outgrow native species with whom they compete for food and space

Largest Lionfish

\$500

Sponsored By

Bouchard Consulting

Most Lionfish (per boat)

\$500

Sponsored By

Available

Shovelnose Lobster

Scyllarides: Also called Slipper or Bulldozer, is a masters of disguise, their spotty reddish-brown shells blend right in with their surroundings. Shovelnose are usually found inside pipes or on the roofs of ledges upside down or buried in the sand on swiss cheese bottom. You can spot them by their purple antennae, using a flashlight helps to see inside dark holes. They are easy to catch, just grab them by the body. They don't have any spines so bare handed is OK.

Heaviest Shovelnose Lobster

\$500

Sponsored By

Progressive Cabinetry

Largest Eligible Fish by a Female Shooter

\$500

(by weight)

Sponsored By

Grooms Motors

Largest Eligible Fish by a Freediver

\$500

(by weight)

Sponsored By

Available

Taylor Chadsey Young Outdoorsman

\$500

Heaviest eligible fish by a youth 16 and under

Sponsored By

Salty Printing