




SUPERIOR FORMING SOLUTIONS LTD

Super-Form™
Formwork Systems

Bracket System Brochure



• S A F E R • F A S T E R • S U S T A I N A B L E

Superior Forming Solutions Ltd.


t: 0330 0437 870 e: sales@super-form.co.uk w: www.super-form.co.uk www.roadform.uk
2nd Floor College House, 17 King Edwards Road, Ruislip, London, HA4 7AE



SUPERIOR FORMING SOLUTIONS LTD

Super-Form™ Formwork Systems

The Super-Form™ Bracket System



Members of the CPA
Construction Plant Hire Association

Copyright Superior Forming Solutions Ltd, Patent Pending



• S A F E R • F A S T E R • S U S T A I N A B L E

Superior Forming Solutions Ltd.

t: 0330 0437 870 e: sales@super-form.co.uk w: www.super-form.co.uk www.roadform.uk
2nd Floor College House, 17 King Edwards Road, Ruislip, London, HA4 7AE



SUPERIOR FORMING SOLUTIONS LTD
S u p e r - F o r m T M
F o r m w o r k S y s t e m s

MAIN FEATURES

THE STRONGEST, FASTEST & MOST FLEXIBLE FORMWORK SYSTEM ON THE MARKET

AVAILABLE TO RENT OR BUY

NO BOLTS, SIMPLE CLEVIS PINS WITH CLIPS, SO NO TOOLS NEEDED

FOLDS FLAT FOR STORAGE & FOR LOW COST TRANSPORTATION

ADJUSTABLE PUSH PULL PROP ALLOWS POST POUR ADJUSTMENT

COMES IN 4 HANDY BRACKET SIZES 400/700/1000 & 1800mm
CAN BE JOINED TO MAKE 14 HEIGHTS UP TO 3600 MM HIGH

4 BASES SIZES 85 / 230 / 420mm & 800mm

BASE & UPRIGHTS ARE ALL INTERCHANGEABLE AND SO OFFER HUNDREDS OF COMBINATIONS FOR ANY TYPE OF CONCRETE POUR OR GROUND CONDITION

POUR STRAIGHT OR RADIUS SLABS, BASES, WALLS & SHEET PILE CAPPING BEAMS

MULTIPLE USES, CAN BE USED AS A FORMWORK SYSTEM ON ITS OWN OR AS AN ADJUSTABLE PROP FOR TIMBER FORMWORK OR WITH SYMONS STEEL PLY

BETTER FINISH THAN A PANEL SYSTEM, LIGHTER AND MORE FLEXIBLE

STRONG 5MM THICK ZINC COATED CHANNEL DESIGN, WON'T RUST

ABILITY TO ADD TIE BARS FOR BEAMS AND WALL POURS

EASILY ATTACH HANDRAILS OR EVEN COMBISAFE PANELS ON SLAB EDGE POURS

FIX BASES DOWN WITH CONCRETE BOLTS / WOOD SCREWS OR ROAD PINS

CUTS CARBON USE BY UP TO 80%, CUTS WASTAGE AND TIMBER USE

COSTS 60% LESS PER M2 THAN TIMBER FORMWORK OVERALL

**WE WON'T BE BEATEN ON PRICE, WE WILL
BEAT ANY GENUINE LIKE FOR LIKE QUOTE !**



• S A F E R • F A S T E R • S U S T A I N A B L E

Superior Forming Solutions Ltd.

t: 0330 0437 870 e: sales@super-form.co.uk w: www.super-form.co.uk www.roadform.uk
2nd Floor College House, 17 King Edwards Road, Ruislip, London, HA4 7AE



SUPERIOR FORMING SOLUTIONS LTD


Super-Form™ Formwork Systems

MAIN USES


On its own at 488-688mm centres, simply fix down, plumb up, add ply & pour concrete
NO Formwork to make! Faster than Timber formwork and gives cost savings of 60%



Works with timber formwork at up to 1200mm centres (option to add tie bars & handrails)
allows post pour alignment, stops uplift, faster & more efficient than timber props



With Symons Steelply, can be used at up to 1500mm centres (option to add tie bars & handrails)
Stronger, adjustable propping and no snap ties needed!



Copyright Superior Forming Solutions Ltd, Patent Pending

• S A F E R • F A S T E R • S U S T A I N A B L E
Superior Forming Solutions Ltd.

t: 0330 0437 870 e: sales@super-form.co.uk w: www.super-form.co.uk www.roadform.uk
2nd Floor College House, 17 King Edwards Road, Ruislip, London, HA4 7AE




SUPERIOR FORMING SOLUTIONS LTD

Super-Form™

Formwork Systems

SUPER-FORM™ IN USE

Slab edge with handrail, ability to attach tube & fitting or Combisafe style handrails
Fix down with Concrete bolts to slabs & Blinding




Radius or irregular shapes
no problem




Beams & Walls with OPTIONAL Tie Bars over




Fix down to Stone or Earth with Road Pins




Single & Double Sided Walls with Access



Sheet pile capping beams
soffit & sides with handrails



On Decking / Falsework
fit with wood screws



Copyright Superior Forming Solutions Ltd, Patent Pending

• S A F E R • F A S T E R • S U S T A I N A B L E

Superior Forming Solutions Ltd.

t: 0330 0437 870 e: sales@super-form.co.uk w: www.super-form.co.uk www.roadform.uk
2nd Floor College House, 17 King Edwards Road, Ruislip, London, HA4 7AE



SUPERIOR FORMING SOLUTIONS LTD

Super - Form TM

Formwork Systems

X Large Upright
1800 mm
(1825mm when
on base)

UPRIGHTS

Just 8 main components

4 base sizes (Optional Pin Braces)


4 upright sizes

Can be joined to over 14 heights

Large Upright
975 mm
(1000mm when
on base)

Medium Upright
675 mm
(700mm when
on base)

Small Upright
375 mm
(400mm when
on base)



BASES

Small base just 85mm fits inside upright channel
for tight spaces and wall applications

Medium Base 230mm (Left) with
optional pin brace attachments shown (Right)

Large Base 420mm (Left) with
optional pin brace attachments shown (Right)

Also used as a joining section
between 2 uprights

X Large Base 800mm (Left) with
up to 8 optional pin brace attachments
NOT SHOWN

Medium



Large



Copyright Superior Forming Solutions Ltd, Patent Pending

STANDARD SIZES:

Description	mm / Inches
Small	400mm / 16"
Medium	700mm / 28"
Large	1000mm / 40"
X large	1800mm / 71"

JOINED SIZES:

Description	mm / Inches
Small/Small	400mm / 16"
Small/Med	1075mm / 42"
Small/Large	1375mm / 54"
Small/X Large	2200mm / 87"

Med/Small	1075mm / 40"
Med/Med	1387mm / 55"
Med/Large	1675mm / 66"
Med/X Large	2500mm / 99"

Large/Small	1375mm / 54"
Large/Med	1675mm / 66"
Large/Large	1975mm / 78"
Large/X Large	2800mm / 110"

X large/Small	2200mm / 75"
X large/Med	2500mm / 99"
X large/Large	2800mm / 110"
X large/ XL	3625mm / 143"

Joined brackets may need additional props.



• S A F E R • F A S T E R • S U S T A I N A B L E

Superior Forming Solutions Ltd.

t: 0330 0437 870 e: sales@super-form.co.uk w: www.super-form.co.uk www.roadform.uk
2nd Floor College House, 17 King Edwards Road, Ruislip, London, HA4 7AE



SUPERIOR FORMING SOLUTIONS LTD

Super-Form™

Formwork Systems

MUTIPLE CONFIGURATIONS

Standard brackets come in Small 400mm / Medium 700mm & Large 1000mm as Standard

Fix down with concrete bolts, wood screws or road pins or add additional pin brace attachments

BASE EXAMPLES

Small bases just 85mm
can be used on all
uprights with detached prop

Medium bases just 230mm
used on Small & Medium
brackets as standard

Large bases just 420mm
used on Medium & Large
brackets as standard



CONFIGURATION EXAMPLES

Option to add additional
pin brace attachments
2 or 8 per bracket
Ideal for compacted ground

Option to use
Medium base with a
detached base
with pin braces

Option to use
Small base
with detached
base & prop

Option to join Uprights
(2 x Large uprights shown)
Ability to detach bases
and use additional props shown



Copyright Superior Forming Solutions Ltd, Patent Pending

• S A F E R • F A S T E R • S U S T A I N A B L E

Superior Forming Solutions Ltd.

t: 0330 0437 870 e: sales@super-form.co.uk w: www.super-form.co.uk www.roadform.uk
2nd Floor College House, 17 King Edwards Road, Ruislip, London, HA4 7AE



SUPERIOR FORMING SOLUTIONS LTD

Super-Form™ Formwork Systems

STANDARD BRACKETS

Small bracket
400mm (H) x 230 (D)
(Medium base)



Medium bracket
700mm (H) x 230 (D)
(Medium base)



Large bracket
1000mm (H) x 420 (D)
(Large base)



X Large bracket
1800mm (H) x 800 (D)
(X Large base)



TRANSPORTATION

We offer low cost delivery on the UK palletised network, 3 day delivery is standard
we also offer Next Day Delivery options as well as delivery on our own trucks

Brackets fold flat for transport
Small / Medium & Large shown



Stillage packed for Delivery



Copyright Superior Forming Solutions Ltd, Patent Pending

• S A F E R • F A S T E R • S U S T A I N A B L E

Superior Forming Solutions Ltd.

t: 0330 0437 870 e: sales@super-form.co.uk w: www.super-form.co.uk www.roadform.uk
2nd Floor College House, 17 King Edwards Road, Ruislip, London, HA4 7AE



SUPERIOR FORMING SOLUTIONS LTD

Super-Form™ Formwork Systems



SUPER-FORM™ THE UK'S NO.1
FOR FORMWORK HIRE & SALES

SHOWN:

Small Bracket 400mm

Medium Bracket 700mm

Large Bracket 1000mm

Large & Medium Joined 1675mm

Large & Large Joined 1975mm

Large folded for transport

Other sizes and heights Available

X Large Bracket 1800mm

14 size options from 400mm
to 3625mm



Location: UK Concrete Show 2026

Description: Small / Medium / Large / Large & Medium / Large & Large

www.super-form.co.uk / www.roadform.uk

SAFER ■ FASTER ■ SUSTAINABLE





SUPERIOR FORMING SOLUTIONS LTD

Super-Form™

Formwork Systems



SUPER-FORM™ THE UK'S NO.1 FOR FORMWORK HIRE & SALES



Location: Southampton, Super Marine Quay, Blanchard Wells Construction Ltd
Description: Sheet Pile Capping Beam

www.super-form.co.uk / www.roadform.uk

SAFER ■ FASTER ■ SUSTAINABLE



SUPERIOR FORMING SOLUTIONS LTD

Super-Form™ Formwork Systems



SUPER-FORM™ THE UK'S NO.1
FOR FORMWORK HIRE & SALES



Super-Form Large Bracket, joined with large Upright for 2m pour height



Location: Barrat Homes Site, Aylesford, Kent, CLIENT: Projex One Ltd

Description: 2 x 1.8m High Single Sided Thrust Block Walls, Erected in 4 hours, poured the next day in 1 hour! (2m per hour rate of rise), Stripped day after (3 days)



www.super-form.co.uk / www.roadform.uk

SAFER ■ FASTER ■ SUSTAINABLE



SUPERIOR FORMING SOLUTIONS LTD

Super-Form™ Formwork Systems



SUPER-FORM™ THE UK'S NO.1
FOR FORMWORK HIRE & SALES



Location: Fosse Contracts Ltd, Leicestershire

Description: 20m x 10m Padel Court Ring beams, Small Brackets Pinned to Ground with our Pin Brace attachments & road pins, brackets 688mm apart

www.super-form.co.uk / www.roadform.uk

SAFER ■ FASTER ■ SUSTAINABLE



SUPERIOR FORMING SOLUTIONS LTD

Super-Form™ Formwork Systems



SUPER-FORM™ THE UK'S NO.1 FOR FORMWORK HIRE & SALES



Location: Scunthorpe, Residential Client with limited formwork experience.

Description: 2m High Single Sided Retaining wall, Large bracket extended to 2m, with standard props on our Medium base, tie bars are for the next 1.7m pour on top.

www.super-form.co.uk / www.roadform.uk

SAFER ■ FASTER ■ SUSTAINABLE



SUPERIOR FORMING SOLUTIONS LTD

Super-Form™ Formwork Systems



SUPER-FORM™ THE UK'S NO.1 FOR FORMWORK HIRE & SALES



These brackets surpassed my expectations, easy and stronger than I thought they would be. I've been shuttering for 16 years with System and timber but for base work this is outstanding. Everyone from the main contractor and the contractor I'm working for are well impressed.

Thomas Scott

Director
TRS Formwork Ltd
Dundee, Scotland



Location: Perth High School, Perth, Scotland

Description: Slabs and steps, customer had timber formwork already and so Super-Form™ used to brace existing formwork.

www.super-form.co.uk / www.roadform.uk

SAFER ■ FASTER ■ SUSTAINABLE



SUPERIOR FORMING SOLUTIONS LTD
S u p e r - F o r m™
F o r m w o r k S y s t e m s



SUPER-FORM™ THE UK'S NO.1
FOR FORMWORK HIRE & SALES



To cast an LGV truck wash slab for one of our blue chip clients we needed a solution which would be quick to assemble and give us a high standard of finish, initially for rental. We found the 250mm Super-Forms to tick not only those boxes, but they were also keenly priced and the service from Tony and team was faultless, so we elected to purchase 60+ metres of forms, plus ply connectors. I would have no hesitation in recommending these forms and we will certainly be adding other sizes to our inventory in future. Simon Ham Director

MARSON
HAM

Location: Tenbury Wells

www.marsonham.co.uk

Description: Sales of 250mm Road Forms & Ply Infiles

www.super-form.co.uk / www.roadform.uk

SAFER ■ FASTER ■ SUSTAINABLE



SUPERIOR FORMING SOLUTIONS LTD

Super-Form™ Formwork Systems



SUPER-FORM™ THE UK'S NO.1
FOR FORMWORK HIRE & SALES



1.2m High X 2.4m Wide x .4m Headwall.

Large Bracket with standard base one side bolted to concrete slab, with a Large bracket with Small Base (Wall Configuration) on the other side, bolted to slab and held with a tie bar. (Note plywood extended 200mm above bracket)

Erected in less than an hour and poured straight away in 10 minutes right to the top.

Location: Grimsby, Development of Executive houses

Description: Dyke Retaining Headwall for St James Executive Developments Ltd

www.super-form.co.uk / www.roadform.uk

SAFER ■ FASTER ■ SUSTAINABLE