



Wolf Asia Group

# Renewable Energy Solutions



SOLAR PRODUCT CATALOGUE



info@thewotfasia.com



+254-758359222



## Why Choose Wolf Asia?

Wolf Asia is a leading manufacturer and provider of innovative solar street lighting solutions dedicated to promoting sustainable urban development and reducing the carbon footprint of cities around the world. Established in 2018, we have emerged as a trailblazer in the solar lighting industry, combining cutting-edge technology with a commitment to environmental responsibility. Wolf Asia is a total energy solution provider in the lighting industry. We specialize in high-power Solar LED Lighting and Solar Products Manufacturing through our independent innovation.

- ✓ **Quality Assurance:** Our products undergo rigorous quality testing to ensure they meet international standards for performance and durability.
- ✓ **Energy Efficiency:** Wolf Asia's street lights are designed to maximize energy savings, reducing operational costs and environmental impact.
- ✓ **Sustainability:** By using solar energy, we help reduce greenhouse gas emissions and dependence on fossil fuels, contributing to a cleaner planet.
- ✓ **Customization:** We offer tailored solutions to meet the specific needs of different projects, ensuring optimal performance and cost-effectiveness.
- ✓ **Reliable Customer Support:** Our dedicated customer support team is available to assist clients with installation, maintenance, and technical inquiries.

# Glass Model Semi Integrated



## GSF Series (Specifications)

- ✓ Glass Model GST Series Semi Integrated Solar Street Light
- ✓ LED Light Lumens : 140/watt
- ✓ BIS CERTIFIED Lithium ION Battery
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Body : Die-Cast Aluminium
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Easy to install & ready to use
- ✓ Protection : Ip65
- ✓ Accessories : Panel Stand, Luminary Arm
- ✓ Warranty : 2 Year

| GSF Series   |      |                        |       |        |
|--------------|------|------------------------|-------|--------|
| Product Code | Watt | Battery Life Po4 12.8V | Panel | Lumens |
| SSLSI-GM07LI | 7    | 7.5ah                  | 20w   | 980    |
| SSLSI-GM09LI | 9    | 10ah                   | 30w   | 1260   |
| SSLSI-GM12LI | 12   | 12.5ah                 | 40w   | 1680   |
| SSLSI-GM15LI | 15   | 15ah                   | 50w   | 2100   |
| SSLSI-GM18LI | 18   | 17.5ah                 | 50w   | 2520   |
| SSLSI-GM20LI | 20   | 17.5ah                 | 50w   | 2800   |
| SSLSI-GM24LI | 24   | 25ah                   | 60w   | 3360   |
| SSLSI-GM30LI | 30   | 30ah                   | 75w   | 4200   |



info@thewotfasia.com



+254-758359222



# Glass Model Semi Integrated

## GSF Series (Specifications)

- ✓ Glass Model GSF Series Semi Integrated Solar Street Light
- ✓ LED Light Lumens : 140/watt
- ✓ BIS CERTIFIED Lithium Ferro Phosphate Battery
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Body : Die-Cast Aluminium
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Easy to install & ready to use
- ✓ Protection : Ip65
- ✓ Accessories : Panel Stand, Luminary Arm
- ✓ Warranty : 5 Year



Wolf Asia Group

| GSF Series   |      |                        |       |        |
|--------------|------|------------------------|-------|--------|
| Product Code | Watt | Battery Life Po4 12.8V | Panel | Lumens |
| SSLSI-GM07LF | 7    | 6ah                    | 20w   | 980    |
| SSLSI-GM09LF | 9    | 12ah                   | 30w   | 1260   |
| SSLSI-GM12LF | 12   | 12ah                   | 40w   | 1680   |
| SSLSI-GM15LF | 15   | 18ah                   | 50w   | 2100   |
| SSLSI-GM18LF | 18   | 18ah                   | 50w   | 2520   |
| SSLSI-GM20LF | 20   | 18ah                   | 50w   | 2800   |
| SSLSI-GM24LF | 24   | 24ah                   | 60w   | 3360   |



info@thewotfasia.com



+254-758359222



# Lens Model Semi Integrated



Wolf Asia Group

## LSF Series (Specifications)

- ✓ Lens Model LSF Series Semi Integrated Solar Street Light
- ✓ LED Light Lumens : 140/watt
- ✓ BIS CERTIFIED Lithium Ferro Phosphate Battery
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Body : Die-Cast Aluminium
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Easy to install & ready to use
- ✓ Protection : Ip65
- ✓ Accessories : Panel Stand, Luminary Arm
- ✓ Warranty : 5 Year

| LSF Series   |      |                        |       |        |
|--------------|------|------------------------|-------|--------|
| Product Code | Watt | Battery Life Po4 12.8V | Panel | Lumens |
| SSLSI-LM07LF | 7    | 6ah                    | 20w   | 980    |
| SSLSI-LM09LF | 9    | 12ah                   | 30w   | 1260   |
| SSLSI-LM12LF | 12   | 12ah                   | 40w   | 1680   |
| SSLSI-LM15LF | 15   | 18ah                   | 50w   | 2100   |
| SSLSI-LM18LF | 18   | 18ah                   | 50w   | 2520   |
| SSLSI-LM20LF | 20   | 18ah                   | 50w   | 2800   |
| SSLSI-LM24LF | 24   | 24ah                   | 60w   | 3360   |
| SSLSI-LM30LF | 30   | 30ah                   | 75w   | 4200   |
| SSLSI-LM40LF | 40   | 36ah                   | 100w  | 5600   |
| SSLSI-LM50LF | 50   | 48ah                   | 125w  | 7000   |
| SSLSI-LM60LF | 60   | 54ah                   | 165w  | 8400   |



info@thewotfasia.com



+254-758359222

# High Wattage Glass Model

## Semi Integrated HSF Series (Specifications)

- ✓ High Wattage HSF Series Semi Integrated Solar Street Light
- ✓ LED Light Lumens : 140/watt
- ✓ BIS CERTIFIED Lithium Ferro Phosphate Battery
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Body : Die-Cast Aluminium
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Easy to install & ready to use
- ✓ Protection : Ip65
- ✓ Accessories : Panel Stand, Luminary Arm
- ✓ Warranty : 5 Year



Wolf Asia Group

| HSF Series    |      |                        |       |        |
|---------------|------|------------------------|-------|--------|
| Product Code  | Watt | Battery Life Po4 12.8V | Panel | Lumens |
| SSLSI-SB072LF | 72   | 66ah                   | 180w  | 10080  |
| SSLSI-SB080LF | 80   | 72ah                   | 200w  | 11200  |
| SSLSI-SB090LF | 90   | 42ah 25.6v             | 220w  | 12600  |
| SSLSI-SB100LF | 100  | 48ah 25.6v             | 335w  | 14000  |
| SSLSI-SB120LF | 120  | 54ah 25.6v             | 335w  | 16800  |
| SSLSI-SB150LF | 150  | 72ah 25.6v             | 375w  | 21000  |
| SSLSI-SB180LF | 180  | 84ah 25.6v             | 450w  | 25200  |
| SSLSI-SB200LF | 200  | 100ah 25.6v            | 500w  | 28000  |



info@thewotfasia.com



+254-758359222



# Semi Integrated Fevino

## Government FGF Series (Specifications)

- ✓ Fevino Government Model FGF Series Semi Integrated Solar Street Light
- ✓ LED Light Lumens : 140/watt
- ✓ BIS CERTIFIED Lithium Ferro Phosphate Battery
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Body : Die-Cast Aluminium
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Easy to install & ready to use
- ✓ Protection : Ip65
- ✓ Accessories : Panel Stand, Luminary Arm
- ✓ Warranty : 5 Year



Wolf Asia Group

| FGF Series   |       |                        |       |        |
|--------------|-------|------------------------|-------|--------|
| Product Code | Watt  | Battery Life Po4 12.8V | Panel | Lumens |
| SSLSI-LM12MN | 12    | 30ah                   | 75w   | 1680   |
| SSLSI-GM07MN | 7     | 12ah                   | 30w   | 980    |
| SSLSI-GM07MN | 7     | 12ah                   | 40w   | 980    |
| SSLSI-GM09PW | 9     | 18ah                   | 40w   | 1260   |
| SSLSI-LM14PW | 14    | 36ah                   | 75w   | 1960   |
| SSLSI-GM07PW | 7w*2  | 36ah                   | 100w  | 1960   |
| SSLSI-LM12PW | 12w*2 | 100ah                  | 120w  | 3360   |



info@thewotfasia.com



+254-758359222

# All In One MAF Series

## MAF Series (Specifications)

- ✓ MS MAF Series All In One Solar Street Light
- ✓ LED Light Lumens : 140/watt
- ✓ BIS CERTIFIED Lithium Ferro Phosphate Battery
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Body : MS Powder Coated
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Easy to install & ready to use
- ✓ Protection : Ip65
- ✓ Accessories : All In One Stand
- ✓ Warranty : 5 Year



Wolf Asia Group



info@thewotfasia.com



+254-758359222

| MAF Series   |      |                        |       |        |
|--------------|------|------------------------|-------|--------|
| Product Code | Watt | Battery Life Po4 12.8V | Panel | Lumens |
| SSLAO-007LF  | 7    | 6ah                    | 30w   | 980    |
| SSLAO-009LF  | 9    | 12ah                   | 40w   | 1260   |
| SSLAO-012LF  | 12   | 12ah                   | 50w   | 1680   |
| SSLAO-015LF  | 15   | 18ah                   | 50w   | 2100   |
| SSLAO-018LF  | 18   | 18ah                   | 60w   | 2520   |
| SSLAO-020LF  | 20   | 18ah                   | 60w   | 2800   |
| SSLAO-024LF  | 24   | 24ah                   | 75w   | 3360   |
| SSLAO-030LF  | 30   | 30ah                   | 100w  | 4200   |
| SSLAO-040LF  | 40   | 36ah                   | 125w  | 5600   |
| SSLAO-050LF  | 50   | 48ah                   | 165w  | 7000   |
| SSLAO-060LF  | 60   | 54ah                   | 200w  | 8400   |



# All In One MAT Series

## MAT Series (Specifications)

- ✓ MS MAT Series All In One Solar Street Light
- ✓ LED Light Lumens : 140/watt
- ✓ BIS CERTIFIED Lithium ION Battery
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Body : MS Powder Coated
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Easy to install & ready to use
- ✓ Protection : Ip65
- ✓ Accessories : All In One Stand
- ✓ Warranty : 2 Year



Wolf Asia Group

| MAT Series   |      |                        |       |        |
|--------------|------|------------------------|-------|--------|
| Product Code | Watt | Battery Life Po4 12.8V | Panel | Lumens |
| SSLA0-007LI  | 7    | 7.5ah                  | 30w   | 980    |
| SSLA0-009LI  | 9    | 10ah                   | 40w   | 1260   |
| SSLA0-012LI  | 12   | 12.5ah                 | 50w   | 1680   |
| SSLA0-015LI  | 15   | 15ah                   | 50w   | 2100   |
| SSLA0-018LI  | 18   | 17.5ah                 | 60w   | 2520   |
| SSLA0-020LI  | 20   | 17.5ah                 | 60w   | 2800   |
| SSLA0-024LI  | 24   | 25ah                   | 75w   | 3360   |
| SSLA0-030LI  | 30   | 30ah                   | 100w  | 4200   |



info@thewotfasia.com



+254-758359222

# Solar Flood Light BSF Series

## BSF Series (Specifications)

- ✓ Back Choke BSF Series Solar Flood Light
- ✓ LED Light Lumens : 140/watt
- ✓ BIS CERTIFIED Lithium Ferro Phosphate Battery
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Body : Die Cast Aluminium
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Easy to install & ready to use
- ✓ Protection : Ip65
- ✓ Accessories : Panel Stand, Flood Light Arm
- ✓ Warranty : 5 Year



Wolf Asia Group

| BSF Series   |      |                        |       |        |
|--------------|------|------------------------|-------|--------|
| Product Code | Watt | Battery Life Po4 12.8V | Panel | Lumens |
| SFL-020      | 20   | 18ah                   | 50w   | 2800   |
| SFL-030      | 30   | 30ah                   | 75w   | 4200   |
| SFL-050      | 50   | 48ah                   | 125w  | 7000   |
| SFL-100      | 100  | 48ah 25.6v             | 335w  | 14000  |
| SFL-120      | 120  | 60ah 25.6v             | 335w  | 16800  |



info@thewotfasia.com



+254-758359222

# Government Street Light

## Solar High Mast SGH Series (Specifications)

- ✓ Government Specified SGH Series Street Light Solar High Mast
- ✓ LED Light Lumens : 140/watt
- ✓ BIS CERTIFIED Lithium Ferro Phosphate Battery
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Accessories : Panel Stand, Luminary Arm for SHM
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Easy to install & ready to use
- ✓ Protection : Ip65
- ✓ Body : Die Cast Aluminium
- ✓ Warranty : 5 Year



| SGH Series     |        |               |                |                        |        |        |
|----------------|--------|---------------|----------------|------------------------|--------|--------|
| Product Code   | Watt   | No. of Lights | System Wattage | Battery Life Po4 12.8V | Panel  | Lumens |
| SHM-5SL-020PWD | 20w*5  | 5             | 100            | 60ah*5                 | 80w*5  | 14000  |
| SHM-4SL-050MED | 50w*4  | 4             | 200            | 48ah*4 25.6v           | 335w*4 | 28000  |
| SHM-6SL-050MED | 50w*6  | 6             | 300            | 48ah*6 25.6v           | 335w*6 | 42000  |
| SHM-5SL-100MED | 100w*5 | 5             | 500            | 48ah*8 25.6v           | 335w*8 | 70000  |



Wolf Asia Group



info@thewotfasia.com



+254-758359222



# Government Flood Light

## Solar High Mast FGH Series (Specifications)

- ✓ Government Specified FGH Series Flood Light Solar High Mast
- ✓ LED Light Lumens : 140/watt
- ✓ BIS CERTIFIED Lithium Ferro Phosphate Battery
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Accessories : Panel Stand, Luminary Arm for SHM
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Easy to install & ready to use
- ✓ Protection : Ip65
- ✓ Body : Die Cast Aluminium
- ✓ Warranty : 5 Year



| FGH Series     |        |               |                |                        |        |        |
|----------------|--------|---------------|----------------|------------------------|--------|--------|
| Product Code   | Watt   | No. of Lights | System Wattage | Battery Life Po4 12.8V | Panel  | Lumens |
| SHM-5FL-020PWD | 20w*5  | 5             | 100            | 60ah*5                 | 80w*5  | 14000  |
| SHM-4FL-050MED | 50w*4  | 4             | 200            | 48ah*4 25.6v           | 335w*4 | 28000  |
| SHM-6FL-050MED | 50w*6  | 6             | 300            | 48ah*6 25.6v           | 335w*6 | 42000  |
| SHM-5FL-100MED | 100w*5 | 5             | 500            | 48ah*8 25.6v           | 335w*8 | 70000  |



Wolf Asia Group



info@thewotfasia.com



+254-758359222

# Solar High Mast Street Light

## SLH Series (Specifications)

- ✓ SLH Series Street Light Solar High Mast
- ✓ LED Light Lumens : 140/watt
- ✓ Body : Die Cast Aluminium
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Body : Die Cast Aluminium
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Protection : Ip65
- ✓ Accessories : Panel Stand, Luminary Arm for SHM
- ✓ Warranty : 5 Year

| SLH Series   |        |        |        |                        |        |        |
|--------------|--------|--------|--------|------------------------|--------|--------|
| Product Code | Watt   | No. of | System | Battery Life Po4 12.8V | Panel  | Lumens |
| SHM-4SL-020  | 20w*4  | 4      | 80     | 18ah*4                 | 50w*4  | 11200  |
| SHM-4SL-024  | 24w*4  | 4      | 96     | 24ah*4                 | 60w*4  | 13400  |
| SHM-4SL-030  | 30w*4  | 4      | 120    | 30ah*4                 | 75w*4  | 16800  |
| SHM-4SL-040  | 40w*4  | 4      | 160    | 36ah*4                 | 100w*4 | 22400  |
| SHM-4SL-050  | 50w*4  | 4      | 200    | 48ah*4                 | 125w*4 | 28000  |
| SHM-4SL-060  | 60w*4  | 4      | 240    | 54ah*4                 | 160w*4 | 33600  |
| SHM-4SL-080  | 80w*4  | 4      | 320    | 72ah*4                 | 200w*4 | 44800  |
| SHM-4SL-100  | 100w*4 | 4      | 400    | 48ah*4 25.6v           | 335w*4 | 56000  |
| SHM-6SL-030  | 30w*6  | 6      | 180    | 30ah*6                 | 75w*6  | 25200  |
| SHM-6SL-040  | 40w*6  | 6      | 240    | 36ah*6                 | 100w*6 | 33600  |
| SHM-6SL-050  | 50w*6  | 6      | 300    | 48ah*6                 | 125w*6 | 42000  |
| SHM-6SL-100  | 100w*6 | 6      | 600    | 48ah*6 25.6v           | 335w*6 | 84000  |
| SHM-8SL-030  | 30w*8  | 8      | 240    | 30ah*8                 | 75w*8  | 33600  |
| SHM-8SL-040  | 40w*8  | 8      | 320    | 36ah*8                 | 100w*8 | 44800  |
| SHM-8SL-050  | 50w*8  | 8      | 400    | 48ah*8                 | 125w*8 | 56000  |
| SHM-8SL-100  | 100w*8 | 8      | 800    | 48ah*8 25.6v           | 335w*8 | 112000 |



Wolf Asia Group



info@thewotfasia.com



+254-758359222

# Solar High Mast Flood Light

## FLH Series (Specifications)

- ✓ FLH Series Flood Light Solar High Mast
- ✓ LED Light Lumens : 140/watt
- ✓ Body : Die Cast Aluminium
- ✓ IEC Certified Solar PWM / MPPT Charge Controller
- ✓ MNRE/BIS Approved Polycrystalline Solar Panel
- ✓ Body : Die Cast Aluminium
- ✓ BIS/MNRE/NABL Approved Light
- ✓ Dimming after 4 hours
- ✓ Charge Time : 4 to 6 Hours Good Sunshine
- ✓ Backup Time :12-15 Hours
- ✓ Protection : Ip65
- ✓ Accessories : Panel Stand, Luminary Arm for SHM
- ✓ Warranty : 5 Year

| FLH Series   |        |        |        |                        |        |        |
|--------------|--------|--------|--------|------------------------|--------|--------|
| Product Code | Watt   | No. of | System | Battery Life Po4 12.8V | Panel  | Lumens |
| SHM-4FL-020  | 20w*4  | 4      | 80     | 18ah*4                 | 50w*4  | 11200  |
| SHM-4FL-024  | 24w*4  | 4      | 96     | 24ah*4                 | 60w*4  | 13400  |
| SHM-4FL-030  | 30w*4  | 4      | 120    | 30ah*4                 | 75w*4  | 16800  |
| SHM-4FL-040  | 40w*4  | 4      | 160    | 36ah*4                 | 100w*4 | 22400  |
| SHM-4FL-050  | 50w*4  | 4      | 200    | 48ah*4                 | 125w*4 | 28000  |
| SHM-4FL-060  | 60w*4  | 4      | 240    | 54ah*4                 | 160w*4 | 33600  |
| SHM-4FL-080  | 80w*4  | 4      | 320    | 72ah*4                 | 200w*4 | 44800  |
| SHM-4FL-100  | 100w*4 | 4      | 400    | 48ah*4 25.6v           | 335w*4 | 56000  |
| SHM-6FL-030  | 30w*6  | 6      | 180    | 30ah*6                 | 75w*6  | 25200  |
| SHM-6FL-040  | 40w*6  | 6      | 240    | 36ah*6                 | 100w*6 | 33600  |
| SHM-6FL-050  | 50w*6  | 6      | 300    | 48ah*6                 | 125w*6 | 42000  |
| SHM-6FL-100  | 100w*6 | 6      | 600    | 48ah*6 25.6v           | 335w*6 | 84000  |
| SHM-8FL-030  | 30w*8  | 8      | 240    | 30ah*8                 | 75w*8  | 33600  |
| SHM-8FL-040  | 40w*8  | 8      | 320    | 36ah*8                 | 100w*8 | 44800  |
| SHM-8FL-050  | 50w*8  | 8      | 400    | 48ah*8                 | 125w*8 | 56000  |
| SHM-8FL-100  | 100w*8 | 8      | 800    | 48ah*8 25.6v           | 335w*8 | 112000 |



Wolf Asia Group



info@thewotfasia.com



+254-758359222



# Tubular Pole RT Series

## RT Series (Specifications)

- ✓ GI Tubular Pole with suitable for Solar Street Light
- ✓ Top OD 76mm
- ✓ Bottom OD 76mm
- ✓ The high mast have a designed life of 10 years.
- ✓ Government Approved
- ✓ Thickness 1.2mm to 3mm
- ✓ Available from 4.5 mtr to 6 mtr
- ✓ Easy to install & Accessories included



Wolf Asia Group

| RT Series    |            |              |       |           |
|--------------|------------|--------------|-------|-----------|
| Product Code | Height Mtr | Thickness MM | OD MM | Weight Kg |
| TP-45A       | 4.5        | 1.2          | 76    | 10        |
| TP-45B       | 4.5        | 2            | 76    | 20        |
| TP-06A       | 6          | 1.2          | 76    | 13        |
| TP-06E       | 6          | 1.4          | 76    | 16        |
| TP-06D       | 6          | 1.6          | 76    | 18        |
| TP-06B       | 6          | 2            | 76    | 22        |
| TP-06G       | 6          | 2.2          | 76    | 24        |
| TP-06H       | 6          | 2.5          | 76    | 27        |
| TP-06C       | 6          | 3            | 76    | 32        |
| TP-06F       | 6          | 3.6          | 76    | 38        |



info@thewotfasia.com




+254-758359222

# Octagonal Pole R0 Series

## R0 Series (Specifications)

- ✓ GI Octagonal Pole suitable for Solar High Mast
- ✓ Top OD As per Requirement
- ✓ Bottom OD As per Requirement
- ✓ The high mast have a designed life of 10 years.
- ✓ Government Approved
- ✓ Thickness 3mm
- ✓ Available from 6 mtr to 12 mtr as per requirement
- ✓ Easy to install & Accessories included



info@thewotfasia.com



+254-758359222

| R0 Series    |            |              |           |              |
|--------------|------------|--------------|-----------|--------------|
| Product Code | Height Mtr | Thickness MM | Top OD MM | Bottom OD MM |
| OP-03RA      | 3          | 3            | 70        | 130          |
| OP-04RA      | 4          | 3            | 70        | 130          |
| OP-05RA      | 5          | 3            | 70        | 130          |
| OP-06RA      | 6          | 3            | 70        | 130          |
| OP-07RA      | 7          | 3            | 70        | 130          |
| OP-08RA      | 8          | 3            | 70        | 130          |
| OP-09RA      | 9          | 3            | 70        | 155          |
| OP-09RB      | 9          | 3            | 100       | 200          |
| OP-10RA      | 10         | 3            | 90        | 175          |
| OP-11RA      | 11         | 3            | 90        | 210          |
| OP-12RA      | 12         | 3            | 90        | 210          |
| OP-06RM      | 6          | 3            | 150       | 330          |
| OP-09RM      | 9          | 3            | 150       | 330          |
| OP-12RM      | 12         | 3            | 150       | 330          |

# Octagonal Pole With Pulley

## P0 Series (Specifications)

- ✓ GI Octagonal Pole with pulley suitable for MEDA High Mast
- ✓ Top OD 150mm
- ✓ Bottom OD 330mm
- ✓ Manual pulley system
- ✓ The high mast have a designed life of 25 years.
- ✓ Government Approved
- ✓ Thickness 3mm
- ✓ Raising lowering mast shaft in Single section Suitable for basic wind speed 50 m/sec (180 Km/Hr)
- ✓ Easy to install & Accessories included

| P0 Series    |            |              |           |              |
|--------------|------------|--------------|-----------|--------------|
| Product Code | Height Mtr | Thickness MM | Top OD MM | Bottom OD MM |
| OP-06PA      | 6          | 3            | 150       | 330          |
| OP-09PA      | 9          | 3            | 150       | 330          |
| OP-12PA      | 12         | 3            | 150       | 330          |



Wolf Asia Group



info@thewotfasia.com



+254-758359222





**Wolf Asia Group**

**Registered Address:**

Wolf Asia House, Villa On plot No 55, Bainginium,  
Old Goa-Goa, India-403110

**Email:** info@thewolfasia.com

wolfasiabusiness@gmail.com

**Website:** www.thewolfasia.com

**Primary Contact Details:-**

+91-6392565550, +91-7755808877



info@thewotfasia.com



+254-758359222



**SOLAR PRODUCT CATALOGUE**