Ohio EPA Laboratory Certification Update 2019



Personnel Changes



- Personnel Changes
- 2020 Chemistry Laboratory Manual update



- Personnel Changes
- 2020 Chemistry Laboratory Manual update
- 2020 Microbiological Laboratory Manual update



- Personnel Changes
- 2020 Chemistry Laboratory Manual update
- 2020 Microbiological Laboratory Manual update
- 2020 Laboratory Rules update




- Personnel Changes
- 2020 Chemistry Laboratory Manual update
- 2020 Microbiological Laboratory Manual update
- 2020 Laboratory Rules update
- Cyanotoxin & Cyanobacteria Program update



Personnel Changes

- Loss Last year:
- Mark Tomasi
- Andrew Bair
- New Last Year:
- Julie Spangler







Personnel Changes

New This Year:



Updated some terminology



- Updated some terminology
- Updated the Proficiency Test (PT) sample section



- Updated some terminology
- Updated the Proficiency Test (PT) sample section
- Changed to Manufacturers' suggested storage conditions for Reagents



- Updated some terminology
- Updated the Proficiency Test (PT) sample section
- Changed to Manufacturers' suggested storage conditions for Reagents
- Added annual review of chapters 1 thru 8 of manual for all primary contacts



- Updated some terminology
- Updated the Proficiency Test (PT) sample section
- Changed to Manufacturers' suggested storage conditions for Reagents
- Added annual review of chapters 1 thru 8 of manual for all primary contacts
- chapter 8 Added annual review of all methods used by all analysts in



- Removed Iron Method
- Removed Manganese Method
- Removed Nitrate electrode Method
- Removed Manufacturer specific Instructions



Hach TU 5200 Calibration and use

- Method number is different
- Certificates must be updated
- Follow manufacturers calibration
- Vials Must be stored with Laboratory pure Water
- Do Not set Vials on counter
- Bottom of vial Must be Clean
- First reading is not always reliable
- Stable-Cal must be used for 1.0 NTU daily verification




Stability Test Method

Calcium Carbonate Saturation Method – Preferred

Langelier Index-

Letter was sent in the last couple months





Iron & Manganese test methods

- Approved Methods for Manganese
- 200.5 ICP-AES
- 200.7 ICP-AES
- 200.8 ICP-MS
- 200.9 Furnace AA
- SM 3111B Flame AASM 3113 Furnace AA
- SM 3120 ICP-AES



Iron & Manganese test methods

- Recommended Approach
- OAC 3745-83-01
- (6) Manganese.

A community public water system that provides treatment to reduce manganese shall monitor for manganese at least at each entry point to the distribution system.

- (a) Community systems serving up to and including two hundred and fifty persons shall monitor either of the following:
- (i) Weekly with an in-house test kit in accordance with paragraph (F)(6)(c) of this
 rule and one split sample monthly by a certified laboratory.
 (ii) Weekly by a state certified laboratory
- (ii) Weekly by a state certified laboratory.
- (b) Community systems serving greater than two hundred fifty persons shall monitor either of the following:
- (i) A minimum of five days per week with an in-house test kit in accordance with paragraph (F)(6)(c) of this rule and one split sample monthly by a certified laboratory.
- (ii) Weekly by a state certified laboratory.
- (c) A manganese test kit shall have a minimum detection level of 0.02 milligrams per liter. Furthermore, the deviation of the split sample shall be no greater than 0.04 milligrams per liter. If it is greater, then the public water system shall cease monitoring with the test kit and substitute with weekly monitoring at a state certified laboratory. A public water system may resume monitoring with their test kit once a deviation of the split sample is no greater than 0.04 milligrams per liter. The director may accept an alternate collection frequency and deviation from in-house test kits for split sampling requirements.



Updated some terminology



- Updated some terminology
- Updated the Proficiency Test (PT) sample section



- Updated some terminology
- Updated the Proficiency Test (PT) sample section
- Changed to Manufacturers' suggested storage conditions for Reagents



- Updated some terminology
- Updated the Proficiency Test (PT) sample section
- Changed to Manufacturers' suggested storage conditions for Reagents
- Added annual review of chapters 1 thru 8 of manual for all primary contacts



- Updated some terminology
- Updated the Proficiency Test (PT) sample section
- Changed to Manufacturers' suggested storage conditions for Reagents
- Added annual review of chapters 1 thru 8 of manual for all primary contacts
- chapter 8 Added annual review of all methods used by all analysts in



Added Operational Certification for MMO-MUG tests



- Added Operational Certification for MMO-MUG tests
- Added electronic thermometers (Data Logger)



- Added Operational Certification for MMO-MUG tests
- Added electronic thermometers (Data Logger)

Removed MF —Total Coliform/Fecal method



Autoclave Sterility Check

- Autoclave sterility checks are required once every three months, per autoclave
- corrective action for the autoclave is required hours. Growth is evident by a color change per manufacturer's instructions. If color change occurs, remove and allow ampules to cool for 10 minutes prior to incubation. Incubate at 55 - 60°C for 24 If using a biological indicator ampule, follow manufacturer's instructions. **Note:** After sterilization,
- and inoculate the TSB/BHI with the "sterilized" culture from the Erlenmeyer flask. Incubate test exhaust. Allow to cool to room temperature. Fill a test vessel with approximately 25 mL of TSB/BHI culture, cover flask opening with aluminum foil and incubate at 35 \pm 0.5°C for 24 hours. After the incubator. The inoculated test vessel must not show growth. If growth is present in the vessel at 35 ± 0.5°C for 24 hours. After the 24 hour incubation period, remove the test vessel from incubation, when TSB/BHI shows growth, autoclave at 119 - 121°C for 12 to 15 minutes on slow inoculated test vessel, corrective action for the autoclave is required. Alternatively, fill an Erlenmeyer flask with 25 to 50 mL of TSB/BHI, inoculate with a known coliform



2019 Laboratory Rules update

- OAC Rule 3745-81-27 will now references approved methods rather than listing them
- OAC Chapter 3745-89 adding rules to allow acceptance of Laboratories with alternate certifications (e.g., NELAP)
- drinking-water-analytical-methods https://www.epa.gov/dwanalyticalmethods/approved-



Personnel Changes





Cyanotoxin & Cyanobacteria Program update

- Brandy Ott
- HAB Certification Officer
- (614) 644-4251
- brandlyn.ott@epa.ohio.gov



Cyanotoxin & Cyanobacteria Program update

- No Changes this year
- Updated SOP's will come out next year
- Surveys will be next year for Certification 5/31/2020
- Keep sending in those Samples
- and remember proper collection protocols



All laboratory records are to be made with pens



All laboratory records are to be made with pens

Never pipette directly out of a standards bottle



All laboratory records are to be made with pens

Never pipette directly out of a standards bottle

Always record directly to laboratories official records



Verify Balance prior to use



Verify Balance prior to use
Verify Laboratory Water quality



Verify Balance prior to use
Verify Laboratory Water quality
Autoclave sterility verification



Verify Balance prior to use
Verify Laboratory Water quality
Autoclave sterility verification

EC-MUG — inverted Durham Tubes are not used



Laboratory Safety update


















Ohio EPA Division of Environmental Services (DES)
Laboratory Certification Section
8955 E. Main St.
Reynoldsburg, OH 43068

Contacts

Steve Roberts, Supervisor (614) 644-4225 Steven.Roberts@epa.ohio.gov

Jennifer Tom, Office Assistant (614) 644-4245 jennifer.tom@epa.ohio.gov

Julie Spangler, Laboratory Certification Officer (614) 644-4222 <u>Julie.Spangler@epa.ohio.gov</u>

Brandlyn Ott, HAB Certification Officer (614) 644-4251 Brandlyn.Ott@epa.ohio.gov

Charles Vasulka, Laboratory Certification Officer (614) 644-4266 Charles Vasulka@epa.ohio.gov

