


Collets / Pinces / Spannzangen / Pinze


BARFEEDER COLLETS WITH INTERNAL THREAD



All Dimension are in mm - Unless Otherwise Specified				Capacity	
Part Nr.	Outer Dia	Length	Thread	Range	
	ϕA	L	T	ϕD Min	ϕD Max
05-01	5.15	37	M4x0.7	1	3.5
7.5-02	7.5	40	M5x0.50	1	5.5
08-02	8	50	M4x0.70	1	6
8.5-01	8.5	30	M5x0.80	1	6
09-01	9	40	M6x0.75	1	7
9.5-02	9.5	45	M5x0.80 LH	1	7.5
9.5-03	9.5	45	M5x0.80	1	7.5
10-03	10	46	M6x1 LH	1	8
10-04	10	42	M6x0.75	1	8
10-06	10	50	M5x0.80 LH	1	8
10-08	10	50	M5x0.80	1	8
12-01	12	42	M7x0.75	1	10
12-04	12	40	M6x1 LH	1	10
12-06	12	42	M7x0.75	1	10
12-07	12	45	M5x0.80 LH	1	10
13-01	13	60	M8x1 LH	1	11
13-02	13	50	M5x0.80 LH	1	11
14-01	14	42	M8x1	3	12
14-04	14	42	M7x0.75	3	12
15-02	15	42	M8x1	3	13
15-03	15	60	M9x1 LH	3	13
15-04	15	60	M10x1 LH	3	13
15-07	15	40	M5x0.50	3	13
15-09	15	73	M10x1 LH	3	13

Collets / Pinces / Spannzangen / Pinze


BARFEEDER COLLETS WITH INTERNAL THREAD



All Dimension are in mm - Unless Otherwise Specified				Capacity	
Part Nr.	Outer Dia	Length	Thread	Range	
	ΦA	L	T	$\Phi D \text{ Min}$	$\Phi D \text{ Max}$
15-11	15	60	M10x1	3	13
15-12	15	60	M8x1	3	13
15-14	15	85	M12x1 LH	3	13
15-15	15	50	M9x1 LH	3	13
15-16	15	16	M8x1 LH	3	13
16-01	16	73	M10x1 LH	3	14
16-04	16	58	M9x1 LH	3	14
16-06	16	42	M8x1	12	14
18-03	18	42	M9x1 LH	6	16
18-04	18	60	M9x1 LH	13	16
18-05	18	59	M10x1 LH	13	16
18-06	18	59	M10x1	13	16
19-01	19	59	M10x1	13	17
19-06	19	60	M9x1 LH	13	17
19-08	19	40	M8x1	12	17
19-09	19	50	M5x0.80 LH	13	17
20-03	20	59	M10x1	4	17
20-04	20	60	M10x1 LH	13	17
20-07	20	60	M10x1	13	17
20-08	20	59	M9x1 LH	13	17
20-09	20	42	M10x1	8	17
20-10	20	59	M9x1	13	17
22-01	22	59	M10x1	17	19
22-04	22	59	M9X1LH	17	19

Collets / Pinces / Spannzangen / Pinze


BARFEEDER COLLETS WITH INTERNAL THREAD



All Dimension are in mm - Unless Otherwise Specified				Capacity	
Part Nr.	Outer Dia	Length	Thread	Range	
	ΦA	L	T	ΦD Min	ΦD Max
23-04	23	59	M10x1	17	20
23-05	23	60	M9x1 LH	17	20
24-01	24	60	M9x1 LH	17	21
25-06	25	59	M10x1	17	22
25-07	25	59	M10x1 LH	17	22
25-08	25	60	M9x1 LH	17	22
25-09	25	60	M17x1	13	22
26.5-01	26.5	65	M17x1	15	23
27-01	27	65	M10x1 LH	15	24
27-02	27	65	M10x1	15	24
27-03	27	59	M9x1 LH	15	24
29-01	29	65	M18x1.5 LH	17	26
30-01	30	65	M10x1	24	27
30-03	30	65	M18x1.5	17	27
30-04	30	65	M18x1.5 LH	17	27
30-05	30	65	M10x1 LH	17	27
32-01	32	70	M17x1 LH	19	29
32-02	32	80	M25x1.5 LH	19	29
32-04	32	80	M25x1.5	19	29
35-02	35	80	M25x1.5	29	32
35-04	35	80	M25x1.5 LH	29	32
36-01	36	100	M30x1.5	23	33
40-01	40	80	M25x1.5	32	37
42-02	42	90	M25x1.5 LH	29	39

Collets / Pinces / Spannzangen / Pinze

BARFEEDER COLLETS WITH INTERNAL THREAD



All Dimension are in mm - Unless Otherwise Specified				Capacity	
Part Nr.	Outer Dia	Length	Thread	Range	
	ϕA	L	T	$\phi D \text{ Min}$	$\phi D \text{ Max}$
42-04	42	80	M25x1.5 LH	32	39
42-05	42	90	M32x1.5 LH	29	39
42-08	42	80	M25x1.5	29	39
44-01	44	80	M25x1.5 LH	39	41
46-01	46	80	M25x1.5	37	43
46-02	46	80	M25x1.5 LH	41	43