





On the
Water
Designs

Floating Docks

Titan Series

*Thinking in generations
means pairing rugged flotation
with a low maintenance frame*



www.OnTheWaterDesigns.com

Floating Docks

Titan Series



The Titan Series Floating Dock combines the best features of all our docking systems into a single, long lasting, high performance dock. Our rugged reinforced pontoon flotation system ensures the dock stays safely above the water and waves. Like all On the Water Designs docks, our Titan Series Pontoon Floating Dock is fabricated by skilled welders and carpenters to ensure your dock lasts a lifetime.. or longer! Our aluminum frames come complete with a 10 year warranty and our reinforced pontoons come complete with a 25 year warranty!

Titan Series Floating Docks Include:

- ✓ Frame, pontoons & Decking (If Purchased)
- ✓ Chain Retainers at Corners
- ✓ 15' & 20' Ramps Include Stiffener & Float
- ✓ 10 Year Welded Frame Warranty
- ✓ 25 Year Pontoon Warranty

Size		Dock			
		No Decking	Micro Pro PT	Western Red Cedar	PVC Endeck / Thruflow
W	L				
6'	15'	\$ 5,150	\$ 6,300	\$ 7,050	\$ 7,150
		21-614	21-615	21-616	21-617
	20'	6,250	7,550	8,450	8,900
		21-619	21-620	21-621	21-622
	25'	7,350	8,750	9,750	10,700
		21-624	21-625	21-626	21-627
	30'	7,850	9,250	10,350	12,400
		21-629	21-630	21-631	21-632
8'	15'	5,600	6,900	7,700	8,200
		21-814	21-815	21-816	21-817
	20'	6,700	8,200	9,000	10,200
		21-819	21-820	21-821	21-822
	25'	8,300	9,900	11,000	13,150
		21-824	21-825	21-826	21-827
	30'	10,000	11,600	12,900	15,150
		21-829	21-830	21-831	21-832
10'	15'	6,700	7,950	9,000	10,300
		21-014	21-015	21-016	21-017
	20'	8,300	9,750	10,800	13,300
		21-019	21-020	21-021	21-022
	25'	40,500	11,950	13,450	16,800
		21-024	21-025	21-026	21-027
	30'	12,500	14,850	16,750	19,400
		21-029	21-030	21-031	21-032

Size		Ramp			
		No Decking	Micro Pro PT	Western Red Cedar	PVC Endeck / Thruflow
W	L				
4'	10'	\$ 1,350	\$ 1,850	\$ 2,100	\$ 2,800
		18-106	18-674	18-823	18-776
	15'	2,550	3,450	3,850	4,250
		18-297	18-761	18-947	18-480
	20'	3,000	4,450	4,900	5,850
		18-567	18-404	18-599	18-653
6'	10'	1,650	2,400	2,650	3,500
		18-177	18-254	18-558	18-859
	15'	2,900	4,300	4,800	5,550
		18-961	18-360	18-899	18-507
	20'	3,250	4,950	5,450	6,550
		18-833	18-397	18-357	18-422
8'	10'	2,500	3,650	4,000	5,300
		18-495	18-407	18-809	18-381
	15'	3,650	5,450	6,000	7,450
		18-399	18-471	18-139	18-698
	20'	4,100	6,250	6,950	8,800
		18-970	18-610	18-531	18-519
10'	10'	2,950	4,550	5,100	6,550
		18-654	18-967	18-853	18-424
	15'	4,100	6,550	7,300	9,100
		18-832	18-766	18-920	18-812
	20'	4,450	7,800	8,700	11,200
		18-134	18-849	18-338	18-251

DID YOU KNOW?


Pontoon floats are the best choice for flotation when big waves are frequent

Pontoon floats respond more slowly than box floats to waves due to the rounded shape of the bottom. This gives a greater feeling of stability in rough conditions when big waves occur.

Are calm conditions your normal? Check out our more economical Designer Series Floating Dock with box floats

Corner Walkway	Size				
3'	3'	625	700	700	900
		17-665	17-128	17-292	17-397
4'	4'	675	800	800	1,025
		17-713	17-293	17-852	17-474
5'	5'	750	900	900	1,150
		17-131	17-605	17-666	17-811

15" Freeboard
Fusion Welded Crossers
Safely Leave In Ice



Delivery & Installation is available through a professional 3rd party installation crew. Delivery is \$150/HR one way. Installation is generally 10% - 13% and may change based on specific requirements. All prices subject to change without notice. All measurements are approximate

Floating Docks

Titan Series



Floating Dock Options

Add Ramp Float	Adds a 2'x3'x16" Float to water side of ramp. This Upgrade is included on 15' & 20' Ramps & 10' Ramps with PVC Decking.	\$ 310.00			
		16-106			
Dock to Dock Stiffener	Turns two dock sections into one large dock section by reinforcing the joint. Docks must join side by side	\$ 525.00			
		16-534			
Accessory Reinforcement	HD aluminum bracket welded below decking to reinforce cleats & mooring whips	\$ 100.00	\$ 100.00		
		Cleat 46-996	Whip 46-997		
HitHinge Upgrade (/Hinge)	Upgrade from HD hinge to HitHinge. Hitch Side is always welded to ramp. Pin Side may be welded or bolted to wood docks with either 1" or 1.5" decking	\$ 85.00	\$ 130.00	\$ 130.00	
		Weld 87-675	1" Deck 87-676	1.5" Deck 87-677	
Concrete Anchor	Concrete anchor for holding floating docks. Chain weights are suspended off the bottom add stability on docks with large water fluctuations	\$ 90.00	\$ 160.00	\$ 60.00	
		Dock (175lb) 89-858	HD (350lb) 89-351	Chain (50lb) 89-283	
Chain (/ft)	Gr. 30 Hot Dipped Galv. Chain is the best choice for most residential applications. Choose Gr. 70 Yellow Zinc for Longest Life & to Combat Zebra Mussels	\$ 6.70	\$ 8.15	\$ 10.65	
		5/16" 74-619	3/8" 74-634	3/8" Gr 70 74-635	
Anti-Sway Cable Kit	Makes your dock feel more stable by reinforcing ramp against twisting motion. Sold by ramp Length.	\$ 250.00	\$ 260.00	\$ 270.00	
		10' 16-175	15' 16-968	20' 16-503	
Skirting (/ft)	Deck board running below dock frame adds an attractive natural finish and hides the gap between the dock and water	\$ 6.00	\$ 8.50	\$ 10.00	\$ 17.00
		Brackets Only 16-540	PT 16-541	Cedar 16-542	PVC 16-543



Shore Attachments

		4'	6'	8'	10'
Shore Beam	6"x6" PT Beam. Used as an adaptor for the shore angle on uneven bedrock.	\$ 345	\$ 400	\$ 450	\$ 450
		16-681	16-904	16-498	16-585
Shore Angle	4" x 4" Aluminum Angle. Mount to shore beam or wood deck	465	510	585	645
		16-222	16-674	16-515	16-293
Shore Plate	4" x 1/4" Aluminum Plate. Mount to the face of a flat surface	330	360	420	425
		16-404	16-406	16-408	16-410
Shore Channel	4" x 2-1/2" Aluminum Channel. Mount to the face of an uneven surface	435	510	690	765
		16-304	16-306	16-308	16-310
Shore Posts	2 Individual hinges mounted to leg holders. Secured with 6' galv. post	\$465			
		16-201			
Concrete Angle	4' x 6" Aluminum Angle. Mount to new or existing concrete	565	725	850	1,025
		16-551	16-438	16-622	16-483

* Note: Concrete Pour Available Separately

Shore Platforms

			No Decking	Micro Pro PT	Western Red Cedar	PVC Endeck / Thruflow
Bedrock	Reinforced Dock frame mounted to bedrock with 1" threaded rod (included)	4' x 4'	\$ 925	\$ 1,150	\$ 1,250	\$ 1,550
			16-603	16-654	16-655	16-108
		6' x 4'	1,050	1,400	1,550	2,050
		16-532	16-826	16-827	16-718	
		8' x 4'	1,200	1,550	1,800	2,350
			16-517	16-759	16-760	16-833
Sand & Clay	Reinforced dock frame with 6' steel legs (included) driven into soil.	4' x 4'	1,225	1,450	1,600	1,850
			16-497	16-204	16-205	16-139
		6' x 4'	1,350	1,700	1,900	2,350
		16-966	16-571	16-572	16-496	
		8' x 4'	1,500	1,850	2,100	2,650
			16-154	16-198	16-199	16-579




Shore Platform

Floating Docks

Titan Series

Contact Us
 On the Water Designs
 Kilworthy (Muskoka) ON
 (866) 477-0177
 info@onthewaterdesigns.com



\$70.00

53- 383 384


Heavy Slant P Bumper | 10'4" Length



\$110.00

53- 697


EZ-Glide Bumper & Track | 10'4" Length



\$105.00

53- 195 196

Single P Bumper | 8' Length



\$45.00

53- 382 946 947

Heavy Outside Corner



\$50.00

53- 593 919 969 970

Large Corner Bumper



Factory Install Bumper LB-359 \$25.00
 Factory Install Corner LB-127 \$10.00
 Bumper Screws (25pk) 68-720 \$7.19
 Bumper Screws (100pk) 68-719 \$28.75



51-552 51-551 51-215

\$27.00

Install LB-948 \$15.00

6" Flip Up Cleat

Hardware Only 68-723 \$8.75



\$55.00

/Ft

16-663

Hand Rail - Aluminum



\$55.00

61-146

Premium Solar Light



Premium Mooring Whips

	Capacity	Size
8'	2,500 lbs	\$ 400
		52-443
12'	5,000 lbs	\$ 600
		52-403
14'	10,000 lbs	\$ 700
		52-208
Wake Watcher	3,500 lbs	\$ 650
		52-318
Install Whips		\$ 40
		LB-460



Wake Watcher™



\$60.50

61-426


Solar Dock Lite (2pk)



\$99.00


61-856

Solar Post Lite (2pk)



Straight Ladder

	Grey	Measurements
3 Step	\$ 489	ID 18"
	54-361	OD 20.5"
4 Step	\$ 525	Depth 5.5"
	54-397	Step Height 11"
5 Step	\$ 575	3 Step Lower Height 33"
	54-330	4 Step Lower Height 44"
Install Ladder	\$ 30	5 Step Lower Height 55"
	LB-681	



Angled Ladder

	Black	White	Grey	Measurements
3 Step	\$ 520	\$ 520	\$ 490	ID
	54-742	54-455	54-869	OD
4 Step	\$ 595	\$ 595	\$ 530	Step Height
	54-743	54-543	54-517	3 Step Lower Height
5 Step	\$ 665	\$ 665	\$ 575	4 Step Lower Height
	54-744	54-350	54-708	5 Step Lower Height
Install Ladder		LB-681	\$ 30	Angle