

## Stock Offerings GD Forest Products

Mill Code				Mill Location				WV
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S	
4/4	FAS/1F	Euro Beech		RW	RL	14,000	Rough	
5/4	FAS/1F	Euro Beech		RW	RL	10,000	Rough	
6/4	FAS/1F	Euro Beech		RW	RL	6,000	Rough	
8/4	FAS/1F	Cherry	90/50+	RW	RL	10,000	Rough	
4/4	FAS/1F	Red Oak		RW	RL	20,000	Rough	
4/4	FAS/1F	Red Oak		7"	RL	5,000	Rough	
4/4	FAS/1F	Red Oak		8"	RL	5,000	Rough	
4/4	FAS/1F	Ash	Unsel.	RW	RL	6,000	Rough	
4/4	Selects	Ash	Unsel.	Narrows	RL	2,000	Rough	
4/4	Selects	White Oak		Narrows	RL	6,000	Rough	
4/4	#1com	Hickory		RW	RL	2,000	Rough	
4/4	#1com	Soft Maple	CURLY	RW	RL	9,000	Rough	
4/4	#1com	Ash	Unsel.	RW	RL	3,000	Rough	
4/4	#2com	Ash	Unsel.	RW	RL	8,000	Rough	
4/4	#2com	White Oak		RW	RL	8,000	Rough	
4/4	FAS/1F	Basswood		RW	RL	50,000	Rough	
4/4	FAS/1F	Beech		RW	RL	4,000	Rough	
4/4	FAS/1F	Cherry	90/50+	10"+	RL	8,000	Rough	
4/4	Sel/Btr	Hard Maple	Brown	RW	RL	3,000	Rough	
4/4	FAS/1F	Red Oak		10"+	RL	25,000	Rough	
4/4	FAS/1F	Walnut		8"+	RL	13,000	Rough	
4/4	Sel/Btr	White Oak		RW	6' Only	14,000	Rough	
4/4	FAS/1F	Yellow Birch	Sap&Btr	RW	RL	4,000	Rough	
4/4	FAS/1F	Yellow Birch	Unsel.	8"+	RL	4,000	Rough	
4/4	FAS/1F	Poplar		RW	RL	50,000	Rough	
4/4	FAS/1F	Poplar		6"	RL	3,000	Rough	
4/4	FAS/1F	Poplar		8"	RL	3,000	Rough	
4/4	FAS/1F	Poplar		10"	RL	6,000	Rough	
4/4	FAS/1F	Poplar		10"+	RL	5,000	Rough	
4/4	FAS/1F	Poplar		12"+	RL	3,000	Rough	
6/4	FAS/1F	Poplar		RW	RL	35,000	Rough	
8/4	FAS/1F	Poplar		RW	RL	35,000	Rough	
4/4	#1com	Basswood		RW	RL	11,000	Rough	
4/4	#1com	Beech		RW	RL	6,000	Rough	
4/4	#1com	Cherry	Unsel.	RW	RL	16,000	Rough	
4/4	#1com	Soft Maple	Sap&Btr	RW	RL	10,000	Rough	
4/4	#1com	White Oak		RW	RL	3,000	Rough	
4/4	#1com	Poplar		RW	RL	50,000	Rough	
4/4	#2com	Beech		RW	RL	10,000	Rough	
4/4	#2com	Soft Maple	Unsel.	RW	RL	9,000	Rough	
4/4	#2com	Poplar		RW	RL	35,000	Rough	

O: 937-387-6989 / M: 937-573-7470 / F: 866-266-0494 / E: agonterdray@outlook.com

## Stock Offerings GD Forest Products

Mill Code		MWC		Mill Location			New England
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S
4/4	FAS	Hard Maple	#1&2W	RW	7'	30,000	Rough
4/4	FAS	Hard Maple	#1&2W	RW	8'	15,000	Rough
4/4	FAS	Hard Maple	#1&2W	RW	9'	17,000	Rough
4/4	#1com	Hard Maple	#1&2W	RW	RL	12,000	Rough
4/4	#1com	Hard Maple	Brown	RW	RL	10,000	Rough
4/4	#3Acom	Hard Maple	Sap&Btr	RW	RL	20,000	Rough
5/4	#1com/Btr	Hard Maple	Stained	RW	RL	3,000	Rough
4/4	Sel/Btr	Soft Maple	Sap&Btr	RW	RL	14,000	Rough
4/4	Sel/Btr	Soft Maple	Brown	RW	RL	10,000	Rough
4/4	#1com/Btr	Soft Maple	Stained	RW	RL	6,000	Rough
4/4	#1com	Soft Maple	Sap&Btr	RW	RL	15,000	Rough
4/4	#1com	Soft Maple	Stained	RW	RL	11,000	S2S
4/4	#1com	Soft Maple	Stained	RW	RL	3,000	Rough
4/4	#1com	Soft Maple	Brown	RW	RL	19,000	Rough
4/4	Sel/Btr	Yellow Birch	Sap&Btr	RW	7'	8,000	Rough
4/4	Sel/Btr	Yellow Birch	Sap&Btr	RW	8'	9,000	Rough
4/4	Sel/Btr	Yellow Birch	Sap&Btr	RW	9'	21,000	Rough
4/4	Sel/Btr	Yellow Birch	Sap&Btr	RW	11-12'	2,000	Rough
4/4	Sel/Btr	Yellow Birch	Brown	RW	6'	9,000	Rough
4/4	Sel/Btr	Yellow Birch	Brown	RW	7'	27,000	Rough
4/4	Sel/Btr	Yellow Birch	Brown	RW	8'	37,000	Rough
4/4	Sel/Btr	Yellow Birch	Brown	RW	9-10'	25,000	Rough
4/4	Sel/Btr	Yellow Birch	Brown	RW	11-12'	3,000	Rough
4/4	Sel/Btr	Yellow Birch	Stained/Uns	RW	RL	9,000	Rough
4/4	#1com/Btr	Yellow Birch	Stained/Uns	RW	RL	20,000	Rough
4/4	#1com	Yellow Birch	Unsel.	RW	RL	20,000	Rough
4/4	#3Acom	Yellow Birch	Red	RW	RL	6,000	Rough
4/4	#3Bcom	Yellow Birch	Unsel.	RW	RL	13,000	Rough
8/4	Sel/Btr	Yellow Birch	Unsel.	RW	RL	15,000	Rough
8/4	Sel/Btr	Yellow Birch	CURLY	RW	RL	4,500	Rough
8/4	#2com	Yellow Birch	Unsel.	6"+	RL	18,000	Rough
8/4	#3com	Yellow Birch	Unsel.	6"+	RL	14,000	Rough
4/4	Sel/Btr	Ash	Unsel.	RW	RL	15,000	Rough
4/4	#1com	Ash	Unsel.	RW	RL	3,000	Rough

## Stock Offerings GD Forest Products

Mill Code SLC				Mill Location			TN
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S
4/4	#1com	Ash		RW	RL	6,900	Rough
4/4	#1com	Cherry		RW	RL	5,200	Rough
4/4	#2com	Cherry		RW	RL	5,000	Rough
4/4	#1com	Hard Maple		RW	RL	2,900	Rough
4/4	#2com	Hard Maple		RW	RL	4,000	Rough
4/4	FAS	Hard Maple		RW	RL	4,200	Rough
4/4	#1com	Poplar		RW	RL	5,200	Rough
4/4	#2com	Poplar		RW	RL	4,000	Rough
4/4	FAS	Poplar		12"+	RL	8,100	Rough
4/4	FAS	Poplar		RW	RL	11,300	Rough
6/4	FAS	Poplar		RW	RL	23,000	Rough
8/4	#2com	Poplar		RW	RL	3,200	Rough
8/4	FAS	Poplar		10"+	RL	2,000	Rough
4/4	#1com	Red Oak		RW	RL	23,600	Rough
4/4	#2com	Red Oak		RW	RL	16,000	Rough
4/4	#3com	Red Oak		RW	RL	16,500	Rough
4/4	FAS	Red Oak		12"+	RL	7,500	Rough
4/4	FAS	Red Oak		RW	RL	5,900	Rough
4/4	FAS	Red Oak		RW	6'	2,600	Rough
5/4	#1com	Red Oak		RW	RL	3,600	Rough
5/4	FAS	Red Oak		RW	RL	50,000	Rough
4/4	#1com	Soft Maple		RW	RL	6,000	Rough
4/4	#2com	Soft Maple		RW	RL	9,200	Rough
4/4	FAS	Soft Maple		RW	RL	6,900	Rough
4/4	#1com	Walnut		RW	RL	2,600	Rough
4/4	#2com	Walnut		RW	RL	2,200	Rough
4/4	#1com	White Oak		RW	RL	19,700	Rough
4/4	#2com	White Oak		RW	RL	3,600	Rough
4/4	#3com	White Oak		RW	RL	2,100	Rough
4/4	FAS	White Oak		RW	RL	5,700	Rough
5/4	#2com	White Oak		RW	RL	5,200	Rough
5/4	FAS	White Oak		RW	RL	6,100	Rough
6/4	#1com	White Oak		RW	RL	1,000	Rough
6/4	FAS	White Oak		10"+	RL	3,100	Rough

Mill Code KWW				Mill Location			IN
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S
4/4	FAS	Poplar		RW	8'	16,000	S2S
4/4	FAS	Poplar		RW	10'	16,000	S2S
4/4	FAS	Poplar		RW	16'	32,000	S2S
6/4	FAS	Poplar		RW	12'	16,000	S2S
8/4	#1com	Poplar		RW	RL	16,000	S2S
4/4	FAS	Red Oak		RW	10'	25,000	S2S

O: 937-387-6989 / M: 937-573-7470 / F: 866-266-0494 / E: agonterdray@outlook.com

## Stock Offerings GD Forest Products

Mill Code CLC				Mill Location			TN
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S
4/4	FAS	Hard Maple		RW	RL	28,000	Rough
4/4	#1com	Hard Maple		RW	RL	24,500	Rough
4/4	#2com	Hard Maple		RW	RL	32,000	Rough
4/4	FAS	Poplar		RW	RL	15,000	Rough
4/4	#1com	Poplar		RW	RL	50,000	Rough
5/4	FAS	Poplar		RW	RL	29,000	Rough
5/4	#1com	Poplar		RW	RL	16,000	Rough
6/4	FAS	Poplar		RW	RL	24,000	Rough
8/4	#1com	Poplar		RW	RL	6,000	Rough
12/4	FAS	Poplar		RW	RL	12,000	Rough
6/4	FAS	Red Oak		RW	RL	24,000	Rough
8/4	FAS	Red Oak		RW	RL	42,000	Rough
4/4	FAS	White Oak		RW	RL	44,000	Rough
4/4	#1com	White Oak		RW	RL	15,000	Rough
5/4	FAS	White Oak		RW	RL	22,000	Rough
6/4	FAS	White Oak		RW	RL	5,200	Rough
6/4	#2com	White Oak		RW	RL	5,200	Rough
8/4	#1com	White Oak		RW	RL	1,500	Rough
5/4	#1com	Ash		RW	RL	19,000	Rough

Mill Code OPS				Mill Location			PA
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S
4/4	FAS	Ash	Unsel	RW	13-16'	12,000	Rough
4/4	FAS	Ash	Unsel	8-10"	RL	10,000	Rough
4/4	FAS	Ash	Unsel	10"+	RL	5,800	Rough
4/4	Selects	Ash	Unsel	RW	6'	5,100	Rough
5/4	FAS	Ash	Unsel	RW	13-16'	12,000	Rough
5/4	FAS	Ash	Sap&Btr	RW	RL	15,000	Rough
10/4	FAS	Ash	Unsel	RW	RL	5,000	Rough
12/4	FAS	Ash	Unsel	RW	RL	3,000	Rough
4/4	FAS	Hickory	Unsel	RW	RL	11,500	Rough
4/4	#2com	Hickory	Unsel	RW	RL	12,000	Rough
4/4	FAS	Cherry	90/70+	RW	RL	6,000	Rough
4/4	FAS	Cherry	90/50+	RW	13-16'	12,000	Rough
4/4	FAS	Cherry	90/50+	8-10"	RL	12,000	Rough
5/4	FAS	Cherry	90/80+	RW	RL	8,000	Rough
5/4	#1com	Cherry	90/80+	RW	RL	6,000	Rough
8/4	FAS	Cherry	90/50+	RW	RL	12,000	Rough
10/4	FAS	Cherry	90/50+	RW	RL	12,000	Rough
12/4	FAS	Cherry	90/50+	RW	RL	12,000	Rough
4/4	FAS	Hard Maple	Unsel	RW	RL	15,000	Rough
5/4	FAS	Hard Maple	Unsel	RW	RL	7,200	Rough
8/4	FAS	Hard Maple	Unsel	RW	RL	6,800	Rough

O: 937-387-6989 / M: 937-573-7470 / F: 866-266-0494 / E: agonterdray@outlook.com

## Stock Offerings GD Forest Products

Mill Code GFP				Mill Location KY			
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S
4/4	FAS	Basswood		RW	RL	15,000	Rough
4/4	#1com	Basswood		RW	RL	3,700	Rough
4/4	FAS	Cherry	Unsel	RW	RL	8,000	Rough
4/4	#1com	Cherry	Unsel	RW	RL	3,400	Rough
4/4	#2com	Cherry	Unsel	RW	RL	2,300	Rough
4/4	FAS	Hard Maple	Unsel	RW	RL	4,900	Rough
4/4	#2com	Hard Maple	Brown	RW	RL	10,800	Rough
4/4	#1com	Soft Maple	Brown	RW	RL	10,000	Rough
4/4	#2com	Soft Maple	Brown	RW	RL	2,900	Rough

Mill Code JMW				Mill Location PA			
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S
4/4	FAS	Red Oak	Rift	RW	RL	3,000	Rough
4/4	FAS	Red Oak	Qtr	RW	RL	3,000	Rough
4/4	#1com	Red Oak	R/Q	RW	RL	7,000	Rough
5/4	FAS	Hickory	Calico	RW	RL	3,000	Rough
5/4	Rustic	Hickory		RW	RL	11,000	Rough
4/4	FAS	Hard Maple	#1&2 White	RW	RL	12,000	Rough
4/4	#1com	Hard Maple	Sap&Btr	RW	RL	6,000	Rough
4/4	#2com	Hard Maple	Sap&Btr	RW	RL	6,000	Rough
4/4	FAS	Hard Maple	Brown	RW	RL	6,000	Rough
6/4	FAS	Hard Maple	#1&2 White	RW	RL	6,000	Rough
4/4	FAS	White Oak		RW	RL	10,000	Rough
4/4	FAS	White Oak		10"+	RL	3,000	Rough
4/4	#1com	White Oak		RW	RL	4,000	Rough
4/4	#2com	White Oak		RW	RL	4,000	Rough
4/4	FAS	White Oak	RIFT	RW	RL	8,000	Rough
4/4	#1com	White Oak	R/Q	RW	RL	12,000	Rough
4/4	Live Sawn	White Oak		7-8"	RL	5,000	Rough
4/4	Live Sawn	White Oak		8-9"	RL	9,000	Rough
4/4	Live Sawn	White Oak		10-11"	RL	10,000	Rough
5/4	FAS	White Oak		RW	RL	22,000	Rough
5/4	#2com	White Oak		RW	RL	2,000	Rough
6/4	FAS	White Oak		RW	RL	6,000	Rough
6/4	#1com	White Oak		RW	RL	8,000	Rough
6/4	#2com	White Oak		RW	RL	3,000	Rough
4/4	FAS	Soft Maple	Sap&Btr	RW	RL	12,000	Rough
4/4	#1com	Soft Maple	Sap&Btr	RW	RL	7,000	Rough
4/4	FAS	Walnut		RW	RL	14,000	Rough
5/4	FAS	Walnut		RW	RL	6,000	Rough
8/4	FAS	Walnut		RW	RL	3,000	Rough
8/4	#1com	Walnut		RW	RL	9,000	Rough

O: 937-387-6989 / M: 937-573-7470 / F: 866-266-0494 / E: [agonterdray@outlook.com](mailto:agonterdray@outlook.com)

## Stock Offerings GD Forest Products

Mill Code				TE		Mill Location		OH
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S	
6/4	FAS	Poplar	Prime	RW	RL	20,000	S2S	
4/4	FAS	Red Oak		RW	7'	12,000	Rough	
4/4	FAS	Red Oak		RW	RL	12,000	Rough	
4/4	FAS	Red Oak		12"+	RL	6,000	Rough	
4/4	#2com	Red Oak		RW	RL	12,000	Rough	
4/4	FAS	White Oak	RIFT	6"+	6-12'	12,000	Rough	
4/4	Selects	White Oak	RIFT	4-5"	7-12'	12,000	Rough	
4/4	FAS	Poplar		RW	7'	10,000	Rough	
4/4	FAS	Poplar		RW	8-12'	16,000	Rough	
4/4	Rustic	Hickory		RW	RL	12,000	Rough	
5/4	FAS	Basswood		RW	RL	18,000	Rough	

Mill Code				PLC		Mill Location		IA
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S	
6/4	Sel/Btr	Soft Maple	Sap&Btr	RW	RL	37,000	Rough	
4/4	#1com	Soft Maple	Sap&Btr	RW	RL	50,000	Rough	
4/4	#1com	Soft Maple	Brown	RW	RL	35,000	Rough	
4/4	#2Acom	Soft Maple	Sap&Btr	RW	RL	28,000	Rough	
4/4	Sel/Btr	Red Oak		RW	RL	32,000	Rough	
4/4	Sel/Btr	Red Oak		10"+	RL	17,000	Rough	
4/4	Sel/Btr	White Oak	R/Q	4" to 4.9"	RL	26,500	Rough	
4/4	#1com	White Oak	R/Q	4" to 4.9"	RL	28,400	Rough	
4/4	#1com	White Oak	R/Q	7" to 7.9"	RL	28,300	Rough	
4/4	#2com	White Oak	R/Q	5" to 5.9"	RL	22,200	Rough	

Mill Code				HH		Mill Location		IL
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S	
10/4	Sel/Btr	Soft Maple		RW	RL	6,000	Rough	
10/4	#1com	Soft Maple		RW	RL	3,500	Rough	
10/4	#2com	Soft Maple		RW	RL	6,000	Rough	
12/4	Sel/Btr	Poplar		RW	RL	5,100	Rough	
12/4	#1com	Poplar		RW	RL	16,000	Rough	
10/4	#1com	Poplar		RW	RL	9,300	Rough	
4/4	Sel/Btr	Cherry	R/Q	RW	RL	3,100	Rough	
6/4	Sel/Btr	Cherry	R/Q	RW	9-14'	1,000	Rough	
8/4	Sel/Btr	Cherry	R/Q	RW	7-16'	3,000	Rough	
4/4	#1com/Btr	Hickory	R/Q	RW	RL	1,350	Rough	
4/4	Sel/Btr	Hard Maple - Brwn	R/Q	RW	7-16'	28,000	Rough	
8/4	Sel/Btr	Hard Maple - Brwn	R/Q	RW	6-16'	3,800	Rough	
4/4	Sel/Btr	Beech	R/Q	RW	8-15'	3,900	Rough	
4/4	#1com	Hard Maple	Brown	RW	RL	12,000	Rough	
16/4	Sel/Btr	Red Oak		RW	RL	850	Rough	
12/4	#1com	Red Oak		RW	RL	3,200	Rough	

O: 937-387-6989 / M: 937-573-7470 / F: 866-266-0494 / E: agonterdray@outlook.com

## Stock Offerings GD Forest Products

<u>Mill Code</u>		<u>CSL</u>		<u>Mill Location</u>			<u>IN</u>
<u>Thick</u>	<u>Grade</u>	<u>Specie</u>	<u>Color</u>	<u>Widths</u>	<u>Lengths</u>	<u>Volume</u>	<u>Rgh/S2S</u>
4/4	Sel/Btr	Basswood		RW	RL	16,700	Rough
4/4	#1com	Basswood		RW	RL	5,900	Rough
12/4	Sel/Btr	Basswood		RW	RL	2,400	Rough
4/4	#2com	Cherry		RW	RL	3,600	Rough
5/4	Sel/Btr	Cherry		RW	RL	7,000	Rough
5/4	#2com	Cherry		RW	RL	2,300	Rough
6/4	Sel/Btr	Cherry		RW	RL	2,300	Rough
8/4	Sel/Btr	Cherry		RW	RL	5,000	Rough
10/4	Sel/Btr	Cherry		RW	RL	4,200	Rough
4/4	Sel/Btr	Red Elm		RW	RL	2,100	Rough
5/4	Sel/Btr	Hickory		RW	RL	3,800	Rough
5/4	#1com	Hickory		RW	RL	5,200	Rough
6/4	Sel/Btr	Hickory		RW	RL	4,800	Rough
6/4	#1com	Hickory		RW	RL	4,500	Rough
8/4	#1com	Hickory		RW	RL	7,400	Rough
4/4	Sel/Btr	Hard Maple	Sap&Btr	RW	RL	15,000	Rough
4/4	#1com	Hard Maple	Sap&Btr	RW	RL	9,000	Rough
4/4	#2com	Hard Maple	Sap&Btr	RW	RL	7,400	Rough
5/4	Sel/Btr	Hard Maple	Brown	RW	RL	650	Rough
5/4	#1com	Hard Maple	Sap&Btr	RW	RL	7,400	Rough
6/4	Sel/Btr	Hard Maple	Sap&Btr	RW	RL	2,500	Rough
8/4	Sel/Btr	Hard Maple	Sap&Btr	RW	RL	13,500	Rough
4/4	Sel/Btr	Soft Maple		RW	RL	9,900	Rough
4/4	#1com	Soft Maple		RW	RL	10,400	Rough
5/4	Sel/Btr	Soft Maple		RW	RL	3,900	Rough
8/4	Sel/Btr	Soft Maple		RW	RL	3,500	Rough
4/4	#1com/Btr	Soft Maple	WHND	RW	RL	15,500	Rough
4/4	Sel/Btr	Red Oak		RW	RL	3,800	Rough
8/4	Sel/Btr	Red Oak		RW	RL	6,100	Rough
4/4	#2com	White Oak		RW	RL	13,300	Rough
4/4	Rustic	White Oak		6"	RL	10,900	Rough
4/4	Rustic	White Oak		8"	RL	8,100	Rough
4/4	FAS	Poplar		12"+	RL	12,100	Rough
4/4	FAS	Poplar		10-11"	RL	10,100	Rough
4/4	FAS	Poplar		RW	RL	16,900	Rough
4/4	#1com	Poplar		RW	RL	8,100	Rough
5/4	FAS	Poplar		12"+	RL	3,500	Rough
5/4	#1com	Poplar		RW	RL	7,600	Rough
6/4	FAS	Poplar		RW	RL	21,100	Rough
7/4	FAS	Poplar		RW	RL	14,400	Rough
8/4	FAS	Poplar		RW	RL	11,300	Rough
12/4	FAS	Poplar		RW	RL	3,200	Rough
16/4	FAS	Poplar		RW	RL	10,800	Rough

O: 937-387-6989 / M: 937-573-7470 / F: 866-266-0494 / E: [agonterdray@outlook.com](mailto:agonterdray@outlook.com)

## Stock Offerings GD Forest Products

Mill Code		MHC	Mill Location				IN
Thick	Grade	Specie	Color	Widths	Lengths	Volume	Rgh/S2S
4/4	#1com	Ash		RW	RL	7,700	Rough
4/4	#2com	Ash		RW	RL	4,600	Rough
5/4	#1com	Ash		RW	RL	13,900	Rough
5/4	#2com	Ash		RW	RL	5,700	Rough
8/4	#2com	Ash		RW	RL	1,700	Rough
4/4	#1com	Beech		RW	RL	4,650	Rough
4/4	#2com	Beech		RW	RL	6,350	Rough
4/4	#1com	Cherry		RW	RL	9,100	Rough
4/4	#2com	Cherry		RW	RL	2,900	Rough
4/4	#2com	Cherry	Steamed	RW	RL	1,650	Rough
6/4	#1com	Cherry		RW	RL	15,200	Rough
6/4	#2com	Cherry		RW	RL	8,600	Rough
4/4	Sel/Btr	Hickory	Stained	RW	RL	5,650	Rough
5/4	Sel/Btr	Hickory	Stained	RW	RL	5,250	Rough
5/4	#1com	Hickory		RW	RL	10,600	Rough
5/4	#2com	Hickory		RW	RL	11,900	Rough
6/4	#1com	Hickory		RW	RL	13,100	Rough
6/4	#2com	Hickory		RW	RL	6,400	Rough
6/4	#2com	Hickory	Stained	RW	RL	3,000	Rough
8/4	Sel/Btr	Hickory	Stained	RW	RL	7,750	Rough
8/4	#2com	Hickory		RW	RL	5,200	Rough
4/4	#1com	Hard Maple	Brown	RW	RL	5,100	Rough
4/4	#1com	Hard Maple	Unsel	RW	RL	4,350	Rough
4/4	#1com	Hard Maple	Sap&Btr	RW	RL	8,300	Rough
4/4	#2com	Hard Maple	Unsel	RW	RL	19,600	Rough
5/4	#1com	Hard Maple	Sap&Btr	RW	RL	4,800	Rough
6/4	#1com	Hard Maple	Brown	RW	RL	4,350	Rough
6/4	#1com	Hard Maple	Sap&Btr	RW	RL	15,200	Rough
6/4	#2com	Hard Maple	Unsel	RW	RL	13,900	Rough
8/4	#1com	Hard Maple	Brown	RW	RL	6,000	Rough
8/4	#1com	Hard Maple	Sap&Btr	RW	RL	24,800	Rough
8/4	#2com	Hard Maple	Unsel	RW	RL	18,500	Rough
4/4	#1com	Poplar		RW	RL	50,000	Rough & S2S
5/4	#1com	Poplar		RW	RL	9,800	Rough
5/4	#2com	Poplar		RW	RL	2,550	Rough
8/4	#1com	Poplar		RW	RL	21,300	Rough
8/4	#2com	Poplar		RW	RL	19,900	Rough
10/4	#1com	Poplar		RW	RL	12,600	Rough
10/4	#2com	Poplar		RW	RL	9,100	Rough
12/4	#1com	Poplar		RW	RL	5,200	Rough
12/4	#2com	Poplar		RW	RL	4,400	Rough
16/4	#1com	Poplar		RW	RL	1,000	Rough
16/4	#2com	Poplar		RW	RL	1,800	Rough

O: 937-387-6989 / M: 937-573-7470 / F: 866-266-0494 / E: agonterdray@outlook.com