



2025 PRODUCT CATALOG

SINCE '71

MORE PEOPLE ARM THEMSELVES WITH BULWARK® THAN ANY OTHER FR BRAND.



We are Bulwark. The world's leading flame-resistant (FR) apparel brand. And the relentless protectors of the people who power the world. From outfitting you with the finest, most advanced, most intuitively designed FR products ever made, to surrounding you with the industry's premier FR education programs and consultative services with over 50 years of frontline experience, we are your total FR solution. So when you see our triangle on your left, trust you've done everything right. Because with Bulwark, you are armed – literally, and figuratively – with **the world's best.**



TABLE OF CONTENTS



7	FABRIC GUIDE
8	ICON LEGEND
10	iQ SERIES®
32	CANVAS COLLECTION
40	HI-VISIBILITY & RAINGEAR
52	INSECT SHIELD®
58	SHIRTS
78	PANTS
88	BIBS & COVERALLS
104	OUTERWEAR
128	WORK & LAB COATS
132	WOMEN'S
156	ACCESSORIES
162	CUSTOMIZATION
164	HOW TO MEASURE
166	FIT CHARTS
178	ADDITIONAL INFO
179	PRODUCT INDEX

SINCE '71

FABRIC GUIDE

Use our fabric guide to help you select the optimal Bulwark® fabric for any situation. Our comprehensive range of industry-leading options guarantees a perfect fit for a wide variety of industrial applications.



iQ SERIES®

iQ Series® products shift our collective mindset from the garment to the wearer and are designed to solve real-world problems. From the yarn blending to the fabric finishing, this product is created by a team of professionals with a hands-on approach. iQ products are created from blends of high performance fibers incorporated into superior fabrics. They are available in a variety of weights and are designed to achieve multiple industry standards.

EXCEL FR® **100% COTTON. 100% COMFORT.** **100% FLAME-RESISTANT.**

EXCEL FR® cotton garments offer unbeatable protection for foundries, flame cutting and welding, as well as electrical utilities and the chemical, oil, gas and petrochemical industries. All EXCEL FR® cotton apparel is permanently treated to guarantee flame resistance for the life of the garment.

EXCEL FR® COMFORTOUCH® **COTTON'S COMFORT. NYLON'S DURABILITY.**

This practical 88% Cotton/12% Nylon blend provides long-lasting protection for nearly all work environments. Ideal applications include ferrous metals, electrical utilities and the chemical, oil, gas and petrochemical industries. Every EXCEL FR® ComforTouch® garment is engineered to provide flame resistance for the life of the garment.

NOMEX® ESSENTIAL **LIGHTWEIGHT. BREATHABLE.** **INHERENTLY FLAME-RESISTANT.**

DuPont Nomex® Essential (93% Nomex® Aramid/ 5% Kevlar® Aramid/2% Anti-Static Fiber) garments are extremely durable. Nomex® Essential apparel is preferred by workers in petrochemical and refinery environments and makes a great choice for electric and gas utility workers.

COOLTOUCH® 2 **DURABLE. WICKABLE. BLENDED INHERENT.**

CoolTouch® 2 garments provide flame-resistant protection in a lightweight blended fabric (48% Modacrylic/37% Lyocell/15% Para-Aramid and 45% Modacrylic/35% Lyocell/15% Polyamide/ 5% Para-Aramid). The result – unbeatable softness coupled with lasting durability and available in CAT1 and CAT2 protection.

HI-VISIBILITY FR **FLAME-RESISTANT. COMFORTABLE. COMPLIANT.**

Bulwark® offers garments designed to provide additional wearer safety during periods of limited visibility or in the often complex and varying backgrounds found in many occupations such as traffic control, construction and utility work along roadways and equipment operation.

HI-VISIBILITY RAINWEAR **BE SAFE. BE DRY. BE SEEN.**

Flame-resistant rainwear from Bulwark® provides an effective barrier against rain and wind. Extra confidence comes from knowing these garments will not melt, drip or burn when exposed to an electrical arc or flash fire.

MOLTEN METAL® PROTECTION **SHED MOLTEN ALUMINUM. CAST OFF CRYOLITE.**

Because of its unique ability to shed molten aluminum as well as cryolite, specialized Molten Metal protective garments are used extensively throughout the aluminum casting industry. When laundered properly, our products are flame-resistant for the life of the garment, so their ability to protect will never be compromised.

ELECTRICAL SWITCHING CLOTHING **PROTECTION FOR MAXIMUM EXPOSURE.**

For employees installing, maintaining or repairing high-voltage electrical systems, Bulwark's 40 cal/cm² electrical switching coat, bib and hood with face shield provide protection from extreme electrical arc risks.

ICON LEGEND

Throughout the catalog, you will notice different icons in the product descriptions for our garments. The icons help you quickly determine new products, CAT protection and NFPA® 2112 compliance.



NEW PRODUCT FOR 2025

ARC RATINGS

Short sleeved FR shirts are not intended to be worn as single layer protection because they do not fully cover potentially exposed areas as completely as possible.



CATEGORY 1 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall with a required minimum Arc Rating of 4 cal/cm².



CATEGORY 2 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall with a required minimum Arc Rating of 8 cal/cm².



CATEGORY 3 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall, arc flash suit, balaclavas etc. selected so that the system arc rating meets a required minimum Arc Rating of 25 cal/cm².



CATEGORY 4 PROTECTION

Arc-rated FR long-sleeve shirt and pants or FR coverall, and arc flash suit selected so that the system arc rating meets a required minimum Arc Rating of 40 cal/cm². CAT4 outerwear is not equivalent to 40 cal switching gear/flash suit and does not offer equivalent protection to workers engaged in switching and/or similar activities.



CP 100 PROTECTION

Garments that provide repellency for a low level of liquid chemical splash protection. They repel many but not all acids, corrosives, oxidizers and polar organic solvents¹, that typically have medium to high surface tension and medium to high polarity. Their application is only for inadvertent liquid chemical-splash of small volumes at atmospheric pressure. Garments that provide repellency for a low level of liquid chemical splash protection.



NFPA® 2112 COMPLIANT

Bulwark® Protective Apparel offers flame-resistant protective garments that are certified by UL to meet the requirements of NFPA® 2112 Standard on Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposure from Fire. NFPA® 2113 Standard on Selection, Care, Use, and Maintenance of Flame-Resistant Garments for Protection of Industrial Personnel Against Short-Duration Thermal Exposure from Fire, requires that garments cover the upper and lower body and flammable underlayers as completely as possible. Bulwark® garments meet this requirement either as a single garment such as a coverall or when worn with another certified garment such as a shirt or pants to provide both upper and lower body coverage.

WASH CODES

Do not use bleach, hydrogen peroxide, starch or fabric softeners on any Bulwark garment. Please visit bulwark.com for complete laundry instructions.



INDUSTRIAL LAUNDRY - HEAVY SOIL: This method of laundering is commonly used to remove heavy soil with a combination of higher water temperature (160° F max) and harsher chemistry. pH should be held to 11.5 max. More aggressive wash formulas may be necessary to remove heavy soils but may result in accelerated color loss, deterioration in performance of retroreflective trim and overall reduced garment service life.



INDUSTRIAL LAUNDRY - LIGHT SOIL: This less aggressive (industrial) laundering process is commonly used on uniforms which are lightly soiled or made of fabrics that are not designed to withstand higher wash temperatures or harsher chemistry. In a typical light soil formula, water temperatures are usually held to a maximum of 140° F and pH to 10.5 max.



HOME WASH: A laundering process normally defined as washing in a residential type top- or front-loading unit followed by tumble drying. Detergents used in this process are formulated for home use and are readily available on the consumer market.

¹See bulwark.com/labs-and-material-handling.html for more information including a technical brief with a list of chemicals that have been tested.



iQ SERIES®



The industry's ongoing call for smarter FR deserves a revolutionary response. The Bulwark® iQ Series®. Every iQ garment is the product of a new way of thinking: Design to solve real world FR problems uncovered from first-hand, real-wear insights. Then employ the latest scientific advancements and fabric technologies to bring those designs to life. The future of FR is here. And it's brighter than ever before.

SINCE '71



®

iQ SERIES[®] **COMFORT COLLECTION**



Let's be honest, "comfort" isn't exactly the first word that comes to mind when most people in the safety industry think of FR. The iQ Series[®] Comfort Collection set out to change that, by combining revolutionary design features with lightweight and breathable fabrics to make this collection the most comfortable FR on the market. Because the job isn't always comfortable, but that doesn't mean your FR workwear can't be.

VIEW THE COLLECTION: BULWARK.COM



QS24RB



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The men's shirt features larger chest pockets for more storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS24 - Men's (Reg) S-6XL. (Long) S-6XL. Fit Chart MFC-240.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



QS23NV



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The women's shirt features a Napoleon chest pocket for secure storage and is uniquely designed to fit a woman's body. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS23 - Women's (Reg) XS-3XL. Fit Chart LFC-51.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



QS50EV



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN ENHANCED VISIBILITY SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Enhanced Visibility Shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS50 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²)
50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Grey Enhanced (EV), Navy Enhanced (NE)



QS50DG



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS50 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)

DG

NV

QS51NV



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven Shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS51 - Women's (Reg) XS-3XL. Fit Chart LFC-51.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)

DG

NV

QS52LB



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirt is made exclusively with TenCate Evolv™ fabric. It features larger chest pockets for more storage, and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked. The protection level is easily visible on the sleeve with exterior CAT2 and 2112 labels.

QS52 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Light Grey (LG)

KH

LB

LG



QS53KH



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven Shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS53 - Women's (Reg) XS-3XL. Fit Chart LFC-41.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²)
41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Khaki (KH)

KH

QS28RD



iQ SERIES® MEN'S MIDWEIGHT COMFORT WOVEN SNAP-FRONT SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven Snap-Front Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features a banded collar, snap front closure, two large chest pockets with snap closure flaps that provide convenient storage, sewn-in pencil stall, multi-use utility loops in shoulder seams, and full underarm gussets keep your shirt from coming untucked.

QS28 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)

RD

QS27RD



iQ SERIES® WOMEN'S MIDWEIGHT COMFORT WOVEN SNAP-FRONT SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven Snap-Front Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features a banded collar, snap front closure, vertical zipper pocket on left chest for secure storage, multi-use utility loops in shoulder seams, and full underarm gussets keep your shirt from coming untucked. Feminine fit.

QS27 - Women's (Reg) XS-3XL. Fit Chart LFC-103.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)

RD

QS26NV



iQ SERIES® MEN'S MIDWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features larger chest pockets for more storage and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS26 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



QS25RB



iQ SERIES® WOMEN'S MIDWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The shirt is uniquely designed to fit a women's body. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing the garment to move with you without riding up, restricting your movement or coming untucked. Napoleon chest pocket provides secure storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS25 - Women's (Reg) XS-3XL. Fit Chart LFC-103.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



QS26RE



iQ SERIES® MEN'S MIDWEIGHT COMFORT WOVEN ENHANCED VISIBILITY SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Men's Midweight Comfort Woven Enhanced Visibility Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. It features larger chest pockets for more storage and full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS26 - Men's (Reg) S-6XL. (Long) M-6XL. Fit Chart MFC-240.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy Enhanced (NE), Royal Blue Enhanced (RE)





QT40KH



iQ SERIES® MEN'S COMFORT PLUS KNIT LONG SLEEVE HENLEY

NFPA® 2112 Compliant

The iQ Series® Comfort Plus Knit Henleys are the next-generation of FR workwear. The lightweight, moisture-wicking material is the first of its kind—available exclusively with Westex G2™ fabrics by Milliken®. Underarm gussets allow you to stretch and reach, without your shirt riding up, while ribbing in the cuffs keeps your sleeves securely in place. The 4-button placket and contrast stitching give this henley a contemporary and stylish look, with the FR protection you expect from Bulwark. CAT2 and 2112 labels easily visible on the sleeve.

QT40 - Men's (Reg) S-4XL. (Long) L-3XL.
Fit Chart MFC-03.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 7.5 oz. (255 g/m²) 70% Cotton / 30% Polyester

Protection: Arc Rating E_{BT} 12 calories/cm²

Colors: Charcoal (CH), Khaki (KH)

CH KH

iQ SERIES[®]

LIGHTWEIGHT COMFORT PANT



QP17RB

QP16NV

**WIDE/LONG BELT LOOPS
TO FIT LARGER BELTS**

1

JEAN STYLE CUT

2

FULL CROTCH GUSSET

3

**CARGO POCKET WITH SNAP
CLOSURE FOR SECURE STORAGE**

4

**DOUBLE UTILITY POCKET FOR
QUICK ACCESS TO STORAGE**

5

**DOUBLE ARTICULATED KNEES
FOR EASE OF MOVEMENT AND
INCREASED MOBILITY**

6



iQ SERIES[®] MEN'S & WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA[®] 2112 Compliant

Designed to keep you cool and in command all day long. This modern, straight-fit jean style work pant features a one-piece waistband with wide belt loops and a right front belt extension loop. Scoop front pockets, patch pocket hip pockets, a double utility pocket on the right side plus a cargo pocket with snap closure on left gives you a leg up on your storage needs. Double articulated knees and a full crotch gusset help make bending a breeze.

QP16 - Men's 28-56 Even. Fit Chart MFC-127.

QP17 - Women's 0-24 Even. Fit Chart LFC-69.

Fabric: Exclusively with Nomex[®] Comfort fabrics by DuPont[®]. Flame-resistant, 6 oz. (200 g/m²)
93% Nomex / 5% Kevlar[®] / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)





iQ SERIES® LIGHTWEIGHT COMFORT PANT



QP18NV

QP19NV



- 1 **TRIPLE NEEDLE OUT AND INSEAM FOR EXTRA DURABILITY**
- 2 **CARGO POCKET WITH SNAP CLOSURE FOR SECURE STORAGE**
- 3 **JEAN STYLE CUT**
- 4 **UTILITY POCKET ON RIGHT LEG FOR QUICK ACCESS TO STORAGE**
- 5 **REINFORCED BACK PATCH POCKETS AND CARGO POCKET**



iQ SERIES® MEN'S & WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

Let our work pant do a little more of the lifting. The Bulwark® iQ Series® Lightweight Comfort Pant is stylishly designed to keep you cool and in command all day long. This modern, straight fit jean style work pant features a one-piece waistband with wide belt loops, scoop front pockets, reinforced cargo pocket with snap closure on the left and patch hip pockets, a utility pocket on the right side plus triple needle out and inseam for extra durability.

QP18 - Men's 28-56 Even. Fit Chart MFC-116.

QP19 - Women's 0-24 Even. Fit Chart LFC-69.

Fabric: Exclusively with TenCate Evolv™ 6.5 oz. 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.4 calories/cm²

Color: Navy (NV)

NV



QP14NE



iQ SERIES®
MEN'S LIGHTWEIGHT
COMFORT ENHANCED
VISIBILITY PANT

NFPA® 2112 Compliant

This iQ Series® Lightweight CAT2 pant is stylishly designed to keep you cool and in command all day long. It is NFPA® 2112 compliant, with a straight-fit, modern jean style.

QP14 - Men's (Reg) 28-56 Even.
 Fit Chart 127.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NE)

NE

QP14BK



iQ SERIES®
MEN'S LIGHTWEIGHT
COMFORT PANT

NFPA® 2112 Compliant

This iQ Series® Lightweight CAT2 pant is stylishly designed to keep you cool and in command all day long. It is NFPA® 2112 compliant, with a straight-fit, modern jean style.

QP14 - Men's (Reg) 28-56 Even.
 Fit Chart MFC-127.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Black (BK), Navy (NV)

BK

NV

QP15NV



iQ SERIES®
WOMEN'S LIGHTWEIGHT
COMFORT PANT

NFPA® 2112 Compliant

This iQ Series® Lightweight Pant is stylishly designed for women. With a more feminine cut, they'll keep you cool and in command all day long.

QP15 - Women's 0-24 Even.
 Fit Chart LFC-69.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NV)

NV



®

iQ SERIES[®] **MOBILITY COLLECTION**



The iQ Series[®] Mobility Collection is Bulwark[®] innovation in action. We studied the way you move, reach, bend and lift to create an all new line of FR workwear that not only keeps you protected from thermal hazards, but makes your workday a little easier, too. With gussets and pleats in all the right places, garments in the Mobility Collection won't ride up or restrict your range of motion. So you can go about your work with complete comfort and compliance.

VIEW THE COLLECTION: BULWARK.COM



iQ SERIES® MOBILITY COVERALL



- 1 **LIGHTWEIGHT 5.5 OZ. FABRIC WITH CAT2 PROTECTION**
- 2 **PATENTED MOBILITY SLEEVE PLEAT FOR EASE IN RAISING ARMS AND REACHING**
- 3 **IMPROVED FIT IN LOWER TORSO FOR EASE IN SQUATTING**
- 4 **SIDE LEG PATCH POCKET FOR STORAGE**
- 5 **ELASTIC BACK WAIST AND DEEP-PLEATED BACK FOR INCREASED MOBILITY**



iQ SERIES® MEN'S & WOMEN'S MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC20 - Men's (Reg) S-4XL. (Long) M-4XL.
Fit Chart MFC-14.

QC21 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™.
Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid /
25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)



QC20EV



iQ SERIES® MEN'S ENHANCED VISIBILITY MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC20 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Grey Enhanced (EV), Navy Enhanced (NE)

EV NE

QC2XRB



NEW!



iQ SERIES® MEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2-½" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC2X - Men's (Reg) 34-60 Evens. (Long) 34-60 Evens. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96-22 Class 1, Level FR

Color: Royal Blue (RB)
Stocked in Canada only.

RB

QC3XRB



NEW!



iQ SERIES® WOMEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2-½" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC3X - Women's (Reg) S-2XL. Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96-22 Class 1, Level FR

Color: Royal Blue (RB)
Stocked in Canada only.

RB

QC4XOR

**NEW!**

iQ SERIES® MEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC4X - Men's (Reg) 34-60 Evens.
(Long) 34-60 Evens. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv™.
Flame-resistant, 5.5 oz. (185 g/m²)
41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96-2022 Class 3, Level 2

Color: Orange (OR)
Stocked in Canada only.

OR

QC5XOR

**NEW!**

iQ SERIES® WOMEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC5X - Women's (Reg) S-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™.
Flame-resistant, 5.5 oz. (185 g/m²)
41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96-2022 Class 3, Level 2

Color: Orange (OR)
Stocked in Canada only.

OR

QC6XDG

**NEW!**

iQ SERIES® MEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2-½" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC6X - Men's (Reg) 34-60 Evens.
(Long) 34-60 Evens. Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv™.
Flame-resistant, 5.5 oz. (185 g/m²)
50% Aramid/25% Lyocell/25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96 Class 1, Level FR

Color: Dark Grey (DG)
Stocked in Canada only.

DG

QC24RB



iQ SERIES® MEN'S LIGHTWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Men's Lightweight Mobility Coverall was built for comfort and functionality. The 4.5 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features special design features in the lower torso that gives the wearer room to squat. It also features a patented sleeve pleat that allows the arm full range of motion and the mobility design gives plenty of room for movement. The full design comes together to help you move, bend and work in comfort.

QC24 - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-14.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)





QC23NV



iQ SERIES® WOMEN'S MIDWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Women's Midweight Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC23 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)



QC22RD



iQ SERIES® MEN'S MIDWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Men's Midweight Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC22 - Men's (Reg) S-4XL. (Long) M-4XL.
Fit Chart MFC-14.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)



QC22RE



iQ SERIES® MEN'S MIDWEIGHT ENHANCED VISIBILITY MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Men's Midweight Enhanced Visibility Mobility Coverall was built for comfort. The 6 oz. fabric with CAT1 protection feels light and smooth. This premium coverall features a patented sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC22 - Men's (Reg) S-4XL. (Long) M-4XL.
Fit Chart MFC-14.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy Enhanced (NE), Royal Blue Enhanced (RE)





®

iQ SERIES[®] **ENDURANCE COLLECTION**

////////////////

FR workwear won't pass muster if it doesn't last. The iQ Series[®] Endurance Collection is a line of durable FR without the tradeoffs and compromises traditionally associated with durability. iQ's revolutionary dual elemental protection penetrates FR chemistry deep into the fiber of the fabric without adding weight, while the addition of polyester improves strength and overall durability, so you can be confident your FR protection will last every bit as long as you do.

VIEW THE COLLECTION: BULWARK.COM



iQ SERIES® ENDURANCE WORK SHIRT



QS40NV



iQ SERIES® MEN'S ENDURANCE WORK SHIRT

NFPA® 2112 Compliant

This CAT2 iQ Series® work shirt was designed especially for hard work, with comfort and durability built to last. Mobility features like underarm gussets make moving, bending and working a little bit easier.

QS40 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-158.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)



QS41KH



iQ SERIES® WOMEN'S ENDURANCE WORK SHIRT

NFPA® 2112 Compliant

An FR shirt with a feminine look and feel? You better believe it. The iQ Series® Women's Endurance Work Shirt is made for a woman's body with princess seams at the front for a more feminine fit, but you'll still get all the protection of Bulwark® FR gear and the comfort of our iQ Series®, made exclusively with Westex G2™ fabrics by Milliken®. Full underarm gussets allow you to move freely, while a sleeve pocket gives you easy access to storage. And because it's part of the iQ Series® Endurance line, this shirt can take as many washes as you can give it without losing its FR protection.

QS41 - Women's (Reg) XS-3XL.
Fit Chart LFC-51.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)



QS40GE



iQ SERIES® MEN'S ENDURANCE ENHANCED VISIBILITY WORK SHIRT

NFPA® 2112 Compliant

Enhanced visibility meets enhanced versatility with this popular Bulwark® iQ Series® Work Shirt. Full underarm gussets give you a greater range of reach while remaining tucked. Plus, a gas monitor pocket at the front shoulders, reinforced front pockets and a patch chest pocket with an integrated pencil stall give you convenient, safe storage options in every direction. Triple-needle seams add that extra degree of durability that ensure every Bulwark® iQ Series® Endurance offering lives up to its name.

QS40 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-77.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GE), Navy (NE)

GE

NE



iQ SERIES® ENDURANCE WORK PANT



QP10NV

QP11NV



1 EXTENSION BELT LOOP
FOR WIDER BELTS

2 REINFORCED POCKETS FOR
ADDED DURABILITY

3 CROTCH GUSSET FOR MOBILITY

4 TRIPLE NEEDLE SEAMS FOR
EXTRA DURABILITY



iQ SERIES® MEN'S & WOMEN'S ENDURANCE WORK PANT

NFPA® 2112 Compliant

Built to work. Built to last. Bigger belt loops, triple-needle felled outseams and seat seam keep your act together for all day comfort and performance, without the fatigue or the fraying. Plus, reinforced pocket bags double down on durability. And looking for greater function, without the malfunction? This work pant features an ultra-convenient concealed button, pocket-in-pocket and utility loop that serves you well while you do the work. Last but not least, this pant features a crotch gusset for greater freedom of movement.

QP10 - Men's (Reg) 28-36, 38-56 Even.
Fit Chart MFC-127.

QP11 - Women's (Reg) 0-24 Even.
Fit Chart LFC-74.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 9 oz. (305 g/m²) 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 10 calories/cm²

Color: Navy (NV)

NV



CANVAS COLLECTION



Bulwark's Canvas Collection blends the classic look and unbeatable durability of brown duck workwear with Bulwark's proven FR protection. Reinforced with double fabric in heavy wear areas and triple-needle topstitching throughout, this collection is designed to withstand maximum wear and tear, without sacrificing style or safety.

SINCE '71

LLS8BD



**NOT INTENDED TO BE
WORN AS A SINGLE LAYER**



BROWN DUCK VEST JACKET LINER

NFPA® 2112 Compliant

Concealed snap-front closure. Rib knit collar. Two large inset slash-welted pockets. One inside chest pocket. Snaps into JLB6 jacket sold separately. DWR (Durable Water Repellent).

LLS8 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining & Insulation: 14 oz. (475 g/m²) 50% FR Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD



HLH4BD



BROWN DUCK UNIVERSAL FIT SNAP-ON HOOD

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Snaps to JLB6 and JLC6, sold separately. DWR (Durable Water Repellent).

HLH4 - Men's One size.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining & Insulation: 14 oz. (475 g/m²) 50% Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD

VLS2BD



NOT INTENDED TO BE
WORN AS A SINGLE LAYER



SHERPA LINED BROWN DUCK VEST

NFPA® 2112 Compliant

This full-zip CAT3 vest is lined with soft Sherpa fabric with a Nomex® taped brass zipper and storm flap and is NFPA® 2112 compliant. It offers excellent FR protection, with great comfort. DWR (Durable Water Repellent).

VLS2 - Men's (Reg) S-2XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water Repellent

Insulation: Flame-resistant, 13 oz. (440 g/m²) Sherpa Blend

Protection: Arc Rating E_{BT} 33 calories/cm²

Color: Brown Duck (BD)

BD

JLB6BD



BROWN DUCK LINED BOMBER JACKET

NFPA® 2112 Compliant

Flame-resistant, lay-flat collar. Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH4 and liners LLS8, LNL8 and LNS8 sold separately. DWR (Durable Water Repellent).

JLB6 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BD

JLC6BD



BROWN DUCK LINEMAN'S COAT

NFPA® 2112 Compliant

Concealed, snap-front, storm flap closure. Lanyard access opening on center back accommodates safety harness. Accommodates snap-on hood HLH4 and vest jacket liner LLS8, sold separately. DWR (Durable Water Repellent).

JLC6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 6.5 oz. (220 g/m²) 70% Nomex® / 30% FR Lenzing®

Protection: Arc Rating ATPV 41 calories/cm²

Color: Brown Duck (BD)

BD

JLH6BD



INSULATED BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

All main seams have triple-needle topstitching. Rib knit sleeve cuffs and waistband. Concealed hook-and-loop front storm flap closure. Two large side pockets. Two inside chest pockets.

JLH6 - Men's (Reg) S-4XL. (Long) L-3XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 5.5 oz. (185 g/m²) Quilted Modacrylic Blend Insulation

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)

BD

JLH4BD



BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

Permanently attached hood with adjustable drawcord. Lanyard access opening on center back, accommodates safety harness. Two front pouch-style pockets with reinforced bartacks. DWR (Durable Water Repellent).

JLH4 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BD



BLF6BD



BROWN DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket.
Double fabric on leg and thigh. Leg zippers to knee.
Elastic suspenders.

BLF6 - Men's 32-44 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 13 oz.
(440 g/m²) Duck, 100% Cotton

Protection: Arc Rating ATPV 16
calories/cm²

Color: Brown Duck (BD)

BD



BLF8BD



DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed,
Nomex® taped, brass zipper front.
Elasticized shoulder straps with
non-conductive adjustable hardware.
Two large center front pockets with
pencil stall.

BLF8 - Men's (Reg) M-3XL.
(Long) L-2XL.
Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz.
(390 g/m²) Duck, 88% Cotton /
12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16
calories/cm²

Colors: Brown Duck (BD),
Navy Duck (NV)

BD

NV



BLN4BD



BROWN DUCK DELUXE INSULATED BIB OVERALL

NFPA® 2112 Compliant

If you're looking for the ultimate in rugged
durability, warmth, and FR protection, then
this heavyweight brown duck bib overall
is made for you. With CAT4 protection,
insulation throughout and side vent
openings, these overalls will keep you warm
and comfortable while they protect you.

BLN4 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 11 oz. (390 g/m²) Duck,
88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 47
calories/cm²

Color: Brown Duck (BD)

BD

BLN6BD



INSULATED BROWN DUCK BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers. Elasticized shoulder straps with non-conductive adjustable hardware. Quilted lining from waist to ankle. Leg zippers to thigh.

BLN6 - Men's 32-44 Even.
Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 6 oz. (203 g/m²) 88% Cotton / 12% Nylon

Insulation: 5.5 oz. (186 g/m²) 44% Cotton / 6.5% Nylon / 46% Modacrylic / 3.5% Polyester

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)

BD

PLJ6KH



LOOSE FIT MIDWEIGHT CANVAS JEAN

NFPA® 2112 Compliant

Comfortable broken-in fabric. Light duck summer option. All main seams have triple-needle topstitching.

PLJ6 - Men's 30-36, 38-54 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 8.5 oz. (290 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Khaki (KH), Navy (NV)

KH

NV

PLJ8BD



DUNGAREE

NFPA® 2112 Compliant

Five jean-style pockets. Rule pocket and utility pocket on right leg. Hammer loop and utility pocket on left leg. Triple-needle felled outseam.

PLJ8 - Men's 28-50 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz. (390 g/m²) 88% Cotton / 12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16 calories/cm²

Colors: Brown Duck (BD), Navy Duck (NV)

BD

NV





HI-VISIBILITY & RAINGEAR



Don't get left in the dark. When you need to be seen, you can count on Bulwark® FR's Hi-Visibility workwear.

Flame-resistant, comfortable and compliant, our Hi-Visibility collection is designed to provide extra safety for FR environments with limited visibility or complex backgrounds like oil & gas extraction, oil & gas refining, mining, construction and utility work.

SINCE '71

S1B2HG



MEN'S HI-VISIBILITY COLORBLOCK DRESS SHIRT

NFPA® 2112 Compliant

This is the next generation of protection—FR and hi-visibility with a tailored, professional look and advanced features for comfort, plus CAT2 AR/FR protection and NFPA® 2112 compliancy. Color-blocked hi-vis upper half provides ANSI 107 compliancy, while grey lower half conceals dirt and stains.

S1B2 - Men's (Reg) M-5XL. (Long) M-5XL.
Fit Chart MFC-240.

Fabric: 5.7 oz (195 g/m²) 51% Lyocell /
39% Modacrylic / 10% Aramid

Protection: Arc Rating ATPV 8.2 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow/Heather Grey (HG)

HG

S1W2HV



MEN'S HI-VISIBILITY DRESS SHIRT

NFPA® 2112 Compliant

This hi-vis work shirt combines CAT2 FR/AR protection with ANSI/ISEA 107 Type R Class 3 compliancy and a professional workwear look. Two chest pockets with button flap closure provide secure storage. 2" reflective striping offers 360° visibility to keep you seen and safe.

S1W2 - Men's (Reg) M-4XL. (Long) M-5XL.
Fit Chart MFC-240.

Fabric: 5.7 oz (195 g/m²) 51% Lyocell / 39% Modacrylic / 10% Aramid

Protection: Arc Rating ATPV 8.2 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow (HV)

HV

SLB4HG



HI-VISIBILITY COLOR BLOCK UNIFORM SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" flame-resistant heat seal silver reflective striping. Banded, topstitched collar. Topstitched cuffs with button closure. Hemmed front with button closure. Tailored sleeve placket. Full underarm gussets. Color block shirt with hi-vis top half and grey bottom half to conceal dirt and stains. Napoleon pocket at left front with zipper closure, right front chest pocket with pencil stall.

SLB4 - Men's (Reg) M-3XL. (Long) M-3XL. Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow/Grey (HG)

HG

SMW4HV



HI-VISIBILITY WORK SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" flame-resistant silver reflective striping. Two-piece, lined collar. Two chest pockets with button closures and sewn-in pencil stall. Button-front closure. Lined cuff with button closure.

SMW4 - Men's (Reg) M-3XL. (Long) M-3XL.
Fit Chart MFC-46.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

SMB2HN



HI-VISIBILITY LIGHTWEIGHT COLORBLOCK LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" segmented heat seal reflective trim. Left chest pocket with pencil stall. Rib-knit collar and cuffs. Colorblocked to hide dirt and stains in key areas.

SMB2 - Men's (Reg) M-5XL. (Long) L-5XL.
Fit Chart MFC-03.

Fabric: (Yellow) Flame-resistant, 6.7 oz. (225 g/m²)
48% Modacrylic / 37% Lyocell / 15% Aramid
(Navy) 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Navy (HN)

HN

SML4HV



HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE HENLEY

NFPA® 2112 Compliant

360° visibility with front and back 2" segmented heat seal reflective trim. Four-button henley placket. Left chest pocket with pencil stall. Full underarm gussets. Rib knit collar and cuffs.

SML4 - Men's (Reg) M-5XL. (Long) L-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic /
37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMK8HV



HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant

360° visibility with front and back 2" silver heat seal reflective trim. Full underarm gusset. Left chest pocket with pencil stall. Rib-knit collar and cuffs.

SMK8 - Men's (Reg) M-5XL. (Long) L-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²)
48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV



SMH4HV



HI-VISIBILITY PULLOVER HOODED FLEECE SWEATSHIRT

NFPA® 2112 Compliant

When hi-vis and fleece come together, the result is fewer layers and more comfort. Think of this as your favorite FR hooded sweatshirt combined with your hi-vis vest. CAT3 protection meets ANSI 107 Type R Class 3 compliance with 2" reflective striping for 360° visibility. Durable Water Repellent (DWR) Finish.

SMH4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Protection: Arc Rating ATPV 27 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMZ4HV



HI-VISIBILITY ZIP-FRONT HOODED FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

This fleece hoodie is the ultimate combination of FR protection, hi-vis compliance and comfort for extra cold days on the job. With CAT4 protection and ANSI 107 Type R Class 3 compliance, plus waffle knit lining for an extra layer of warmth. Durable Water Repellent (DWR) Finish.

SMZ4 - Men's (Reg) S-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: Flame-resistant

Shell: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Lining: Waffle, 100% FR Cotton 7.6 oz (215 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMB4HG



HI-VISIBILITY COLOR BLOCK PULLOVER FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

Cold days on the job call for heavy-duty FR protection that keeps you as warm as it does safe. This hooded color-blocked pullover sweatshirt is the ultimate combination of FR protection, hi-vis compliance and comfort. Made of warm, stylish fleece, lined with knit waffle. Durable Water Repellent* (DWR) Finish on Hi-Vis Yellow.

*Grey fabric does not contain DWR finish.

SMB4 - Men's (Reg) M-5XL. (Long) L-2XL. Fit Chart MFC-03.

Fabric: **(Hi-Vis Yellow)** 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex. DWR finish. **(Grey)** 12.5 oz (425 g/m²) 95% Cotton / 5% Spandex brushed fleece. No DWR finish.

Lining: Waffle, 100% FR Cotton 7.6 oz (255 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HG)

HG

JMJ6HV



HI-VISIBILITY LINED BOMBER JACKET

NFPA® 2112 Compliant

360° visibility with front and back 2" silver reflective striping. DWR (Durable Water-Repellent) finish. Separating, heavy-duty, Nomex® taped brass zipper, fully covered with two-layer storm flap, concealed snap closure. Two-layer stand-up collar. Two-layer concealed snap cuff. Two large external patch pockets, with concealed snap secured flaps with hand warmers. One inside chest pocket. Deep-pleated action back. Fully-tunneled elasticized waistband. Inside zipper guards on all zippers. Accommodates snap-on hood HMH2HVB and liners LNL8, LNS8 sold separately.

JMJ6 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent

Lining: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 31 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

VMS4HV



MUST BE WORN OVER AN
NFPA® 2112 COMPLIANT SHIRT



HI-VISIBILITY INSULATED VEST

NFPA® 2112 Compliant
(Must be worn over NFPA® 2112 compliant shirt)

Serious FR protection combined with high visibility and insulation to keep you extra warm in this CAT4 vest, with all the bells and whistles, so you can do your best work. ANSI 107 Type R Class 2 Compliant and water repellent, so you can stay seen, safe and dry while you work.

VMS4 - Men's (Reg) M-3XL. (Long) L-2XL.
Fit Chart MFC-17.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid,
Water-repellent

Lining: 14 oz. (405 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

VMV4HV



MUST BE WORN OVER AN
NFPA® 2112 COMPLIANT SHIRT



HI-VISIBILITY SAFETY VEST

NFPA® 2112 Compliant
(Must be worn over NFPA® 2112 compliant shirt)

FR and high visibility get together in this CAT2, ANSI 107 Type R Class 2 compliant dual-hazard safety vest with hook-and-loop front closure and adjustable sides for a comfortable and safe fit.

VMV4 - Men's S/M, L/XL, 2XL/3XL, 4XL/5XL.
Fit Chart MFC-18.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell /
15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

HI-VIS ICON LEGEND



Intended for use by personnel exposed to vehicular traffic from public access rights of way or roadway temporary traffic control zones. Class 2 garments require the use of greater amounts of hi-visibility materials than Class 1 apparel, which help distinguish between a human and an inanimate object.



Intended for use by personnel exposed to vehicular traffic from public access rights of way or roadway temporary traffic control zones. Class 3 garments mandate the greatest amount of hi-visibility material for workers in moving, complex backgrounds, including reflective striping on sleeves and pant legs (if present).



Pants, bib overalls, shorts and gaiters meeting minimum area requirements for background material and retroreflective trim. Class E apparel, however, cannot be worn alone to provide adequate visibility of workers. When Class E items are worn with Performance Class 2 or Class 3 apparel, the overall classification of the ensemble is Performance Class 3.

CMD8HV



- 1 ONE-PIECE, TOPSTITCHED, LAY-FLAT COLLAR
- 2 TWO, DOUBLE-NEEDLE TOPSTITCHED PATCH CHEST POCKETS WITH FLAPS
- 3 TWO-WAY CONCEALED NOMEX® TAPED BRASS BREAK-AWAY ZIPPER
- 4 ANSI 107 TYPE R CLASS 3 COMPLIANT
- 5 360° VISIBILITY WITH FRONT & BACK 2" REFLECTIVE STRIPING



HI-VISIBILITY DELUXE COVERALL

NFPA® 2112 Compliant

360° visibility with front and back 2" silver reflective striping. One-piece, topstitched, lay-flat collar. One-piece bi-swing action back. Two-way concealed Nomex® taped brass break-away zipper, concealed snap at top of zipper at neck. Concealed snap closure on sleeve cuff. Two, double-needle topstitched patch chest pockets with flaps and concealed snap closure. Two front swing pockets are topstitched and lined. Two patch hip pockets have single concealed snap closure. One sleeve pocket sewn to left bicep with pencil stall. Ruler pocket on right leg. Elastic waist inserts in back.

CMD8 - Men's (Reg) 38-58 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²)
48% Modacrylic / 37% Lyocell / 15% Para-Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV



JXN4YE



HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood.

JXN4 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{BT} 28 calories/cm² ANSI 107 Type R, Class 3

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



BXN4YE

MUST BE WORN OVER
NFPA® 2112 COMPLIANT
SHIRT OR UNDER JACKET



HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN4 - Men's (Reg) S-6XL. Fit Chart MFC-51.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{BT} 28 calories/cm² ANSI/ISEA 107 Class E
(Type R Class 3 when worn with JXN4YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



JXN6YE



HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood. 360° visibility with front and back 1 1/2" reflective striping. Tuck away roll-up hood.

JXN6 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit, Water-repellent

Protection: Arc Rating ATPV 8.5 calories/cm², E_{BT} 36 calories/cm²
ANSI/ISEA 107 Type R Class 2 Compliant
(Type R Class 3 when worn with BXN6)

Meets ASTM F1891 Standard Specification
for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant
Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



BXN6YE

MUST BE WORN OVER
NFPA® 2112 COMPLIANT
SHIRT OR UNDER JACKET



HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN6 - Men's (Reg) S-6XL. Fit Chart MFC-42.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit

Protection: Arc Rating ATPV 8.5 calories/cm², E_{BT} 36 calories/cm²
ANSI/ISEA 107 Class E Compliant
(Type R Class 3 when worn with JXN6YE)

Meets ASTM F1891 Standard Specification
for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant
Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



insect shield®



Those who work in the great outdoors know, there's one particularly pesky downside to all that fresh air: insects. That's why we're proud to offer our line of FR workwear using Insect Shield®. This technology is proven to effectively repel insects ranging from mosquitos to ticks and flies to chiggers, with protection that lasts through 50 home washes. So you can work pest-free and confidently compliant.

SINCE '71

QS50DI



iQ SERIES® MENS LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Comfort Woven Lightweight shirt with Insect Shield® is made exclusively with TenCate Evolv™ fabric. It features full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS50 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-240.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI

QS51DI



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

Made exclusively from TenCate Evolv™ fabrics, this FR button-front shirt with Insect Shield® features mobility panels across the back and full arm gussets for increased movement and comfort.

QS51 - Women's (Reg) XS-3XL.
Fit Chart LFC-103.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI

QS52BI



iQ SERIES® MEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Comfort Woven Lightweight shirt with Insect Shield® is made exclusively with TenCate Evolv™ fabric. It features full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS52 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-240.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Cellulosic / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Light Blue (BI), Light Grey (GI), Khaki (KI)

BI

GI

KI

QS53KI



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

The newest advance in women's FR workwear. Workwear that's actually designed for a woman's body. Made exclusively from TenCate Evolv™ fabrics, this FR button-front shirt with Insect Shield® features mobility panels across the back and full arm gussets for increased movement and comfort.

QS53 - Women's (Reg) XS-3XL.
Fit Chart LFC-103.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Cellulosic / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Khaki (KI)

KI

INSECT SHIELD®

SMK8HI



MEN'S HI-VISIBILITY LIGHTWEIGHT LONG SLEEVE T-SHIRT WITH INSECT SHIELD®

NFPA® 2112 Compliant

This FR henley with Insect Shield® is designed to go from on-the-job to off-the-clock. This hi-vis henley gives you 360° visibility, comes in a Modacrylic blend that wicks moisture and breathes to keep you cool and comfortable even on hot days.

SMK8 - Men's (Reg) M-5XL. (Long) L-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm²

ANSI/ISEA 107 Type R Class 3 Compliant

Color: Yellow/Green (HI)

HI

ISLSCH



HW

INSECT SHIELD® LIGHTWEIGHT SOCK

Insect Shield bug repellent socks keep biting insects like ticks and chiggers away from your feet, legs and ankles. Our men's socks have built in permethrin repellent technology that's proven to protect for up to 70 washings.

ISLS - Unisex (Reg) M-L.
Fit Chart MFC-102.

Fabric: 6 oz. (200 g/m²) 70% Viscose / 25% Polyester / 3% Rubber / 2% Spandex Elastane

Protection: Insect Shield. **NOT FLAME-RESISTANT.**

Color: Charcoal (CH)

CH

QP14NI



iQ SERIES®
MEN'S LIGHTWEIGHT
COMFORT PANT
WITH INSECT SHIELD®

NFPA® 2112 Compliant

Let our work pant do a little more of the lifting. This iQ Series® Lightweight Pant with Insect Shield® is stylishly designed to keep you cool and in command all day long. Designed with a straight-fit, modern jean style.

QP14 - Men's (Reg) 28-56 Even.
 Fit Chart MFC-127.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Black (BI), Navy (NI)

BI

NI

PEJ8DI



MEN'S PRE-WASHED
DENIM DUNGAREE
WITH INSECT SHIELD®

NFPA® 2112 Compliant

Sits at natural waist. Loose seat and thigh. Wider leg opening. Two deep scoop pockets. Two oversized reinforced hip pockets. Rule pocket on right leg with wrap around utility pocket. Soft pre-wash for comfort and look.

PEJ8 - Men's 28-50 Even.
 Fit Chart MFC-118.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DI)

DI

QP15NI



iQ SERIES®
WOMEN'S
LIGHTWEIGHT
COMFORT PANT
WITH INSECT SHIELD®

NFPA® 2112 Compliant

Let our work pant do a little more of the lifting. This iQ Series® Lightweight Pant with Insect Shield® is stylishly designed for women. They will keep you cool and in command all day long.

QP15 - Women's 0-24 Even.
 Fit Chart LFC-69.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NI)

NI

PSJ4SI



MEN'S STRAIGHT FIT
STRETCH JEAN
WITH INSECT SHIELD®

NFPA® 2112 Compliant

Sits just below natural waist. Straight thigh and leg opening. One-piece waistband with metal button closure (metal is not exposed to skin). Soft pre-wash and sanded fabric for modern look.

PSJ4 - Men's 30, 32-36, 38-50 Even. Hemmed.
 Fit Chart MFC-126.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15 calories/cm²

Color: Sanded Denim (SI)

SI

QC21DI



QC20DI



INSECT SHIELD®



iQ SERIES® WOMEN'S MOBILITY COVERALL WITH INSECT SHIELD®

NFPA® 2112 Compliant

The iQ Series® Women's Mobility Coverall with Insect Shield® was built for comfort. This premium coverall features a patent pending sleeve pleat giving the arms full range of motion. The mobility design gives plenty of room for movement.

QC21 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI



iQ SERIES® MEN'S MOBILITY COVERALL WITH INSECT SHIELD®

NFPA® 2112 Compliant

The iQ Series® Mobility Coverall with Insect Shield® was built for comfort, with fabric that feels light and smooth. The mobility design features all come together to help you move, bend and work in comfort.

QC20 - Men's (Reg) S-4XL. (Long) M-4XL.
Fit Chart MFC-14.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Dark Grey (DI)

DI



SHIRTS



More styles. More colors.
More protection. Bulwark's FR
shirts come in every style from
sporty polos to professional
uniform shirts, and modern
henleys to long-wearing tees.
So you can be cool, comfortable,
and compliant. All year long.

SINCE '71

SNS6RDB

**SNAP-FRONT UNIFORM SHIRT**

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing.

SNS6 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NVB)*, Red (RDB)*, Royal Blue (RB)

*Contact customer service for availability.



SES2TN

**SNAP-FRONT UNIFORM SHIRT**

NFPA® 2112 Compliant

This midweight NFPA® 2112 compliant, CAT1 uniform shirt offers a tailored, professional look with two chest pockets and sewn-in pencil stall for storing tools and personal effects.

SES2 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RB), Tan (TN)

*Contact customer service for availability.



SNS2NV

**SNAP-FRONT UNIFORM SHIRT**

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing.

SNS2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Light Blue (LBB)*, Navy (NV), Red (RD), Royal Blue (RB), Tan (TN)

*Contact customer service for availability.



SND2GB

**4.5 OZ. UNIFORM SHIRT**

NFPA® 2112 Compliant

This lightweight uniform shirt offers a tailored, professional look with CAT1 protection and NFPA® 2112 compliance. Tailored sleeve placket, topstitched cuffs and straight back yoke look sharp and professional while being protective.

SND2 - Men's (Reg) S-3XL. (Long) M-3XL.

Fit Chart MFC-240.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Gulf Blue (GB), Navy (NV), Royal Blue (RB), Tan (TN)



SMU4KH

**5.8 OZ. UNIFORM SHIRT**

NFPA® 2112 Compliant

Banded topstitched collar. Two chest pockets with button flap closures and sewn in pencil stall. Placket front with button closure. Tailored sleeve placket. Topstitched cuff with button closure.

SMU4 - Men's (Reg) S-3XL. (Long) M-3XL.

Fit Chart MFC-146.

Fabric: Flame-resistant, 5.8 oz. (200 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 6.5 calories/cm²

Color: Khaki (KH)



SND6RB

**6 OZ. UNIFORM SHIRT**

NFPA® 2112 Compliant

Enjoy this classic uniform shirt made to withstand your work while providing CAT1 protection and NFPA® 2112 compliance. It features a banded, topstitched collar as well as two chest pockets with button flap closures and sewn in pencil stall.

SND6 - Men's (Reg) S-3XL. (Long) M-2XL.

Fit Chart MFC-156.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Color: Royal Blue (RB)



SLU8NV



6 OZ. UNIFORM SHIRT

NFPA® 2112 Compliant

This uniform shirt offers a tailored, professional look plus advanced features like full underarm gussets, for comfort and ease of movement with CAT2 protection.

SLU8 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-146.

Fabric: Flame-resistant, 6 oz. (205 g/m²)
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB),
Navy (NV), Orange (OR)



SMUCNV



MEN'S DRESS UNIFORM SHIRT WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Banded, topstitched collar. Two chest pockets with flaps and button closure with sewn-in pencil stall. Placket front with button closure. Topstitched cuff with button closure. Tailored sleeve placket.

SMUC - Men's (Reg) S-5XL. (Long) M-4XL.
Fit Chart MFC-245.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV).

Stocked in Canada only.

NV

SLDTGY



7 OZ. ENHANCED VISIBILITY UNIFORM SHIRT

NFPA® 2112 Compliant

When your work shirt is enhanced vis, the result is fewer layers and greater comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. CAT2 protection and NFPA® 2112 compliant with 2" reflective striping for 360° visibility to keep you seen and safe.

SLDT - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV)

GY

KH

LB

NV

SLUCNV



7 OZ. DRESS UNIFORM SHIRT WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

When your work shirt gets the enhanced vis treatment, the result is fewer layers and more comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. 360° visibility with front and back 2" flame-resistant yellow/silver/yellow reflective striping.

SLUC - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-245.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Navy (NV).

Stocked in Canada only.

NV



SLB4HG



HI-VISIBILITY COLOR BLOCK UNIFORM SHIRT

NFPA® 2112 Compliant

This is the next-generation of protection. FR and hi-visibility with a tailored, professional look and advanced features for comfort. Color-blocked hi-vis upper half provides ANSI/ISEA 107 Type R Class 3 compliancy, while grey lower half conceals dirt and stains.

SLB4 - Men's (Reg) M-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²
ANSI/ISEA 107 Type R Class 3 Compliant

Color: Hi-Vis Yellow/Grey (HG)

HG

SLCSOR

**7 OZ. UNIFORM SHIRT WITH REFLECTIVE TRIM**

NFPA® 2112 Compliant

An enhanced vis work shirt means you can skip the added vest. Think of this as your favorite FR work shirt combined with your enhanced vis vest, for fewer layers and greater mobility. 360° visibility with front and back 2" flame-resistant silver reflective striping.

SLCS - Men's (Reg) S-3XL. (Long) L-2XL.

Fit Chart MFC-143.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon**Protection:** Arc Rating ATPV 8.6 calories/cm²**CSA Z96 Class 2 Level 2 Compliant****Color:** Orange (OR). **Stocked in Canada only.**

OR

SLATOR

**7 OZ. ENHANCED VISIBILITY UNIFORM SHIRT**

NFPA® 2112 Compliant

When your work shirt gets the hi-vis treatment, the result is fewer layers and more comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. CAT2 protection with 2" reflective striping for 360° visibility to keep you seen and safe.

SLAT - Men's (Reg) S-3XL. (Long) M-3XL.

Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon**Protection:** Arc Rating ATPV 8.6 calories/cm²**Color:** Orange (OR)

OR

SMU2KH

**7 OZ. DRESS UNIFORM SHIRT**

NFPA® 2112 Compliant

This midweight dress uniform shirt offers a tailored, professional look with CAT2 protection and NFPA® 2112 compliance, plus underarm gussets for increased ease of movement.

SMU2 - Men's (Reg) S-3XL. (Long) M-3XL.

Fit Chart MFC-240.

Khaki, Light Blue:**Fabric:** Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid**Protection:** Arc Rating ATPV 9.0 calories/cm²**Navy:****Fabric:** Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid**Protection:** Arc Rating ATPV 11 calories/cm²**Colors:** Khaki (KH), Light Blue (LB), Navy (NV)

KH

LB

NV

SLP2KH



6.5 OZ. DRESS SHIRT

NFPA® 2112 Compliant

Looking to shake up your FR collection? This midweight dress shirt offers all the features you need in a professional work shirt, plus CAT2 protection and a stylish plaid pattern.

SLP2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 6.5 oz (220 g/m²)
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.5 calories/cm²

Color: Khaki (KH)



SLU2SY

**7 OZ. DRESS UNIFORM SHIRT**

NFPA® 2112 Compliant

This midweight uniform shirt gives a tailored look and offers features like full underarm gussets for improved comfort and performance with CAT2 protection.

SLU2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-240.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Royal Blue (RB), Silver Grey (SY)



SEG6LB

**5.25 OZ. DRESS SHIRT**

Banded, topstitched, button-down collar. One chest pocket with button closure and sewn-in pencil stall. Placket front with button closure. Topstitched cuff with button closure. Tailored sleeve placket.

SEG6 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-245.


Fabric: Flame-resistant, 5.25 oz. (180 g/m²) 100% Cotton

Protection: Arc Rating ATPV 5.5 calories/cm²

Color: Light Blue (LB)



SLW2RBB

**7 OZ. WORK SHIRT**

NFPA® 2112 Compliant

This is the go-to work shirt with CAT2 protection to keep you compliant. Two chest pockets with button flap closures and sewn-in pencil stall.

SLW2 - Men's (Reg) S-6XL. (Long) M-6XL.
Fit Chart MFC-152.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Orange (ORB)*, Royal Blue (RBB)*

***Contact customer service for availability.**



SWW2SY



WELDING WORK SHIRT

NFPA® 2112 Compliant

Two chest pockets with snap flap closures and sewn-in soapstone stall. Special gored sleeve opening. Square hemmed front with snap closure. Sleeve soapstone holder. Special application garment. Sleeves lined with TUFFWELD® fabric.

SWW2 - Men's (Reg) M-3XL.

Fit Chart MFC-233.

Shell: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton


Sleeve Lining: TUFFWELD® Flame-resistant, 8.5 oz. (300 g/m²)
60% FR Rayon / 40% Aramid

Protection: Arc Rating ATPV 7.7 calories/cm²

Color: Silver Grey (SY)

SY

SEW2KH



7 OZ. WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents. Two chest pockets with button flap closures and sewn-in pencil stall.

SEW2 - Men's (Reg) S-3XL. (Long) M-3XL.

Fit Chart MFC-152.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV), Silver Grey (SY)

KH

LB

NV

SY

SMS2GY



CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents.

SMS2 - Men's (Reg) S-3XL. (Long) M-2XL.

Fit Chart MFC-152.

Grey and Light Blue:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Grey (GY), Light Blue (LB), Navy (NV)

GY

LB

NV

SLS2NV



CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents. Concealed gripper closures.

SLS2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-152.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Light Blue (LB), Navy (NV)



SMS6LB



ENHANCED VISIBILITY CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

Lay-flat collar. Hemmed front with closures. One-piece lined cuffs with closures. Sleeve vents.

SMS6 - Men's (Reg) S-3XL. (Long) M-XXL.
Fit Chart MFC-152.

Light Blue:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Light Blue (LB), Navy (NV)



SMW4HV



HI-VISIBILITY WORK SHIRT

NFPA® 2112 Compliant

This hi-vis work shirt combines CAT2 protection with ANSI/ISEA 107 Type R Class 2 compliancy and a professional workwear look. 2" reflective striping offers 360° visibility to keep you seen and safe.

SMW4 - Men's (Reg) M-3XL. (Long) M-3XL.
Fit Chart MFC-182.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

ANSI/ISEA 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)





STG2CH

STG2NV

STG2BP



NEW!



FLEX KNIT BUTTON DOWN SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Spandex-blend fabric allows it to stretch freely. Button-down collar keeps you looking crisp and sharp all day. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site. Red buttonhole stitching and embroidery on right sleeve placket leave no doubt you're armed with the very best.

STG2 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-82.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²)
93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²


Colors: Blue Plaid (BP), Charcoal (CH), Navy (NV)



**LIGHTWEIGHT
STRETCH FABRIC**
flexes with your
body for added
comfort and range
of movement

**REINFORCED
CHEST POCKETS**
with button
flaps allows for
convenient storage

**SIDE SEAM
GUSSETS**
allows it to stretch
freely without
coming untucked



STG4CH



FLEX KNIT BUTTON DOWN WORK SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Spandex-blend fabric and side seam gussets allows it to stretch freely without coming untucked. Two reinforced chest pockets with button flaps allows convenient storage. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site.

STG4 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-246.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV)



STT4OR



CSA FLEX KNIT TEE

NFPA® 2112 Compliant

Lightweight stretch fabric that flexes with your body for added comfort and range of movement. 360° visibility with front and back segmented heat seal reflective striping

STT4 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR). **Stocked in Canada only.**

OR

STL2CH



FLEX KNIT HENLEY

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement.

STL2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Black (BK), Charcoal (CH), Khaki (KH), Light Blue (LB), Navy (NV), Red (RD)



STP2KH



FLEX KNIT POLO

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Lightweight stretch fabric that flexes with your body for added comfort and range of movement. Professional polo collar and sleeve pocket.

STP2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV)



SET8CH



NOT INTENDED TO BE
WORN AS A SINGLE LAYER



SHORT SLEEVE T-SHIRT

NFPA® 2112 Compliant

Rib-knit crewneck collar. Hemmed sleeve. Single spade chest pocket. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

SET8 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²
Not intended to be worn as a single layer.

Colors: Charcoal (CH), Navy (NV)



SMT2NV



LONG SLEEVE PERFORMANCE T-SHIRT

NFPA® 2112 Compliant

Rib knit collar and cuffs. Raglan sleeves. Full side seam gusset.

SMT2 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 45% Modacrylic / 35% FR Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²

Colors: Grey (GY), Navy (NV)



STT2NV



FLEX KNIT TEE

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement.

STT2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Black (BK), Charcoal (CH), Khaki (KH), Light Blue (LB), Navy (NV)



SET2CH



LONG SLEEVE T-SHIRT

NFPA® 2112 Compliant

The most comfortable long sleeve T-shirt you'll ever wear—we even removed the tag for a non-itchy experience. This CAT2, NFPA® 2112 compliant tee features a heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment and rib knit cuffs.

SET2 - Men's (Reg) S-4XL. (Long) L-4XL.
Fit Chart MFC-100.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Charcoal (CH), Navy (NV)

CH

NV

SEK2NV



MOCK TURTLENECK

NFPA® 2112 Compliant

Double-layer, rib knit collar sized to protect the neck. Rib knit cuffs.

SEK2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-100.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Color: Navy (NV)

NV

SMT6KH



SHORT SLEEVE LIGHTWEIGHT KNIT T-SHIRT

Lightweight. Rib knit collar. Single chest pocket.

SMT6 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{BT} 4.8 calories/cm²

Not intended to be worn as a single layer.

Colors: Khaki (KH), Navy (NV)

KH

NV

NOT INTENDED TO BE
WORN AS A SINGLE LAYER

SMT8NV



LONG SLEEVE LIGHTWEIGHT KNIT T-SHIRT

Lightweight. Rib knit collar and cuffs. Single chest pocket.

SMT8 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{BT} 4.8 calories/cm²

Colors: Khaki (KH), Navy (NV)



SML2GY



LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Raglan sleeves. Fabric is moisture wicking and breathable.

SML2 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Grey and Navy:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²

Khaki:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)



SML8KH



LONG SLEEVE LIGHTWEIGHT HENLEY

Rib knit collar and cuffs. Three button front placket. Single chest pocket.

SML8 - Men's (Reg) S-5XL. (Long) L-3XL.
Fit Chart MFC-13.

Fabric: Flame-resistant, 5 oz. (170 g/m²) 70% Modacrylic / 30% Tencel

Protection: Arc Rating E_{BT} 4.8 calories/cm²

Color: Khaki (KH)



SMP2KH



CLASSIC POLO

NFPA® 2112 Compliant

Three-button placket. Dyed to match rib knit collar and cuffs. Raglan sleeves. Sleeve pocket. Fabric is moisture-wicking and breathable.

SMP2 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Grey and Navy:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²

Khaki:

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) 48% Modacrylic / 37% lyocell / 15% aramid

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)



SMP8NV



NOT INTENDED TO BE
WORN AS A SINGLE LAYER



CLASSIC POLO

NFPA® 2112 Compliant

Three-button placket. Dyed to match rib knit collar and cuffs. Raglan sleeves. Sleeve pocket. Fabric is moisture-wicking and breathable.

SMP8 - Men's (Reg) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 6.7 oz. (225 g/m²) Swiss Pique, 45% Modacrylic / 35% Lyocell / 20% Aramid

Protection: Arc Rating E_{BT} 8.2 calories/cm²

Not intended to be worn as a single layer.

Colors: Grey (GY), Navy (NV)



SEL2LB



LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Three button placket. Knit henley collar. Rib knit cuff. Single spade chest pocket.

SEL2 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-100.

Fabric: Flame-resistant, 7.5 oz. (212.6 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Light Blue (LB), Navy (NV), Orange (OR)





MPS4KH



**NOT INTENDED TO BE
WORN AS A SINGLE LAYER**



Contrast Mesh
Full Underarm Gussets



FR TWO-TONE BASE LAYER WITH CONCEALED CHEST POCKET

Concealed chest pocket. Self-fabric crew neck collar. Raglan sleeves. Hemmed sleeves. Contrast mesh full underarm gussets. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

MPS4 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5.5 oz. (185 g/m²) 90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm²
Not intended to be worn as a single layer.

Colors: Grey (GY), Khaki (KH)



MPS8GY



Contrast Mesh
Full Underarm Gussets



FR TWO-TONE BASE LAYER WITH CONCEALED CHEST POCKET

Concealed chest pocket. Self-fabric crew neck collar. Raglan sleeves. Hemmed sleeves. Contrast mesh full underarm gussets. Heat seal Bulwark® triangle centered at neck to show wearer has on FR undergarment.

MPS8 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 5.5 oz. (185 g/m²) 90% Cotton / 10% Polyester with moisture management finish

Protection: Arc Rating ATPV 6.4 calories/cm²

Colors: Grey (GY), Khaki (KH)





PANTS



Bulwark® FR pants and jeans are designed for work. With pockets in all the right places, fabric that moves with you, a modern fit and feel, plus all the FR protection you demand, our pants keep up with you, from work to play and back again.

SINCE '71

PEJ6SW



LOOSE FIT STONE-WASHED DENIM JEAN

NFPA® 2112 Compliant

Sits below natural waist. Loose seat and thigh. Wider leg opening than classic fit. Soft pre-wash and stone-washed fabric for comfort and look.

PEJ6 - Men's 28, 30-36, 38-50 Even.
Fit Chart MFC-119.


Fabric: Flame-resistant, 14.75 oz.
(500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21
calories/cm²

Color: Stone Wash (SW)

SW

PEJM5D



STRAIGHT FIT SANDED DENIM JEAN

Sits below natural waist. Straight thigh and leg opening. Fits over work boots. One-piece waistband with metal button closure (metal is not exposed to the skin). Soft pre-wash and sanded fabric for modern and comfortable look.

PEJM - Men's 28, 30-36, 38-50 Even.
Fit Chart MFC-126.

Fabric: Flame-resistant, 12.5 oz.
(425 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 18
calories/cm²

Color: Sanded Denim (SD)

SD

PSJ2SD



BACK



MID RISE BOOTCUT JEAN WITH STRETCH

NFPA® 2112 Compliant

Sits just below natural waist. Relaxed through waist, hip, and thigh. Bootcut leg opening. One-piece waistband with metal button closure (metal is not exposed to skin). Soft pre-wash, sanded and tacked fabric.

PSJ2 - Men's 30, 32-36, 38-50 Even.
Fit Chart MFC-126.

Fabric: Flame-resistant, 12 oz. (405 g/m²)
94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15
calories/cm²

Color: Sanded Denim (SD)

SD

PSJ4SD



BACK



STRAIGHT FIT JEAN WITH STRETCH

NFPA® 2112 Compliant

Sits just below natural waist. Straight thigh and leg opening. One-piece waistband with metal button closure (metal is not exposed to skin). Soft pre-wash and sanded fabric for modern look.

PSJ4 - Men's 30, 32-36, 38-50 Even.
Fit Chart MFC-126.

Fabric: Flame-resistant, 12 oz. (405 g/m²)
94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15
calories/cm²

Color: Sanded Denim (SD)

SD

PSJ6SD



BACK



STRETCH DENIM DUNGAREE

NFPA® 2112 Compliant

Relaxed through waist, hip, and thigh to allow for easy movement. Increased durability with triple needle felled outter and seat seams. Five jean style pockets, ruler pocket on right leg and utility pocket on left leg adds extra storage. Utility loop on left hip and reinforced pockets to prevent holes.

PSJ6 - Men's 30, 32-36, 38-50 Even.
Fit Chart MFC-126.

Fabric: Flame-resistant, 12 oz. (405 g/m²)
94% Cotton / 5% Polyester / 1% Spandex

Protection: Arc Rating ATPV 15
calories/cm²

Color: Sanded Denim (SD)

SD

PEJ8DW

**PRE-WASHED
DENIM DUNGAREE**

NFPA® 2112 Compliant

Sits at natural waist. Loose seat and thigh. Wider leg opening. Two deep scoop pockets. Two oversized reinforced hip pockets. Rule pocket on right leg with wrap around utility pocket. Soft pre-wash for comfort and look.

PEJ8 - Men's
(Blue Denim) 28-50 Even,
(Stone Wash) 30-50 Even.
Fit Chart MFC-118.

Fabric: Flame-resistant, 14.75 oz.
(500 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Colors: Blue Denim (DW), Stone Wash (SW)

DW

SW



PEJ2DD



RELAXED FIT DENIM JEAN

NFPA® 2112 Compliant

Sits at natural waist. Relaxed seat and thigh. Straight leg opening. One-piece waistband with button closure.

PEJ2 - Men's 28, 30-36, 38-50 Even. Fit Chart MFC-118.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 100% Cotton Denim

Protection: Arc Rating ATPV 18 calories/cm²

Color: Dark Denim (DD)

DD

PEJ4DW



CLASSIC FIT PRE-WASHED DENIM JEAN

NFPA® 2112 Compliant

Sits at natural waist. Relaxed seat and thigh. Straight leg opening. Soft pre-wash for comfort and look.

PEJ4 - Men's 28, 30-36, 38-50 Even. Fit Chart MFC-118.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DW)

DW

PNJ8RB



LIGHTWEIGHT JEAN PANT

NFPA® 2112 Compliant

One-piece waistband with sew on button closure. Five jean-style pockets. Two-needle felled seam construction.

PNJ8 - Men's 28-50 Even. Fit Chart MFC-119.

Fabric: Flame-resistant, 7.5 oz. (255 g/m²) Twill, Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 7.0 calories/cm²

Color: Royal Blue (RB)

RB

PLJ6KH



LOOSE FIT MIDWEIGHT CANVAS JEAN

NFPA® 2112 Compliant

Comfortable broken-in fabric. Light duck summer option. All main seams have triple-needle topstitching.

PLJ6 - Men's 30-36, 38-54 Even.
Fit Chart MFC-119.

Fabric: Flame-resistant, 8.5 oz.
(290 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12
calories/cm²

Colors: Khaki (KH), Navy (NV)

KH

NV



PLC2NV



MIDWEIGHT CARGO PANT

NFPA® 2112 Compliant

Left and right cargo pocket have two snap closures.

PLC2 - Men's 28-36, 38-52 Even.
Fit Chart MFC-116.

Fabric: Flame-resistant, 9 oz.
(305 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12
calories/cm²

Color: Navy (NV)

NV

PLJ8BD



MIDWEIGHT DUNGAREE

NFPA® 2112 Compliant

Five jean-style pockets. Rule pocket and utility pocket on right leg. Hammer loop and utility pocket on left leg. Triple-needle felled outseam.

PLJ8 - Men's 28-50 Even.
Fit Chart MFC-119.

Fabric: Flame-resistant, 11 oz.
(390 g/m²) 88% Cotton / 12% Nylon,
Water-repellent

Protection: Arc Rating ATPV 16
calories/cm²

Colors: Brown Duck (BD),
Navy Duck (NV)

BD

NV

PMU2KH



LIGHTWEIGHT CARGO PANT

NFPA® 2112 Compliant

Waistband with concealed hook and eye closure. Two utility pockets. Left cargo pocket has two snap closures. Right utility pocket is open.

PMU2 - Men's 28-36, 38-52 Even.
Fit Chart MFC-116.

Khaki:

Fabric: Flame-resistant, 7 oz. (235 g/m²)
48% Modacrylic / 37% Lyocell / 15% Aramid
Protection: Arc Rating ATPV 9.0
calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²)
47% Modacrylic / 37% Lyocell / 16% Aramid
Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV)

KH NV

PNW2RB



LIGHTWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with shank button closure.
Two slack-style front pockets. Left hip
pocket with button closure.

PNW2 - Men's 28-34, 36-50 Even.
Fit Chart MFC-116.

Fabric: Flame-resistant, 6 oz.
(205 g/m²) Nomex® Essential
(93% Nomex® Aramid / 5% Kevlar®
Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2
calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB

PMW2NV



LIGHTWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PMW2 - Men's 28-50 Even.
Fit Chart MFC-116.

Fabric: Flame-resistant, 7 oz.
(235 g/m²) 47% Modacrylic /
37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11
calories/cm²

Color: Navy (NV)

NV

PEW2KH

PLW2RBB

PEM2VG



MIDWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PEW2 - Men's 28-34, 36-50 Even.
Fit Chart MFC-116.

Fabric: Flame-resistant, 9 oz.
(305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11
calories/cm²

Colors: Charcoal (CH), Khaki (KH),
Navy (NV), Orange (ORB)*,
Royal Blue (RBB)*, Visual Green (VG)

***Contact customer service
for availability.**



MIDWEIGHT WORK PANT

NFPA® 2112 Compliant

Waistband with shank button closure.
Two slack-style front pockets. Left hip
pocket with button closure.

PLW2 - Men's 28-34, 36-50 Even.
Fit Chart MFC-116.

Fabric: Flame-resistant, 9 oz.
(305 g/m²) Twill, 88% Cotton /
12% Nylon

Protection: Arc Rating ATPV 12
calories/cm²

Colors: Navy (NV), Royal Blue (RBB)*

***Contact customer service
for availability.**



MOLTEN METAL WORK PANT

NFPA® 2112 Compliant

Combine with work coat KEM2VG
and KEM4VG.

PEM2 - Men's (Reg) 28-34, 36-52 Even.
Fit Chart MFC-118.

Fabric: Flame Resistant, 13 oz.
(440 g/m²) 100% Cotton Whipcord

Protection: Arc rating ATPV 12
calories/cm²

Color: Visual Green (VG)





BIBS & COVERALLS



When you need serious protection, Bulwark® FR bibs and coveralls are a no-brainer. Available in a number of styles and protection levels, including options with Hi-Vis striping, multiple pockets for extra storage and with or without insulation. Our coveralls do just what the name says: they cover it all.

SINCE '71



BLF6BD



BROWN DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers to knee. Elastic suspenders.

BLF6 - Men's 32-44 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 13 oz.
(440 g/m²) Duck, 100% Cotton

Protection: Arc Rating ATPV 16
calories/cm²

Color: Brown Duck (BD)

BD



BLF8BD



DUCK UNLINED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. Two large center front pockets with pencil stall.

BLF8 - Men's (Reg) M-3XL. (Long) L-2XL.
Fit Chart MFC-14.

Fabric: Flame-resistant, 11 oz.
(390 g/m²) Duck, 88% Cotton /
12% Nylon, Water-repellent

Protection: Arc Rating ATPV 16
calories/cm²

Colors: Brown Duck (BD),
Navy Duck (NV)

BD

NV



BNF8NV



PREMIUM UNLINED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware.

BNF8 - Men's (Reg) M-3XL. (Long) L-2XL.
Fit Chart MFC-14.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex®
Essential (93% Nomex® Aramid /
5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2
calories/cm²

Colors: Navy (NV), Royal Blue (RBB)*

***Contact customer service
for availability.**

NV

RBB



BLFCRB

NEW!



DELUXE UNLINED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Concealed, Nomex taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. 360° visibility with front and back 2" yellow/silver/yellow reflective striping.

BLFC - Men's (Reg) S-5XL. (Long) M-5XL.
Fit Chart MFC-14.

Fabric: Flame-resistant 9 oz. (305 g/m²)
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12
calories/cm²

Color: Royal Blue (RB)
Stocked in Canada only.

RB



BLFXOR

NEW!



DELUXE UNLINED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Concealed, Nomex taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. 360° visibility with front and back 2" silver reflective striping.

BLFX - Men's (Reg) S-5XL. (Long) M-5XL.
Fit Chart MFC-14.

Fabric: Flame-resistant 9 oz. (305 g/m²)
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12
calories/cm²
CSA Z96 Class 2, Level 2

Color: Orange (OR)
Stocked in Canada only.

OR



BLCSOR



DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with nonconductive adjustable hardware. 2" reflective trim for enhanced visibility. Two large center front pockets with pencil stall.

BLCS - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton /
12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (474 g/m²)
100% Modacrylic

Protection: Arc Rating ATPV 36
calories/cm²

Color: Orange (OR)
Stocked in Canada only.

OR



BNNTRB



DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. 2" reflective trim for enhanced visibility. Two large center front pockets with pencil stall.

BNNT - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Water-repellent Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Lining: 100% Meta-aramid

Insulation Package: 13.5 oz. (458 g/m²) 100% Aramid with Wind Barrier

Protection: Arc Rating E_{BT} 59 calories/cm²

Color: Royal Blue (RB)
Stocked in Canada only.

RB



BLCTNV



DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with nonconductive adjustable hardware. 2" reflective trim for enhanced visibility. Two large center front pockets with pencil stall.

BLCT - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (475 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Navy (NV), Royal Blue (RB)
Stocked in Canada only.

NV

RB



BLN4BD



BROWN DUCK DELUXE INSULATED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Full, Nomex® taped, ankle-to-hip brass zippers with concealed closure. Elasticized shoulder straps with non-conductive adjustable hardware.

BLN4 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 11 oz. (390 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD



BLN6BD



INSULATED BROWN DUCK BIB OVERALL

NFPA® 2112 Compliant

Large, double front pocket. Double fabric on leg and thigh. Leg zippers. Elasticized shoulder straps with non-conductive adjustable hardware. Quilted lining from waist to ankle. Leg zippers to thigh.

BLN6 - Men's 32-44 Even.
Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck,
100% Cotton

Lining: 6 oz. (203 g/m²) 88% Cotton /
12% Nylon

Insulation: 5.5 oz. (186 g/m²)
44% Cotton / 6.5% Nylon / 46%
Modacrylic / 3.5% Polyester

Protection: Arc Rating ATPV
48 calories/cm²

Color: Brown Duck (BD)

BD



BLC8NV



DELUXE INSULATED BIB OVERALL

NFPA® 2112 Compliant

Reinforced double knees. Concealed, Nomex® taped, brass zipper front. Elasticized shoulder straps with non-conductive adjustable hardware. Two large center front pockets with pencil stall.

BLC8 - Men's (Reg) S-5XL.
(Long) M-3XL.
Fit Chart MFC-15.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill,
88% Cotton / 12% Nylon,
Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz.
(474 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36
calories/cm²

Colors: Grey (GY), Navy (NV)

GY

NV

CNB2RB



LIGHTWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT1 protection with innovative features for extra comfort and convenience. Multi functional utility loop inserted into shoulder seam and eight total pockets keep your tools and personal effects within reach while you work.

CNB2 - Men's (Reg) 38-54 Even.
(Long) 42-52 Even.
Fit Chart MFC 97.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB), Tan (TN)



CLB2KH



LIGHTWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT2 protection without added bulk. Innovative features provide extra comfort and convenience. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLB2 - Men's (Reg) M-3XL. (Long) L-3XL.
Fit Chart MFC 97.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Navy (NV), Royal Blue (RB)



CNB6NV



LIGHTWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT1 protection with innovative features for extra comfort and convenience. Eight total pockets keep your tools and personal effects within reach while you work.

CNB6 - Men's
(Short - RB only) 38-48 Even.
(Reg) 38-58 Even. (Long) 42-58 Even.
Fit Chart MFC 97.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Orange (OR)*, Royal Blue (RB)

*CNB6OR is stocked in Canada only.



CEB2RD



MIDWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT2 protection with added features for comfort and convenience. Premium features like side vent openings and a deep-pleated action back provide added mobility while you work.

CEB2 - Men's (Reg) 38-54 Even.
(Long) 42-52 Even.
Fit Chart MFC 14.

Fabric: Flame-resistant, 9 oz.
(305 g/m²) Twill, 100% Cotton


Protection: Arc Rating ATPV 11
calories/cm²

Colors: Medium Grey (GY), Red (RD)

GY

RD

CLB6NV



MIDWEIGHT PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT2 protection with innovative features for extra comfort and convenience. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLB6 - Men's (Reg) M-4XL. (Long) L-4XL. Fit Chart MFC 97.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Color: Navy (NV)

NV

CLC8NV



PREMIUM INSULATED COVERALL

NFPA® 2112 Compliant

Two-way, Nomex® taped brass zipper front with concealed snap closures. Two-piece, insulated, stand-up collar with concealed snap closure. Knit storm cuff in hemmed sleeve ends with hook-and-loop suppression tabs. Seven patch pockets. Action back. Reinforced knees. Full Nomex® taped ankle-to-hip brass zippers, concealed snap closure. Elastic waist inserts. Accommodates snap on hood HLH2, sold separately.

CLC8 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC 97.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation Package: 14 oz. (474 g/m²) 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Color: Navy (NV)

NV

CLBDOR



PREMIUM COVERALL WITH 4" REFLECTIVE TRIM

NFPA® 2112 Compliant

Men's Premium Coverall with 4" Reflective Trim. Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff.

CLBD - Men's (Reg) 40-58 Even. (Long) 46-52 Even. Fit Chart MFC 14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²
CSA 296 Class 3 Level 2 Compliant

Color: Orange (OR)
Stocked in Canada only.

OR

CTBBOR



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2" silver reflective striping.

CTBB - Men's (Reg) 38-58 Even.
(Long) 42-58 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²)
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6
calories/cm²

CSA Z96 Class 3 Level 2 Compliant

Color: Orange (OR)
Stocked in Canada only.

OR

CLBCNV



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-piece, lay flat collar, hemmed sleeve with adjustable snap closure. Deep pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping. Mic tab on left chest.

CLBC - Men's (Reg) 38-58 Even.
(Long) 42-58 Even.
Fit Chart MFC-97.

Fabric: Flame-resistant, 9 oz. (305 g/m²)
Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12
calories/cm²

CSA Z96 Class 1 Level FR Compliant

Colors: Navy (NV), Orange (OR),
Royal Blue (RB)
Stocked in Canada only.

NV

OR

RB

CMBCRB



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping.

CMBC - Men's (Reg) 38-60 Even.
(Long) 42-60 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²)
48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0
calories/cm²
CSA Z96 Class 1 Level FR Compliant

Color: Royal Blue (RB)
Stocked in Canada only.

RB

PREMIUM COVERALLS



CNBCRD



CTBANV



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-piece, lay flat collar, hemmed sleeve with adjustable snap closure. Deep pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping.

CNBC - Men's (Reg) 38-60 Even.
(Long) 42-60 Even.
Fit Chart MFC-97.

Fabric: Flame-resistant, 6 oz. (205 g/m²)
Nomex® Essential (93% Nomex® Aramid /
5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2
calories/cm²
CSA Z96 Class 1 Level FR Compliant

Colors: Navy (NV), Red (RD),
Royal Blue (RB)
Stocked in Canada only.

NV RD RB



PREMIUM COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 ½" yellow/silver/yellow reflective striping.

CTBA - Men's (Reg) 38-58 Even.
(Long) 42-58 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²)
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6
calories/cm²
CSA Z96 Class 1 Level FR Compliant

Colors: Navy (NV), Royal Blue (RB)
Stocked in Canada only.

NV RB



CNR6RB

FLAME RESISTANT (FR)/ CHEMICAL-SPLASH PROTECTION (CP)

This FR/CP coverall brings together the latest innovations in chemical protection safety to protect wearers against multiple hazards. Flame-resistant fabric prevents clothing ignition during short-duration thermal exposures. FR/CP garments also repel small amounts of liquid chemicals that are either dropped or splashed on the fabric, resisting penetration and wicking of an inadvertent, secondary liquid chemical-splash. They are also lightweight, breathable and comfortable to wear. Not only are they lightweight and easy to wear, but they also have a finish that does not contain any intentionally added PFAS.



MEN'S FLAME RESISTANT (FR) / CHEMICAL-SPLASH PROTECTION (CP) PREMIUM COVERALL

NFPA® 2112 Compliant

Black stand up collar with concealed snap at neck. Action back. Two-way, concealed, Nomex® tape, brass, break-away zipper. Elastic waist. Snapped wrist closure. Pockets include: splash resistant side pass-through with snap closure, two front inset pockets, two rear patch pockets, two double stitched chest pockets with snap flaps.

CNR6 - Men's (Reg) XS-5XL. (Long) L-3XL.
Fit Chart MFC-97.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²)
93% Meta-Aramid / 5% Para-Aramid / 2% Antistat

Protection: Short-duration thermal hazards and
inadvertent liquid chemical splashes. Arc Rating
ATPV 5.2 calories/cm².

Colors: Navy (NV), Royal Blue (RB)

NV RB

CLD4KH



DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. Two angled chest pockets with flaps that conceal zipper closures.

CLD4 - Men's (Reg) 34-58. (Long) 42-58. Fit Chart MFC-14.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Sateen, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 9.1 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV), Royal Blue (RB)



CMD8HV



HI-VISIBILITY DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2" silver reflective striping.

CMD8 - Men's (Reg) 38-58 Even.
(Long) 42-58 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²)
48% Modacrylic / 37% Lyocell /
15% Para-Aramid

Protection: Arc Rating ATPV 9.0
calories/cm²
ANSI/ISEA 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

CMP6NV



DELUXE COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back. 360° visibility with front and back 2 ½" silver reflective striping.

CMP6 - Men's (Reg) 38-60 Even.
(Long) 42-60 Even.
Fit Chart MFC-14.

Fabric: Flame-resistant, 7 oz. (235 g/m²)
47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11
calories/cm²

Color: Navy (NV)

NV

CED2RB



DELUXE COVERALL

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back.

CED2 - Men's (Reg) M-5XL. (Long) L-4XL.
Fit Chart MFC-97.

Fabric: Flame-resistant, 9 oz. (305 g/m²)
Twill, 100% Cotton

Protection: Arc Rating ATPV 11
calories/cm²

Colors: Navy (NV), Orange (OR),
Royal Blue (RB)

NV OR RB

CMD6KH



DELUXE COVERALL

NFPA® 2112 Compliant

Two-piece, topstitched, lay-flat collar. Two-way, concealed, Nomex® taped, brass break-away zipper with concealed snap at top of zipper and at neck. Concealed snap closure on cuff. Deep-pleated action back.

CMD6 - Men's (Reg) S-5XL. (Long) L-4XL. Fit Chart MFC-97.

Khaki:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV)



CEC2OR



CLASSIC COVERALL

NFPA® 2112 Compliant

Two-way, concealed, Nomex® taped, brass break-away zipper. One-piece, topstitched, lay-flat collar. Hemmed sleeves.

CEC2 - Men's (Reg) 38-64 Even. (Long) 42-58 Even. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Khaki (KH), Navy (NV), Orange (OR)



CECTNV



CLASSIC COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Two-way concealed Nomex® taped brass break-away zipper, concealed snap at top of zipper neck. Hemmed sleeves. Two set-in front pockets. One chest pocket. Two patch hip pockets. Side vent openings. 360° visibility with front and back 2" yellow/silver/yellow reflective striping.

CECT - Men's (Reg) 42-56. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)



CEH2NV



CLASSIC INDUSTRIAL COVERALL

NFPA® 2112 Compliant

Two-way, concealed, Nomex® taped, brass break-away zipper. One-piece, topstitched, lay-flat collar. Hemmed sleeves. Hemmed sleeve ends. Deep-pleated action back. Bartacked pocket flaps.

CEH2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-14.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Navy (NV)

NV

CEW2VG



CLASSIC COVERALL WITH GRIPPER FRONT

NFPA® 2112 Compliant

One-piece, topstitched, lay-flat collar. Hemmed sleeves. Six concealed grippers with gripper at neck. Two-piece, sleeve vent, gripper closure.

CEW2 - Men's (Reg) S-4XL. (Long) S-2XL. Fit Chart MFC-97.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Visual Green (VG)

VG



OUTERWEAR



When the temps tumble, it's time to layer up. FR outerwear from Bulwark® comes in styles to suit anything Jack Frost can throw at you, from light winds to bone-chilling blizzards and everything in between. And with Bulwark innovation, you can layer on the warmth without the added bulk.

SINCE '71

JET2NV



TEAM JACKET

NFPA® 2112 Compliant

Concealed separating, heavy-duty, Nomex® taped, brass zipper. Rib knit collar. Two large, inset, welted-slash pockets. Left sleeve pocket.

JET2 - Men's (Reg) S-4XL. (Long) L-XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 9 oz. (305 g/m²) Twill, 100% Cotton

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 45 calories/cm²

Color: Navy (NV)

NV

JNT2NV



TEAM JACKET

NFPA® 2112 Compliant

Concealed separating, heavy-duty, Nomex® taped, brass zipper. Rib knit collar. Two large, inset, welted-slash pockets. Left sleeve pocket.

JNT2 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Lining: 9.3 oz. (315 g/m²) Quilted Aramid Insulation

Protection: Arc Rating E_{BT} 58 calories/cm²

Colors: Black (BKB)*, Navy (NV)

***Contact customer service for availability.**

BKB

NV

JEL2NV



ZIP-IN / ZIP-OUT JACKET

NFPA® 2112 Compliant

Separating, heavy-duty, Nomex® taped brass zipper. Two-piece, lay-flat collar. Banded waist with button-close tabs. Two large inset, welted-slash pockets. Left sleeve pocket. Accommodates LML4 zip-in sleeved liner, sold separately.

JEL2 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant, 9 oz. (305 g/m²)
Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²
When worn with LML4 ensemble Arc Rating is ATPV 45 calories/cm²

Color: Navy (NV)

NV

LML4GY



ZIP-IN / ZIP-OUT MODA-QUILT® LINER

Zip-in/zip-out brass Nomex® taped zipper track. Fully-insulated sleeves. Zips into JEL2, sold separately.

LML4 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant, 15.5 oz. (525 g/m²)

Lining: 100% Cotton

Insulation: 80% Modacrylic / 20% Polyester

Protection: Arc Rating N/A. When zipped into JEL2 jacket Arc Rating is ATPV 45 calories/cm²

Color: Grey (GY)

GY

JLP8GY



DELUXE PARKA

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Accommodates snap-on hood HLH2, sold separately.

JLP8 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Grey (GY), Navy (NV)



JNP2NV



DELUXE PARKA

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Accommodates snap-on hood HNH2, sold separately.

JNP2 - Men's (Reg) S-3XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-repellent

Lining: 14.2 oz. (480 g/m²) Aramid Insulation with Wind Barrier

Protection: Arc Rating E_{BT} 59 calories/cm²

Colors: Navy (NV), Royal Blue (RBB)*

*Contact customer service for availability.



JLPCNV



DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Front/back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HLH2, sold separately.

JLPC - Men's (Reg) S-4XL. (Long) L-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Colors: Navy (NV), Royal Blue (RB). Stocked in Canada only.



NOTE: CAT4 outerwear is not equivalent to 40 cal switching gear/flash suit and does not offer equivalent protection to workers engaged in switching and/or similar activities.

JLPSOR



DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Front/back 2" silver reflective striping. Accommodates snap-on hood HLH2, sold separately.

JLPS - Men's (Reg) S-4XL. (Long) L-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 14 oz. (475 g/m²) Quilted Cotton / Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR). Stocked in Canada only.

OR

JNPCR



DELUXE PARKA WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped, separating brass zipper fully covered with collar and storm flap construction. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Front/back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HHN2, sold separately.

JNPC - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber) Water-repellent

Lining: 14.2 oz. (480 g/m²) Aramid Insulation with Wind Barrier

Protection: Arc Rating E_{BT} 59 calories/cm²

Color: Royal Blue (RB). Stocked in Canada only.

RB

HHN2NV



HLH2OR



UNIVERSAL FIT SNAP-ON INSULATED HOOD

HHN2 - Men's - One Size.

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Visit bulwark.com for fabric and protection details. Snaps to JNP2, JNPC, JNJ6 and JNJC, sold separately.

Colors: Navy (NV), Royal Blue (RB)

NV

RB



UNIVERSAL FIT SNAP-ON HOOD

HLH2 - Men's - One Size.

Snaps to JLJ6, JLR8, JLP8, JLPC, JLP5 and CLC8, sold separately. Visit bulwark.com for fabric and protection details.

Colors: Grey (GY), Navy (NV), Orange (OR), Royal Blue (RB)

GY

NV

OR

RB

LNL8NV



SLEEVED JACKET LINER

NFPA® 2112 Compliant

This Jacket Liner snaps into our Lined Bomber Jackets for a heavier-weight wear option. Liners and Jackets are sold separately. Snaps into JLB6, JIJ6, JMJ6, JNJ6, and JNJ6.

LNL8 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-101.

Shell: 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fibers


Insulation: 85% Aramid / 6% Rayon / 9% Para-aramid

Protection: Arc Rating E_{BT} 37 calories/cm²

Color: Navy (NV)

NV

LLL8NV



LIGHTWEIGHT SLEEVED JACKET LINER

NFPA® 2112 Compliant

This CAT3 Lightweight Jacket Liner, snaps into JLB6, JIJ6, JMJ6, and JNJ6 jackets (sold separately), for an added layer of warmth and FR protection, only when you need it.

LLL8 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-101.

Shell: 88% Cotton / 12% Nylon

Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 36 calories/cm²

Color: Navy (NV)

NV

LNS8NV



MUST BE WORN OVER AN
NFPA® 2112 COMPLIANT SHIRT



VEST JACKET LINER

NFPA® 2112 Compliant

Must be worn over an NFPA 2112 compliant shirt.

This lightweight Vest Jacket Liner snaps into our Lined Bomber Jackets for a heavier-weight wear option. Liners and Jackets are sold separately. Visit bulwark.com for fabric details.

LNS8 - Men's (Reg) S-3XL. (Long) M-2XL.
Fit Chart MFC-101.

Shell: 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fibers

Insulation: 85% Aramid / 6% Rayon / 9% Para-aramid

Protection: Arc Rating E_{BT} 37 calories/cm²

Color: Navy (NV)

NV

JM6HV



HI-VISIBILITY LINED BOMBER JACKET

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with collar and storm flap construction. Utility loops at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" silver reflective striping. DWR (Durable Water Repellent) finish. Inside zipper guards on all zippers. Accommodates snap-on hood HMH2 and liners LNL8 and LNS8, sold separately.

JM6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid, Water-repellent

Lining: 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 31 calories/cm²

ANSI/ISEA 107 Type R Class 3 Compliant

Color: Yellow / Green (HV)

HV

JLJTNV



LINED BOMBER JACKET WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with collar and storm flap construction. Utility loops at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HLH2 and liner, LLL8, sold separately. DWR (Durable Water Repellent).

JLJT - Men's (Reg) S-5XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-Repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm²

Color: Navy (NV). **Stocked in Canada only.**

NV

JLJPOR



LINED BOMBER JACKET WITH CSA COMPLIANT REFLECTIVE TRIM

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with collar and storm flap construction. Utility loops at shoulder. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Deep-pleated action back. Elasticized waistband. 2" silver reflective striping. Accommodates snap-on hood HLH2 and liner LLL8, sold separately. DWR (Durable Water Repellent).

JLJP - Men's (Reg) S-5XL. (Long) M-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm²

CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR) **Stocked in Canada only.**

OR

JNJCRB

**LINED BOMBER JACKET WITH REFLECTIVE TRIM**

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with collar and storm flap construction. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. 360° visibility with front and back 2" yellow/silver/yellow reflective striping. Accommodates snap-on hood HNH2 and liners LNL8, LNS8, sold separately. DWR (Durable Water Repellent).

JNJC - Men's (Reg) S-4XL. (Long) M-4XL. Fit Chart MFC-101.**Fabric:** Flame-resistant**Shell:** 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-repellent**Lining:** 4.5 oz. (110 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)**Protection:** Arc Rating ATPV 20 calories/cm²**Color:** Royal Blue (RB). **Stocked in Canada only.**

RB

JNJ6NV

**LINED BOMBER JACKET**

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with and storm flap construction. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. Accommodates snap-on hood HNH2 and liners LNL8, LLL8, and LNS8, sold separately. DWR (Durable Water Repellent).

JNJ6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.**Fabric:** Flame-resistant**Shell:** 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber), Water-repellent**Lining:** 4.5 oz. (110 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber) Ripstop**Protection:** Arc Rating ATPV 20 calories/cm²**Colors:** Navy (NV), Royal Blue (RB)

NV

RB

JLR8GY

**INSULATED BOMBER JACKET**

NFPA® 2112 Compliant

Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH2, sold separately. DWR (Durable Water Repellent).

JLR8 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.**Fabric:** Flame-resistant**Shell:** 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent**Lining:** 14 oz. (474 g/m²) Quilted Cotton / Modacrylic Insulation**Protection:** Arc Rating ATPV 36 calories/cm²**Colors:** Grey (GY), Navy (NV), Royal Blue (RBB)****Contact customer service for availability.**

GY

NV

RBB

JLJ6NV



LINED BOMBER JACKET

NFPA® 2112 Compliant

Separating, heavy-duty Nomex® taped brass zipper, fully covered with collar and storm flap construction. Two external patch pockets, with concealed snap secured flaps with hand warmers. Inside chest pocket. Left sleeve pocket. Utility loops at shoulder. Deep-pleated action back. Elasticized waistband. Accommodates snap-on hood HLH2 and liners LNL8, LLL8, and LNS8, sold separately. DWR (Durable Water Repellent).

JLJ6 - Men's (Reg) S-6XL. (Long) L-4XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 29 calories/cm²

Color: Navy (NV)

NV

LLS8BD



**NOT INTENDED TO BE
WORN AS A SINGLE LAYER**



BROWN DUCK VEST JACKET LINER

NFPA® 2112 Compliant

Concealed snap-front closure. Rib knit collar. Two large inset slash-welted pockets. One inside chest pocket. Snaps into JLB6 jacket sold separately. DWR (Durable Water Repellent).

LLS8 - Men's (Reg) S-3XL. (Long) L-2XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining & Insulation: 14 oz. (475 g/m²) 50% FR Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD



HLH4BD



BROWN DUCK UNIVERSAL FIT SNAP-ON HOOD

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Snaps to JLB6 and JLC6, sold separately. DWR (Durable Water Repellent).

HLH4 - Men's One size.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining & Insulation: 14 oz. (475 g/m²) 50% Cotton / 50% Modacrylic Insulation

Protection: Arc Rating ATPV 47 calories/cm²

Color: Brown Duck (BD)

BD

VLS2BD



NOT INTENDED TO BE
WORN AS A SINGLE LAYER



SHERPA LINED BROWN DUCK VEST

NFPA® 2112 Compliant

This full-zip CAT3 vest is lined with soft Sherpa fabric with a Nomex® taped brass zipper and storm flap and is NFPA® 2112 compliant. It offers excellent FR protection, with great comfort. DWR (Durable Water Repellent).

VLS2 - Men's (Reg) S-2XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water Repellent

Insulation: Flame-resistant, 13 oz. (440 g/m²) Sherpa Blend

Protection: Arc Rating E_{BT} 33 calories/cm²

Color: Brown Duck (BD)

BD

JLB6BD



BROWN DUCK LINED BOMBER JACKET

NFPA® 2112 Compliant

Flame-resistant, lay-flat collar. Utility loops at shoulder and left sleeve pocket. Accommodates snap-on hood HLH4 and liners LLS8, LNL8 and LNS8 sold separately. DWR (Durable Water Repellent).

JLB6 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 7 oz. (235 g/m²) 100% Cotton Sanded

Protection: Arc Rating ATPV 35 calories/cm²

Color: Brown Duck (BD)

BD

JLC6BD



BROWN DUCK LINEMAN'S COAT

NFPA® 2112 Compliant

Concealed, snap-front, storm flap closure. Lanyard access opening on center back, accommodates safety harness. Accommodates snap-on hood HLH4 and vest jacket liner LLS8, sold separately. DWR (Durable Water Repellent).

JLC6 - Men's (Reg) S-3XL. (Long) L-2XL. Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent

Lining: 6.5 oz. (220 g/m²) 70% Nomex® / 30% FR Lenzing®

Protection: Arc Rating ATPV 41 calories/cm²

Color: Brown Duck (BD)

BD

JLH6BD



INSULATED BROWN DUCK HOODED JACKET

NFPA® 2112 Compliant

All main seams have triple-needle topstitching. Rib knit sleeve cuffs and waistband. Concealed hook-and-loop front storm flap closure. Two large side pockets. Two inside chest pockets.

JLH6 - Men's (Reg) S-4XL. (Long) L-3XL.
Fit Chart MFC-101.

Fabric: Flame-resistant

Shell: 13 oz. (440 g/m²) Duck, 100% Cotton

Lining: 5.5 oz. (185 g/m²) Quilted Modacrylic Blend Insulation

Protection: Arc Rating ATPV 48 calories/cm²

Color: Brown Duck (BD)

BD

JLJLH4BD

**BROWN DUCK HOODED JACKET**

NFPA® 2112 Compliant

Permanently attached hood with adjustable drawcord. Lanyard access opening on center back, accommodates safety harness. Two front pouch-style pockets with reinforced bartacks. DWR (Durable Water Repellent).

JLH4 - Men's (Reg) S-4XL. (Long) L-2XL. Fit Chart MFC-101.**Fabric:** Flame-resistant**Shell:** 11 oz. (375 g/m²) Duck, 88% Cotton / 12% Nylon, Water-repellent**Lining:** 7 oz. (235 g/m²) 100% Cotton Sanded**Protection:** Arc Rating ATPV 35 calories/cm²**Color:** Brown Duck (BD)

BD



SEZ2BK



FULL ZIP FLEECE JACKET

NFPA® 2112 Compliant

Left napoleon chest pocket with zipper closure. Right open chest pocket with reinforced ripstop fabric. Two large hand warmer pockets with zipper closure. Full zip. Rib cuffs.

SEZ2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²)
95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Colors: Black (BK), Navy (NV)

BK NV

SEZ6OR



FULL ZIP CSA JACKET WITH DETACHABLE HOOD

NFPA® 2112 Compliant

Left napoleon chest pocket with zipper closure. Two large hand warmer pockets with zipper closure. Full zip with detachable hood and drawstrings. Rib Cuffs. 360° visibility with front and 'X' back 2" silver reflective segmented heat seal striping.

SEZ6 - Men's (Reg) S-3XL. (Long) M-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²
CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR)
Stocked in Canada only.

OR

SEH4NV


**NEW &
IMPROVED**

**ZIP-FRONT HOODED
SWEATSHIRT COTTON / SPANDEX BLEND**

NFPA® 2112 Compliant

Hood with drawstring closure. Zipper front. Rib knit cuffs and waistband. Two patch pockets.

SEH4 - Men's (Reg) S-5XL. (Long) M-5XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²
Colors: Charcoal (CH), Navy (NV)

CH NV

SEH8NV


**PULLOVER HOODED FLEECE SWEATSHIRT
WITH 1/4 ZIP - COTTON / SPANDEX BLEND**

NFPA® 2112 Compliant

Two-ply hood with drawstring closure and 1/4 zip-front. Rib knit cuff and waistband. Side seam pockets. Raglan sleeve.

SEH8 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Protection: Arc Rating E_{BT} 17 calories/cm²
Color: Navy (NV)

NV

SEC2NV


**PULLOVER CREWNECK
SWEATSHIRT COTTON / SPANDEX BLEND**

NFPA® 2112 Compliant

Rib knit cuff, neck and waistband. Plain front.

SEC2 - Men's (Reg) S-5XL. (Long) L-XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Protection: Arc Rating E_{BT} 17 calories/cm²
Color: Navy (NV)

NV

SMZ8NV

**FULL ZIP HOODED FLEECE**

NFPA® 2112 Compliant

This warm stylish fleece may become your new favorite hoodie—it's casual, comfortable and up to the job, with CAT2 AR/FR protection. A durable water repellent (DWR) finish to keep you dry.

SMZ8 - Men's (Reg) S-5XL. (Long) M-5XL.

Fit Chart MFC-03.

Fabric: Flame-resistant, 13 oz. (368 g/m²) 56% Modacrylic / 34% Lyocell / 10% Aramid. DWR Finish.

Protection: Arc Rating E_{BT} 9.9 calories/cm²

Color: Navy (NV)

NV

SEB4NV

**NEW!****PULLOVER HOODED FLEECE SWEATSHIRT**

NFPA® 2112 Compliant

Cold days on the job call for heavy-duty FR protection that keeps you as warm as it does safe. This CAT2 AR/FR pullover hooded sweatshirt is made of warm, stylish fleece that can be worn on or off the job.

SEB4 - Men's (Reg) S-5XL. (Long) M-5XL.

Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Color: Navy (NV)

NV

SEZ4NV

**THERMAL LINED ZIP-FRONT HOODED SWEATSHIRT COTTON / SPANDEX BLEND**

NFPA® 2112 Compliant

Hood with drawstring closure. Full zipper front. Garment is fully lined except for pockets. Hand warmer pockets (not lined). Rib knit cuffs and waistband.

SEZ4 - Men's (Reg) S-5XL. (Long) M-5XL.

Fit Chart MFC-03.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex Brushed Fleece

Lining: 7.6 oz. (260 g/m²) 100% Cotton Waffle Texture Knit

Protection: Arc Rating ATPV 54 calories/cm²

Color: Navy (NV)

NV

STZ2BK



NEW!

**FLEX KNIT 1/4 ZIP**

NFPA® 2112 Compliant

Comfort meets style with stretch fabric that flexes with your body with contrasting sleeves. 1/4 zip closure adds an athletic inspired look for easy on and off.

STZ2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-100.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²)
93% Cotton / 7% Spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Black (BK), Navy (NV)

BK

NV

SMM6NV

**FR FLEECE FULL ZIP HOODIE**

NFPA® 2112 Compliant

Forget choosing between warmth and comfort, this full zip hoodie has it all. With the HoodShield™ integrated face covering and durable water repellent finish, you'll stay dry and protected from the coldest temps. Full zip closure allows for easy on and off.

SMM6 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.3 oz. (415 g/m²)
48% Modacrylic / 38% Lyocell / 10% Para-aramid /
4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)

NV

SMZ2NV

**FR FLEECE 1/4 ZIP PULLOVER**

NFPA® 2112 Compliant

Designed for durability and built for comfort, this FR fleece 1/4 zip delivers warmth, flexibility, and a professional look that works as hard as you do. The cadet collar and quarter-zip closure make layering easy, while reinforced elbows add durability where it counts. A large handwarmer pocket keeps your hands protected from the cold, with a hidden zippered pocket for secure storage. Tough yet comfortable, this fleece is the perfect balance of function and style for any job site.

SMZ2 - Men's (Reg) S-3XL. (Long) M-3XL.
Fit Chart MFC-03.

Fabric: Flame-resistant, 12.3 oz. (415 g/m²) 48% Modacrylic /
38% Lyocell / 10% Para-aramid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²


Color: Navy (NV)

NV

SMM4NV



HOODSHIELD™
Integrated face covering



DWR FINISH
Durable Water Repellent
Finish repels the elements



HIDDEN POCKET
Hidden Internal Pocket
with zipper closure



MEN'S FR FLEECE HOODIE

NFPA® 2112 Compliant

A hoodie that helps you storm through the workday shielded from the elements – with everything in working order. Featuring HoodShield™ integrated face covering to shield your face from the wind and cold. A durable water repellent finish to keep you dry. Reinforced forearms that add durability where you need it most. And an oversized hand warmer pocket that includes an extra hidden internal pocket with zipper closure for secure storage.

SMM4 - Men's (Reg) S-3XL. (Long) M-3XL. Fit Chart MFC-03.

Fabric: Flame-resistant, 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-armid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)

NV



BACK

SMB4HG



HI-VISIBILITY COLOR BLOCK PULLOVER FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

Cold days on the job call for heavy-duty FR protection that keeps you as warm as it does safe. This hooded color-blocked pullover sweatshirt is the ultimate combination of FR protection, hi-vis compliance and comfort. Made of warm, stylish fleece, lined with knit waffle. Durable Water Repellent* (DWR) Finish on Hi-Vis Yellow. *Grey fabric does not contain DWR finish.

SMB4 - Men's (Reg) M-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: (Hi-Vis Yellow) 12.3 oz (415 g/m²)
48% Modacrylic / 38% Lyocell / 10% Para
Aramid / 4% Spandex. DWR finish.

(Grey) 12.5 oz (425 g/m²) 95% Cotton /
5% Spandex brushed fleece. No DWR finish.

Lining: Waffle, 100% FR Cotton 7.6 oz (255 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HG)

HG

SMH4HV



HI-VISIBILITY PULLOVER HOODED FLEECE SWEATSHIRT

NFPA® 2112 Compliant

When hi-vis and fleece come together, the result is fewer layers and more comfort. Think of this as your favorite FR hooded sweatshirt combined with your hi-vis vest. CAT3 protection meets ANSI 107 Type R Class 3 compliance with 2" reflective striping for 360° visibility. Durable Water Repellent (DWR) Finish.

SMH4 - Men's (Reg) M-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Protection: Arc Rating ATPV 27 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV

SMZ4HV



HI-VISIBILITY ZIP-FRONT HOODED FLEECE SWEATSHIRT WITH WAFFLE LINING

NFPA® 2112 Compliant

This fleece hoodie is the ultimate combination of FR protection, hi-vis compliance and comfort, for extra cold days on the job. With CAT4 protection and ANSI 107 Type R Class 3 compliance, plus waffle knit lining for an extra layer of warmth. Durable Water Repellent (DWR) Finish.

SMZ4 - Men's (Reg) S-5XL. (Long) L-2XL.
Fit Chart MFC-03.

Fabric: Flame-resistant

Shell: 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para Aramid / 4% Spandex

Lining: Waffle, 100% FR Cotton 7.6 oz (215 g/m²)

Protection: Arc Rating ATPV 45 calories/cm²
ANSI 107 Type R Class 3 Compliant

Color: Yellow/Green (HV)

HV



JXN4YE



HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood.

JXN4 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{BT} 28 calories/cm² ANSI 107 Type R, Class 3

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



BXN4YE

MUST BE WORN OVER
NFPA® 2112 COMPLIANT
SHIRT OR UNDER JACKET



HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN4 - Men's (Reg) S-6XL. Fit Chart MFC-51.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 10 oz. (340 g/m²) Polyurethane on a Knit Flame-Resistant Treated Cotton, Water-repellent

Protection: Arc Rating ATPV 24 calories/cm², E_{BT} 28 calories/cm² ANSI/ISEA 107 Class E
(Type R Class 3 when worn with JXN4YE)

Meets ASTM F1891 Standard Specification for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



JXN6YE



HI-VISIBILITY FLAME-RESISTANT RAIN JACKET

Non-conductive durable hardware. Silver reflective striping. Two patch pockets with flaps. Vented back with "D" ring access. Take-up tabs on cuff. 360° visibility with front and back 2" reflective striping. Tuck away roll-up hood. 360° visibility with front and back 1½" reflective striping. Tuck away roll-up hood.

JXN6 - Men's (Reg) S-6XL. Fit Chart MFC-53.

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit, Water-repellent

Protection: Arc Rating ATPV 8.5 calories/cm², E_{BT} 36 calories/cm²
ANSI/ISEA 107 Type R Class 2 Compliant
(Type R Class 3 when worn with BXN6)

Meets ASTM F1891 Standard Specification
for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant
Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE



BXN6YE

MUST BE WORN OVER
NFPA® 2112 COMPLIANT
SHIRT OR UNDER JACKET



HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALLS

Non-conductive durable hardware. 2" reflective striping. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles.

BXN6 - Men's (Reg) S-6XL. Fit Chart MFC-42.
(Must be worn over NFPA® 2112 compliant shirt or under jacket)

Fabric: 13 oz. (440 g/m²) PVC / Modacrylic Knit

Protection: Arc Rating ATPV 8.5 calories/cm², E_{BT} 36 calories/cm²
ANSI/ISEA 107 Class E Compliant
(Type R Class 3 when worn with JXN6YE)

Meets ASTM F1891 Standard Specification
for Arc- and Flame-Resistant Rainwear

Meets ASTM F2733 Standard Specification for Flame-Resistant
Rainwear for Protection Against Flame Hazards

Color: Yellow/Green (YE)

YE

KEW2VG



WORK COAT

NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves, concealed gripper take up. No exposed metal.

KEW2 - Men's (Reg) S-4XL. (Long) L-2XL.
Fit Chart MFC-134.


Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11 calories/cm²

Color: Visual Green (VG)

VG

KEM2VG



MEN'S MOLTEN METAL WORK COAT

NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves. Concealed gripper take up. No exposed metal.

KEM2 - Men's (Reg) S-4XL. (Long) L-XXL.
Fit Chart MFC-134.

Fabric: Flame-resistant, 13 oz. (440 g/m²) 100% Cotton Whipcord

Protection: Arc rating ATPV 12 calories/cm²

Color: Visual Green (VG)

VG

KEM4VG



MEN'S MOLTEN METAL ENHANCED VISIBILITY COAT

NFPA® 2112 Compliant

Concealed gripper-front closure. Hemmed gored sleeves. Concealed gripper take up. No exposed metal. 360° visibility with front and back. 2" yellow/silver/yellow reflective striping.

KEM4 - Men's (Reg) S-4XL. (Long) L-XXL.
Fit Chart MFC-134.

Fabric: Flame-resistant, 13 oz. (440 g/m²) 100% Cotton Whipcord

Protection: Arc rating ATPV 12 calories/cm²

Color: Visual Green (VG)

VG



KLL6NV



MEN'S CONCEALED SNAP FRONT LAB COAT

NFPA® 2112 Compliant

Concealed snap-front closure. Lapel collar. Hemmed sleeve ends with concealed adjustable snaps. Side vent openings. Two chest pockets and two front hip pockets.

KLL6 - Men's (Reg) XS-4XL.
Fit Chart MFC-131.

Fabric: Flame-resistant, 6 oz.
(205 g/m²) 88% Cotton/ 12% Nylon

Protection: Arc Rating ATPV 9.1
calories/cm²

Color: Navy (NV)

NV



KNC2RB



MEN'S FR LAB COAT WITH KNIT CUFFS

NFPA® 2112 Compliant

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Slit-back hem for ease of walking.

KNC2 - Men's (Reg) XS-5XL.
Fit Chart MFC-112.

Fabric: Flame-resistant, 4.5 oz.
(150 g/m²) 93% Nomex® Aramid /
5% Kevlar® / 2% other fiber

Protection: Arc Rating ATPV 4.4
calories/cm²

Color: Royal Blue (RB)

RB



KNC3RB



WOMEN'S FR LAB COAT WITH KNIT CUFFS

NFPA® 2112 Compliant

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Side vents at hem for ease of walking.

KNC3 - Women's (Reg) XS-3XL.
Fit Chart LFC-41.

Fabric: Flame-resistant, 4.5 oz.
(150 g/m²) 93% Nomex® Aramid /
5% Kevlar® / 2% other fiber

Protection: Arc Rating ATPV 4.4
calories/cm²

Color: Royal Blue (RB)

RB

KNL2RDB



KNL3RB



KEL2LB



MEN'S LAB COAT

NFPA® 2112 Compliant

Button-front closure. Lapel collar.
Hemmed sleeve ends.

KNL2 - Men's (Reg) XS-4XL.
Fit Chart MFC-99.

Fabric: Flame-resistant, 6 oz.
(150 g/m²) Nomex® Essential
(93% Nomex® Aramid / 5% Kevlar®
Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2
calories/cm²

Colors: Navy (NV), Red (RDB)*,
Royal Blue (RB)

***Contact customer service
for availability.**

NV RDB RB



WOMEN'S LAB COAT

NFPA® 2112 Compliant

This lab coat is designed especially
for women. Princess seams provide a
feminine fit and it's also NFPA® 2112
compliant. A button front closure provides
for easy donning and doffing and extra
protection. This FR lab coat will keep you
protected in the lab without getting in the
way of your work.

KNL3 - Women's (Reg) XS-2XL.
Fit Chart LFC-55.

Fabric: Flame-resistant, 4.5 oz.
(205 g/m²) Nomex® Essential (93%
Nomex® Aramid / 5% Kevlar® Aramid /
2% Other Fiber)

Protection: Arc Rating ATPV 4.4
calories/cm²

Color: Royal Blue (RB)

RB



LAB COAT

NFPA® 2112 Compliant

Lapel collar. Hemmed sleeve
ends. One chest pocket.

KEL2 - Men's (Reg) XS-4XL.
Fit Chart MFC-139.

Fabric: Flame-resistant, 7 oz.
(235 g/m²) 100% Cotton

Protection: Arc Rating ATPV 7.7
calories/cm²

Color: Light Blue (LB)

LB



KNR6RB



KNR7RB

FLAME RESISTANT (FR)/ CHEMICAL-SPLASH PROTECTION (CP)

These FR/CP garments bring together the latest innovations in chemical protection safety to protect wearers against multiple hazards. Flame resistant fabric prevents clothing ignition during short-duration thermal incidents and emergency exposure to flame. FR/CP garments also repel small amounts of liquid chemicals that are either dropped or splashed on the fabric, resisting penetration and wicking of an inadvertent, secondary liquid chemical-splash. They are also lightweight, breathable and comfortable to wear. Not only are they lightweight and easy to wear, but they also have a finish that does not contain any intentionally added PFAS.



MEN'S & WOMEN'S FLAME RESISTANT (FR) / CHEMICAL-SPLASH PROTECTION (CP) LAB COATS

NFPA® 2112 Compliant

Concealed snap-front closure. Black lay flat collar for easy recognition as a CP lab coat. FR-only knit cuffs – safer than typical open cuff. Splash-resistant pass-throughs for easy inner pocket access. Pockets include one two-needle top-stitched chest pocket with pencil stall and two two-needle top-stitched lower pockets with flaps. KNR7 features tailored fit specifically for women.

KNR6 - Men's (Reg) XS-5XL. Fit Chart MFC-179.

KNR7 - Women's (Reg) XS-2XL. Fit Chart LFC-80

Fabric: Flame-resistant, 4.5 oz. (150 g/m²)
93% Meta-Aramid / 5% Para-Aramid / 2% Antistat

Protection: Short-duration thermal hazards and inadvertent liquid chemical splashes. Arc Rating ATPV 5.2 calories/cm².

Color: Royal Blue (RB)

RB



WOMEN'S



FR workwear built for women? Believe it. Introducing Bulwark's full line of FR clothing designed to fit the unique shape of a woman's body, with seaming and gusseting that contours to your shape. Because putting yourself in harm's way shouldn't require putting yourself in men's clothing.

SINCE '71

QS51NV



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS51 - Women's (Reg) XS-3XL. Fit Chart LFC-51.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)



QS53KH



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

The iQ Series® Women's Lightweight Comfort Woven shirt is uniquely designed to fit a woman's body. Lightweight and breathable, this shirt is 5.5 oz. and made exclusively with TenCate Evolv™ fabric. It features a Napoleon pocket on the left chest for secure storage. Full underarm gussets allowing the garment to move with you without riding up, restricting your movement or coming untucked.

QS53 - Women's (Reg) XS-3XL. Fit Chart LFC-103.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 41% Modacrylic / 35% Cellulosic / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²

Color: Khaki (KH)

KH

QS23NV



QS25RB



QS27RD



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Lightweight Comfort Woven Shirts are 4.5 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing it to move with you without riding up, restricting your movement or coming untucked. The women's shirt features a Napoleon chest pocket for secure storage and is uniquely designed to fit a woman's body. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 label.

QS23 - Women's (Reg) S-3XL. Fit Chart LFC-51.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 6.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



iQ SERIES® WOMEN'S MIDWEIGHT COMFORT WOVEN SHIRT

NFPA® 2112 Compliant

Lightweight and breathable, the iQ Series® Women's Midweight Comfort Woven Shirt is 6 oz. and made exclusively with Nomex® Comfort fabrics by DuPont®. The shirt is uniquely designed to fit a woman's body. The fabric keeps you cool and comfortable and comes with a side seam gusset, allowing the garment to move with you without riding up, restricting your movement or coming untucked. Napoleon chest pocket provides secure storage. Protection level is easily visible on the sleeve with exterior CAT1 and 2112 labels.

QS25 - Women's (Reg) XS-3XL.
Fit Chart LFC-103.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Royal Blue (RB)



iQ SERIES® WOMEN'S MIDWEIGHT COMFORT WOVEN SNAP-FRONT SHIRT

NFPA® 2112 Compliant

Banded collar, snap front, vertical zipper pocket on left chest provides secure storage, multi-use utility loops in shoulder seams, full underarm gussets keep your shirt from coming untucked. Feminine fit.

QS27 - Women's (Reg) XS-3XL.
Fit Chart LFC-103.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®.
Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Color: Red (RD)



QS41KH



iQ SERIES® WOMEN'S ENDURANCE WORK SHIRT

NFPA® 2112 Compliant

An FR shirt with a feminine look and feel? You better believe it. The iQ Series® Women's Endurance Work Shirt is made for a woman's body with princess seams at the front for a more feminine fit, but you'll still get all the protection of Bulwark® FR gear and the comfort of our iQ Series®, made exclusively with Westex G2™ fabrics by Milliken®. Full underarm gussets allow you to move freely, while pockets give you easy access to storage. And because it's part of the iQ Series Endurance line, this shirt can take as many washes as you can give it without losing its FR protection.

QS41 - Women's (Reg) XS-3XL.
Fit Chart LFC-51.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) Ripstop Twill, 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 9.0 calories/cm²

Colors: Grey (GY), Khaki (KH), Navy (NV)



SLU3RBB



WOMEN'S DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, topstitched collar. Cuffs with button closure. Button-front placket.

SLU3 - Women's (Reg) S-2XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Light Blue (LB), Navy (NV), Orange (ORB)*, Royal Blue (RBB)*, Silver Grey (SYB)*

***Contact customer service for availability.**



SND3TNB



WOMEN'S DRESS UNIFORM SHIRT

NFPA® 2112 Compliant

Banded, topstitched collar. Cuffs with button closure. Button-front placket. Full underarm gussets.

SND3 - Women's (Reg) S-3XL.
Fit Chart LFC-103.

Fabric: Flame-Resistant, 4.5 oz (150 g/m²) 93% Nomex, 5% Kevlar Aramid, 2% Other Fiber

Protection: Arc rating ATPV 4.4 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RBB)*, Tan (TNB)*

***Contact customer service for availability.**



SEG5KHB

**WOMEN'S DRESS SHIRT**

Banded, topstitched collar. Cuffs with button closure. Button-front placket.

SEG5 - Women's (Reg) S-3XL.
Fit Chart LFC-91.

Fabric: Flame-resistant, 5.25 oz. (180 g/m²) 100% Cotton

Protection: Arc Rating ATPV 5.5 calories/cm²

Color: Khaki (KHB)*

*Contact customer service for availability.

KHB

SNS3NVB

**WOMEN'S SNAP FRONT UNIFORM SHIRT**

NFPA® 2112 Compliant

Banded, topstitched collar. Placket front with snap closure gives a classic uniform shirt look with easy donning and doffing. Multi-functional utility loop inserted into shoulder seam.

SNS3 - Women's (Reg) S-3XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²), Nomex® Essential 93% Nomex Aramid / 5% Kevlar Aramid / 2% other Fiber

Protection: Arc rating ATPV 4.4 calories/cm²

Colors: Navy (NVB)*, Royal Blue (RBB)*, Tan (TNB)*

*Contact customer service for availability.

NVB RBB TNB

SLS3NV

**WOMEN'S CONCEALED-GRIPPER
POCKETLESS WORK SHIRT**

NFPA® 2112 Compliant

Streamlined. Pocketless. FR. This is your go-to work shirt, with CAT2 FR protection and NFPA® 2112 compliance.

SLS3 - Women's (Reg) S-2XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Light Blue (LBB), Navy (NV)

LBB NV

S1W3HV



WOMEN'S HI-VISIBILITY WORK SHIRT

This hi-vis work shirt combines CAT 2 FR/AR protection with ANSI/ISEA 107 Type R Class 3 compliancy and a professional workwear look. Two chest pockets with button flap closure provide secure storage so you can keep your essentials close. 2" silver reflective striping offers 360° visibility to keep you seen and safe.

S1W3 - Women's (Reg) S-3XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 5.7 oz. (195 g/m²) 51% Lyocell / 39% Modacrylic / 10% Aramid

Protection: Arc Rating ATPV 9 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Hi-Vis Yellow (HV)

HV

SMW3HVB



WOMEN'S HI-VISIBILITY WORK SHIRT

This hi-vis work shirt combines CAT2 FR protection ANSI 107 Type R Class 2 compliancy and a professional workwear look. 2" reflective striping offers 360° visibility to keep you seen and safe.

SMW3 - Women's (Reg) S-3XL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HVB)*

***Contact customer service for availability.**

HVB

SMS5LB



WOMEN'S CONCEALED-GRIPPER POCKETLESS WORK SHIRT

NFPA® 2112 Compliant

When your work shirt is enhanced vis, the result is fewer layers and greater comfort. Think of this as your favorite FR work shirt combined with your hi-vis vest. Features underarm gussets for increased mobility, back darts for a feminine fit, CAT2 FR protection and NFPA® 2112 compliant, with reflective striping for 360° visibility to keep you seen and safe.

SMS5 - Women's (Reg) S-2XL. Fit Chart LFC-103.

Light Blue:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²) 47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11 calories/cm²

Colors: Light Blue (LB), Navy (NV)

LB

NV

BANDED COLLAR

keeps you looking
sharp and
professional all day

TWO CHEST POCKETS


with flaps and button
closure for convenient,
secure storage

LIGHTWEIGHT STRETCH FABRIC

flexes with your body
for added comfort and
range of movement

FULL UNDERARM GUSSET

keeps your shirt
tucked in



STG5NV



WOMEN'S FLEX KNIT BUTTON DOWN WORK SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of an office work shirt and the comfort of your favorite T-shirt. Lightweight stretch fabric and side seam gussets flex with your body for added comfort and range of movement. Two chest pockets with button flaps allows for convenient storage. Easy-to-spot CAT2/2112 label on the left sleeve leave no question that you're protected on the job site.

STG5 - Women's (Reg) S-2XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 6.75 oz (230 g/m²) 93% Cotton / 7% spandex

Protection: Arc rating ATPV 8.3 calories/cm²

Colors: Charcoal (CH), Khaki (KH), Navy (NV)





STG3CH



WOMEN'S FLEX KNIT BUTTON DOWN SHIRT

NFPA® 2112 Compliant

The best of two hard-working worlds, this lightweight FR Flex Knit combines the crisp, professional look of a classic button-down with a feminine look and feel and the comfort of your favorite T-shirt. Lightweight stretch fabric flexes with your body for added comfort and range of movement.

STG3 - Women's (Reg) S-2XL.
Fit Chart LFC-103.

Fabric: Flame-resistant, 6.75 oz (230 g/m²)
93% Cotton / 7% spandex

Protection: Arc rating ATPV 8.3 calories/cm²

Color: Charcoal (CH)



STZ3NV



COMING
SOON!



WOMEN'S FLEX KNIT 1/4 ZIP PULLOVER

NFPA® 2112 Compliant

A hard-working 1/4 zip with a casual, contemporary look. The lightweight fabric flexes for added comfort and range of movement, curved flatlock seams for optimal fit, and unique front pocket design with pencil stall. CAT2/2112 left sleeve label leaves no question you're protected on the job site.

STZ3 - Women's (Reg) XS-2XL. (Long) L-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Color: Navy (NV)

NV

STT5OR



NEW!



WOMEN'S CSA FLEX KNIT TEE

NFPA® 2112 Compliant

Lightweight stretch fabric that flexes with your body for added comfort and range of movement. Dropped back hem presents a flattering silhouette. 360° visibility with front and back segmented heat seal reflective striping.

STT5 - Women's (Reg) XS-4XL. (Long) L-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR). Stocked in Canada only.

OR

STT3NV



WOMEN'S FLEX KNIT TEE

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Front pocket with pencil stall and lightweight stretch fabric that flexes with your body for added comfort and range of movement. Dropped back hem presents a flattering silhouette.

STT3 - Women's (Reg) XS-4XL. (Long) L-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Black (BK), Charcoal (CH), Khaki (KH), Light Blue (LB), Navy (NV), Red (RD)

BK

CH

KH

LB

NV

RD

STL3NV



WOMEN'S FLEX KNIT HENLEY

NFPA® 2112 Compliant

A hard-working Henley with a casual, contemporary look. The lightweight fabric flexes for added comfort and range of movement, curved flatlock seams for optimal fit, and unique front pocket design with pencil stall. CAT2/2112 left sleeve label leaves no question you're protected on the job site.

STL3 - Women's (Reg) S-4XL. (Long) L-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Colors: Khaki (KH), Navy (NV)



STP3NV



WOMEN'S FLEX KNIT POLO

NFPA® 2112 Compliant

Side seams curve around torso for optimal fit. Lightweight stretch fabric that flexes with your body for added comfort and range of movement. Professional polo collar and sleeve pocket. Drop back hem presents a flattering silhouette.

STP3 - Women's (Reg) XS-2XL. (Long) L-XXL.
Fit Chart LFC-02.

Fabric: Flame-resistant, 6.75 oz. (230 g/m²) 93% cotton / 7% spandex

Protection: Arc Rating ATPV 8.3 calories/cm²

Color: Navy (NV)



SEL3KHB



LONG SLEEVE HENLEY

NFPA® 2112 Compliant

Three-button placket. Knit henley collar. Rib knit cuffs.

SEL3 - Women's (Reg) S-XXL.
Fit Chart LFC-02.


Fabric: Flame-resistant, 7 oz. (235 g/m²) Jersey, 100% Cotton

Protection: Arc Rating ATPV 8.9 calories/cm²

Colors: Khaki (KHB)*, Navy (NV)

***Contact customer service for availability.**





**MID-RISE
ELASTIC WAISTBAND**
is comfortable and
stays in place while
you work

**DISCREET
UTILITY POCKETS**
on both legs
for extra storage

**MULTI-USE
UTILITY LOOP**
under back
left pocket

**BOOT CUT
LEG OPENING**
designed to wear
over work boots

NEW!



WOMEN'S FLEX KNIT WORK PANT

NFPA® 2112 Compliant

The Women's Flex Knit Work Pant was designed by women for women. This pant features a 2 ½" elastic waistband that will not budge during the workday, while the flex knit fabric moves with you. Bootcut leg opening designed to wear over work boots. Pocket options to fit any need and a utility loop for extra tool storage.

PSK1 - Women's (Short) XS-2XL. (Reg) XS-2XL. (Tall) XS-2XL.
Fit Chart LFC-98.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 45% Cotton / 44% Modal /
7% Nylon / 4% Spandex

Protection: Arc Rating E_{BT} 19 calories /cm²

Color: Black (BK)

BK

iQ SERIES® LIGHTWEIGHT COMFORT PANT



QP19NV

**TRIPLE NEEDLE OUT AND
INSEAM FOR EXTRA DURABILITY**

1

**CARGO POCKET WITH SNAP
CLOSURE FOR SECURE STORAGE**

2

JEAN STYLE CUT

3

**UTILITY POCKET ON RIGHT LEG
FOR QUICK ACCESS TO STORAGE**

4

**REINFORCED BACK PATCH
POCKETS AND CARGO POCKET**

5



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

Let our work pant do a little more of the lifting. The Bulwark® iQ Series® Lightweight Comfort Pant is stylishly designed to keep you cool and in command all day long. This modern, straight fit jean style work pant features a one-piece waistband with wide belt loops, scoop front pockets, reinforced cargo pocket with snap closure on the left and patch hip pockets, a utility pocket on the right side plus triple needle out and inseam for extra durability.

QP19 - Women's 0-24 Even.
Fit Chart LFC-69.

Fabric: Exclusively with TenCate Evolv™ 6.5 oz.
50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.4 calories/cm²

Color: Navy (NV)

NV



QP11NV



iQ SERIES® WOMEN'S ENDURANCE WORK PANT

NFPA® 2112 Compliant

Bigger belt loops, triple-needle felled outseams and seat seam keep your act together for all day performance without the fraying. Reinforced pocket bags double down on durability. These pants feature an ultra-convenient concealed button, pocket-in-pocket, and utility loop that serves you well while you do the work. Last but not least, they feature a crotch gusset for greater freedom of movement.

QP11 - Women's (Reg) 0-24 Even.
Fit Chart LFC-74.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 9 oz. (305 g/m²) 65% Cotton / 35% Polyester

Protection: Arc Rating ATPV 10 calories/cm²

Color: Navy (NV)

NV

QP15NV



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

This iQ Series® Lightweight Comfort Pant is stylishly designed for women. With a more feminine cut, they'll keep you cool and in command all day long.

QP15 - Women's 0-24 Even.
Fit Chart LFC-69.

Fabric: Exclusively with Westex G2™ fabrics by Milliken®. Flame-resistant, 6.9 oz. (235 g/m²) 65% Cotton / 35% Polyester Ripstop Twill

Protection: Arc Rating ATPV 9.0 calories/cm²

Color: Navy (NV)

NV

QP17RB



iQ SERIES® WOMEN'S LIGHTWEIGHT COMFORT PANT

NFPA® 2112 Compliant

This straight-fit jean style work pant features a one-piece waistband with wide belt loops and a right front belt extension loop. Scoop front pockets, patch pocket hip pockets, a double utility pocket on the right side plus a cargo pocket with snap closure on left covers your storage needs. Double articulated knees and a full crotch gusset help make bending a breeze.

QP17 - Women's 0-24 Even.
Fit Chart LFC-69.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon
Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)

NV

RD

RB

PNW3RBB



WOMEN'S WORK PANT

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PNW3 - Women's 4-24.
Fit Chart LFC-69.

Fabric: Flame-resistant, 6 oz.
(205 g/m²) Nomex® Essential
(93% Nomex® Aramid / 5% Kevlar®
Aramid / 2% Other Fiber)


Protection: Arc Rating ATPV 5.2
calories/cm²

Colors: Navy (NVB)*, Royal Blue (RBB)*

***Contact customer service
for availability.**



PEW3KHB



WOMEN'S WORK PANT

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PEW3 - Women's
(Navy) 4-24. (Khaki) 2-32.
Fit Chart LFC-69.

Fabric: Flame-resistant, 9 oz.
(305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 11
calories/cm²

Colors: Khaki (KHB)*, Navy (NV)

***Contact customer service
for availability.**



PMU3NV



WOMEN'S CARGO POCKET PANT

NFPA® 2112 Compliant

Waistband with button closure. Two
slack-style front pockets. Left hip pocket
with button closure. Two utility pockets.
Left cargo pocket has two snap closures.

PMU3 - Women's 4-24.
Fit Chart LFC-69.

Khaki:

Fabric: Flame-resistant, 7 oz. (235 g/m²)
48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0
calories/cm²

Navy:

Fabric: Flame-resistant, 7 oz. (235 g/m²)
47% Modacrylic / 37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11
calories/cm²

Colors: Khaki (KH), Navy (NV)





PMW3NV

PLW3BKB



WOMEN'S WORK PANTS

**WOMEN'S WORK PANT**

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PMW3 - Women's 4-24.
Fit Chart LFC-69.

Fabric: Flame-resistant, 7 oz.
(235 g/m²) 47% Modacrylic /
37% Lyocell / 16% Aramid

Protection: Arc Rating ATPV 11
calories/cm²

Color: Navy (NV)

NV

**WOMEN'S WORK PANT**

NFPA® 2112 Compliant

Waistband with button closure.
Two slack-style front pockets.
Left hip pocket with button closure.

PLW3 - Women's 0-24.
Fit Chart LFC-69.

Fabric: Flame-resistant, 9 oz.
(305 g/m²) Twill, 88% Cotton /
12% Nylon

Protection: Arc Rating ATPV 12
calories/cm²

Colors: Black (BKB)*, Navy (NVB)*

***Contact customer service
for availability.**

BKB NVB

PSJCSD



WOMEN'S CURVY FIT JEAN WITH STRETCH

NFPA® 2112 Compliant

Lightweight fabric with stretch that makes this work jean feel like an everyday jean. Light hand sanding and whiskering gives a more fashionable appearance. Felled inseam and seat seam adds durability. Contoured waistband provides a more comfortable fit. Metal button closure (metal is not exposed to the skin). Two patch, spade-shaped hip pockets. Scoop front pockets with watch pocket on right side. Zipper fly closure.

PSJC - Women's 0-24. Fit Chart LFC-88.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²)
98% Cotton / 2% Spandex

Protection: Arc Rating ATPV 21 calories/cm²

Color: Sanded Denim (SD)

SD

PSJMSD

PEJ3DW



WOMEN'S STRAIGHT FIT JEAN WITH STRETCH

NFPA® 2112 Compliant

One-piece waistband with button closure. Five jean-style pockets. Two-needle felled inseam construction. Straight through waist. Bootcut leg opening. Contoured waistband with metal button closure (metal is not exposed to skin). Soft, pre-washed and sanded fabric.

PSJM - Women's 0-24.
Fit Chart LFC-64.

Fabric: Flame-resistant, 12.5 oz (425 g/m²) 98% cotton / 2% spandex

Protection: Arc Rating ATPV 21 calories/cm²

Color: Sanded Denim (SD)

SD



WOMEN'S CLASSIC FIT PRE-WASHED DENIM JEAN

NFPA® 2112 Compliant

One-piece waistband with button closure. Five jean-style pockets. Two-needle felled inseam construction. Soft pre-wash for comfort and look. Updated fit. Classic fit is traditional, sits at the natural waist and has a slimmer leg opening that will fit over boots.

PEJ3 - Women's 4-24.
Fit Chart LFC-75.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-Washed Cotton Denim

Protection: Arc Rating ATPV 21 calories/cm²

Color: Blue Denim (DW)

DW

KNL3RB



WOMEN'S LAB COAT

NFPA® 2112 Compliant

This lab coat is designed especially for women. Princess seams provide a feminine fit and it's also NFPA® 2112 compliant. A button front closure provides for easy donning and doffing and extra protection. This FR lab coat will keep you protected in the lab without getting in the way of your work.

KNL3 - Women's (Reg) XS-2XL.
Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)

RB

KNC3RB



WOMEN'S FR LAB COAT WITH KNIT CUFFS

NFPA® 2112 Compliant

Four exterior pockets for ample storage. Rib knit cuffs to keep you protected even during movement. Concealed and reinforced gripper front for ease of donning and doffing. Side vents at hem for ease of walking.

KNC3 - Women's (Reg) XS-2XL.
Fit Chart LFC-01.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid / 5% Kevlar® / 2% other fiber

Protection: Arc Rating ATPV 4.4 calories/cm²

Color: Royal Blue (RB)

RB

KNR7RB



WOMEN'S FLAME-RESISTANT (FR) / CHEMICAL-SPLASH PROTECTION (CP) LAB COAT

NFPA® 2112 Compliant

Concealed snap-front closure. Black lay flat collar for easy recognition as a CP lab coat. FR-only knit cuffs – safer than typical open cuff. Splash-resistant pass-throughs for easy inner pocket access. Pockets include one two-needle top-stitched chest pocket with pencil stall and two two-needle top-stitched lower pockets with flaps. Tailored fit specifically for women.

KNR7 - Women's (Reg) XS-2XL.
Fit Chart LFC-80.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Meta-Aramid / 5% Para-Aramid / 2% Antistat

Protection: Short-duration thermal hazards and inadvertent liquid chemical splashes. Arc Rating ATPV 5.2 calories/cm².

Color: Royal Blue (RB)

RB



QC3XRB



NEW!



iQ SERIES® WOMEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2½" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC3X - Women's (Reg) S-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™.
Flame-resistant, 5.5 oz. (185 g/m²)
41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96-22 Class 1, Level FR

Color: Royal Blue (RB)
Stocked in Canada only.

RB

QC5XOR



NEW!



iQ SERIES® WOMEN'S MOBILITY COVERALL WITH REFLECTIVE TRIM

NFPA® 2112 Compliant

The 5.5 oz. fabric with CAT2 protection feels light and smooth. It features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort. 360° degree visibility with front and 'X' back 2" flame-resistant yellow/silver/yellow reflective striping. Mic tabs at shoulders. Leg suppression tabs.

QC5X - Women's (Reg) S-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™.
Flame-resistant, 5.5 oz. (185 g/m²)
41% Modacrylic / 35% Lyocell / 24% Aramid

Protection: Arc Rating ATPV 8.5 calories/cm²
CSA Z96-2022 Class 3, Level 2

Color: Orange (OR)
Stocked in Canada only.

OR

WOMEN'S iQ SERIES® COVERALLS



QC21DG



iQ SERIES® WOMEN'S MOBILITY COVERALL

NFPA® 2112 Compliant

The iQ Series® Mobility Coverall was built for comfort. The 5.5 oz. fabric with CAT2 protection feels light and smooth. The mobility design gives plenty of room for movement. This premium coverall features a patented sleeve pleat giving the arm full range of motion. Special design features in the lower torso give the wearer room to squat. The full design comes together to help you move, bend and work in comfort.

QC21 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with TenCate Evolv™. Flame-resistant, 5.5 oz. (185 g/m²) 50% Aramid / 25% Lyocell / 25% Modacrylic

Protection: Arc Rating ATPV 8.5 calories/cm²

Colors: Dark Grey (DG), Navy (NV)



QC23RB



iQ SERIES® WOMEN'S MIDWEIGHT MOBILITY COVERALL

NFPA® 2112 Compliant

Built for comfort, this CAT1, 6 oz. coverall feels light and smooth. A patented sleeve pleat gives the arms full range of motion. Our mobility design gives plenty of room for movement and special design features in the lower torso give the wearer room to squat.

QC23 - Women's (Reg) XS-2XL.
Fit Chart LFC-05.

Fabric: Exclusively with Nomex® Comfort fabrics by DuPont®. Flame-resistant, 6 oz. (200 g/m²) 93% Nomex / 5% Kevlar® / 2% Carbon Country of Origin: Imported

Protection: Arc Rating ATPV 7.6 calories/cm²

Colors: Navy (NV), Red (RD), Royal Blue (RB)



CNB3RD



PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT1 FR/AR protection in a coverall designed to fit women. Includes innovative features for extra comfort and convenience, like eight total pockets to keep your tools and personal effects within reach while you work.

CNB3 - Women's (Reg) XS-2XL.
Fit Chart LFC-36.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 4.4 calories/cm²

Colors: Navy (NV), Orange (ORB)*, Red (RD), Royal Blue (RB), Tan (TNB)*

***Contact customer service for availability.**





CNB5RB



PREMIUM COVERALL

NFPA® 2112 Compliant

This midweight premium coverall provides CAT1 FR/AR protection in a coverall designed to fit women. Includes innovative features for extra comfort and convenience, like eight total pockets to keep your tools and personal effects within reach while you work.

CNB5 - Women's (Reg) XS-2XL.
Fit Chart LFC-36.

Fabric: Flame-resistant, 6 oz. (205 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Protection: Arc Rating ATPV 5.2 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

NV RB



CLB3NV



PREMIUM COVERALL

NFPA® 2112 Compliant

This lightweight premium coverall provides CAT2 FR/AR protection without added bulk. Innovative features provide extra comfort and convenience, with sizing designed to fit women. Eight total pockets keep your tools at hand, while elastic waist inserts and deep-pleated action back provide added mobility and comfort while you work.

CLB3 - Women's (Reg) XS-XL.
Fit Chart LFC-36.

Fabric: Flame-resistant, 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Colors: Khaki (KH), Navy (NV), Royal Blue (RBB)*

***Contact customer service for availability.**

KH NV RBB



CLB7KHB



PREMIUM COVERALL

NFPA® 2112 Compliant

Mandarin-style, stand-up, two-way safety collar. Concealed snap closure on cuff. Deep-pleated action back.

CLB7 - Women's (Short) XS-2XL.
(Reg) XS-3XL. (Long) XS-3XL.
Fit Chart LFC-05.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 12 calories/cm²

Colors: Khaki (KHB)*, Navy (NVB)*, Royal Blue (RBB)*

***Contact customer service for availability.**

KHB NVB RBB



SMM5NV



WOMEN'S FR FLEECE HOODIE

NFPA® 2112 Compliant

A hoodie that keeps you shielded from the elements. Featuring HoodShield™ integrated face covering to shield your face from the cold. A durable water repellent finish to keep you dry. Reinforced forearms add durability where you need it most. Contoured design for a women's fit. Oversized hand warmer pocket that includes an extra hidden internal pocket with zipper closure for secure storage.

SMM5 - Women's (Reg) XS-3XL. Fit Chart LFC-39.

Fabric: Flame-resistant, 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-armid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)

NV



SMM7NV



NEW!



WOMEN'S FR FLEECE FULL ZIP HOODIE

NFPA® 2112 Compliant

Forget choosing between warmth and comfort, this full zip jacket has it all. With the HoodShield™ integrated face covering and durable water repellent finish, you'll stay dry and protected from the coldest temps. Full zip closure allows for easy on and off.

SMM7 - Women's (Reg) XS-3XL.
Fit Chart LFC-39.

Fabric: Flame-resistant, 12.3 oz (415 g/m²) 48% Modacrylic / 38% Lyocell / 10% Para-armid / 4% Spandex with DWR Finish

Protection: Arc Rating ATPV 27 calories/cm²

Color: Navy (NV)

NV

JLP7NV



DELUXE PARKA

NFPA® 2112 Compliant

Two-way, heavy-duty, Nomex® taped separating brass zipper fully covered with insulated storm flap and concealed snap closure. DWR (Durable Water Repellent) finish. Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Women's fit.

JLP7 - Women's (Reg) XS-2XL.
Fit Chart LFC-38.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill, 88% Cotton / 12% Nylon, Water-repellent

Lining: 100% Cotton

Insulation package: 14 oz. (475 g/m²) 100% Modacrylic Insulation

Protection: Arc Rating ATPV 36 calories/cm²

Color: Navy (NV)

NV

SEZ3BK



WOMEN'S FULL ZIP FLEECE

NFPA® 2112 Compliant

True female fit. Enhanced storage with zipper closure pockets. Fishtail hem for coverage.

SEZ3 - Women's (Reg) XS-3XL.
Fit Chart LFC-01.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

Colors: Black (BK), Navy (NV)

BK

NV

SEZ7OR



NEW!



WOMEN'S FULL ZIP CSA JACKET WITH DETACHABLE HOOD

NFPA® 2112 Compliant

Left napoleon chest pocket with zipper closure. Two large hand warmer pockets with zipper closure. Full zip with detachable hood and drawstrings. Rib Cuffs. 360° visibility with front and 'X' back 2" silver reflective segmented heat seal striping.

SEZ7 - Women's (Reg) XS-3XL.
Fit Chart LFC-01.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating E_{BT} 17 calories/cm²

CSA Z96 Class 2 Level 2 Compliant

Color: Orange (OR)

Stocked in Canada Only.

OR



ACCESSORIES



In the world of FR,
the finishing touches
can mean the difference
between “scot-free” and
3rd-degree. Make sure
you’re protected
head-to-toe with
accessories that meet
FR compliance standards.

SINCE ‘71



HNB4NA



KNIT BALACLAVA

Double-layer head. Single-layer, extra long neck skirt.

HNB4 - Men's One size.

Fabric: Flame-resistant, 8.4 oz. (285 g/m²) Nomex® Knit

Protection: (Double-layer) Arc Rating ATPV 15 calories/cm²
(Single-layer) Arc Rating ATPV 6.5 calories/cm²

Color: Natural (NA)



HEB2NV



BALACLAVA WITH FACE MASK

NFPA® 2112 Compliant

HEB2 - Men's One size.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 95% Cotton / 5% Spandex

Protection: Arc Rating ATPV 10 calories/cm²

Colors: Grey (GY), Navy (NV)



HNL2NV



HNM2NV



HARD HAT LINER & FACE MASK (SOLD SEPARATELY)

Hook-and-loop chin strap. Secures in place, button holes for four-point suspension.

HNL2 - Men's One size.

HNM2 - Men's One size. Attaches to HNL2, sold separately.

Fabric: Flame-resistant

Shell: 4.5 oz. (150 g/m²) Nomex® Essential (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber)

Insulation package: 10 oz. (340 g/m²) 90% Aramid / 10% FR Rayon

Lining: 100% Meta-aramid

Protection: Arc Rating E_{BT} 37 calories/cm²

Color: Navy (NV)

NV

HLB6LD



BANDANA & HEAD TIE

Sized to fit under hard hat. Packaged one bandana and one head tie.

HLB6 - Men's - One Size.

Fabric: Flame-resistant, 7 oz. (185 g/m²) 100% Cotton

Protection: Arc Rating ATPV 8.1 calories/cm²

Color: Light Denim (LD)

LD

HMC2BK



KNIT CAP

Double layers. Comfortable. Fit to wear under hard hat.

HMC2 - Men's M-L.

Fabric: Flame-resistant, 10.5 oz. (360 g/m²) Modacrylic Blend

Protection: Arc Rating E_{BT} 28 calories/cm²

Color: Black (BK)

BK

VMV4HV



MUST BE WORN OVER AN
NFPA® 2112 COMPLIANT SHIRT



HI-VISIBILITY SAFETY VEST

NFPA® 2112 Compliant
(Must be worn over NFPA® 2112 compliant shirt)

VMV4 - Men's S/M, L/XL, 2XL/3XL, 4XL/5XL.
Fit Chart MFC-18.

Fabric: Flame-Resistant, 7 oz. (235 g/m²)
48% Modacrylic / 37% Lyocell / 15% Aramid

Protection: Arc Rating ATPV 9.0 calories/cm²
ANSI 107 Type R Class 2 Compliant

Color: Yellow/Green (HV)

HV

VLVTOR



MUST BE WORN OVER AN
NFPA® 2112 COMPLIANT SHIRT



SAFETY VEST WITH REFLECTIVE TRIM

NFPA® 2112 Compliant
(Must be worn over NFPA® 2112 compliant shirt)

5-point breakaway yard vest with hook and loop closures. Three pockets for storage. Mic tabs at shoulders. 360° visibility with front and 'X' back 2" silver reflective striping.

VLVT - Men's S-4XL.
Fit Chart MFC-18.

Fabric: Flame-Resistant, 7 oz. (235 g/m²)
88% Cotton / 12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm²

Color: Orange (OR)
Stocked in Canada only.

OR



CLC4NVB

**SHORT COAT****CLC4NVB** - (Reg) S-3XL.Thigh length. Two-piece raglan sleeve.
Double-layer stand-up collar.

HLC4NVB

**HOOD WITH
PROTECTIVE SHIELD****HLC4NVB** - One size.Includes ANSI/ISEA Z87.1 faceshield.
Shoulder notches for stability.
Fits standard hard hat.

BLC4NVB

**BIB****BLC4NVB** - (Reg) S-5XL.Quick disconnect straps.
Hook-and-loop fly closure.
Covered leg zipper with gusset.

DUF6RBB

**DUFFLE BAG****DUF6RBB** - One size.**Fabric:** 100% Waterproof Nylon**Protection:** N/A***NOT FLAME RESISTANT**

FAC4BNB

**REPLACEABLE
FACE SHIELD****FAC4BNB** - One size.Hook-and-loop tabs placed on
inside of detachable face shield
for easy removal. Replaceable
shield for HLC4NVB.**Protection:** ANSI/ISEA Z87.1



PLAIN COVERALL
CED2NV



**NORDIC
STRIPE**



**D35
STRIPE**



**D50
STRIPE**

HIGH / ENHANCED VISIBILITY RETRO-REFLECTIVE TRIM

Increased worker visibility can be critical when working in high-traffic areas, around equipment operations or within environments where it is crucial to be seen. Adding striping to your uniform can make a life-saving difference. The American National Standard for High-Visibility Safety Apparel is ANSI/ISEA 107. This standard specifies performance requirements including the type, location and minimum area of the retro-reflective trim, as well as the color, physical properties and minimum area of the fabric used in the construction of high-visibility garment. These performance requirements have been developed by industry experts to provide visibility of wearers in a variety of situations. We recommend following these requirements whenever possible, based on your hazard assessment. ANSI-ISEA 107 compliant garments can be found on pages 40-51.

Simply enhancing your uniform by adding retroreflective striping can also be helpful in providing improved visibility of workers. Select from many trim options, colors and placement to meet your specific worker visibility needs. This distinctive striping can be added to most Bulwark® garments. Flame-resistant striping is always used for FR garments. The garments and striping you select should depend on the end use requirements and the method of laundering used on the garments.

Above are examples of how a plain stocked garment can be customized with three of our most popular striping configurations. With a few exceptions, stripes shown above the waist can be applied to a shirt, jacket or coverall. Stripes shown below the waist can be applied to a pant or coverall. The specific details of a garment, like the size of a pocket, the placement of closures, an emblem or an additional pocket, may dictate a slight change in the placement from what is shown in these images. Striping applied post-manufacturing will always go around a pocket or emblem. Pockets cannot be removed for reflective trim application. Stripes on a waistband will be moved up or down if the waistband has elastic sections.

Through our customization program, we have taken the capability of creating customized uniform items and apparel to a new level. Visualize it... create it... and we'll produce it. This unique program allows you to select stock apparel and modify or customize them to create uniforms that cater directly to your customer's needs. This allows many customers to purchase similar items while maintaining individual expression.

SLW2LB



EMBROIDERY & EMBLEMS

Customize your Bulwark® garments by adding a company logo or employee name and department with direct embroidery or emblems.

Thread colors are from A & E Signature threads. They have excellent color retention with a high luster finish, are strong to prevent breakage, and have very good abrasion resistance that will stand up to the rigors of industrial washing. To preserve the flame-resistant qualities of the apparel, minimize the size and number of non-FR emblems applied to a garment.


TOOLS TO GET YOU STARTED: CUSTOMIZATION GUIDE




You can find our online customization catalog at wpg.wwof.com/Information/CustomizeIt. The catalog shows you a quick glance of over 100 embroidery thread color options. There is also a section outlining placement of reflective trim along with the different color options and sizes available.

CONTACT YOUR SALES REP FOR MORE INFO!

MEN'S MEASUREMENTS




WOMEN'S MEASUREMENTS



A - NECK

Measure around the base of your neck where a collared shirt would fit; or measure a collarband of a shirt that fits you well. Lay the collarband flat. Measure from the beginning of the buttonhole to the center of the button.

**B - TRUNK**

Measure from the base of the neck (front) down around the crotch and back up to the bottom of the collar. For coveralls only - see Diagram.

C - CHEST / BUST

Measure at the fullest part of your chest / bust. Hold the tape firmly, but not tightly. Be sure the tape is level and straight across your back. Stand naturally with your arms down by your side.

D - WAIST / MID SECTION

First, remove your belt. Then measure over shirt (not over pants) at the position you normally wear your pants. Hold the tape firmly, but not tightly. Note - For shirts and coveralls, measure the largest portion of the mid-section.

E - HIPS

Stand with your heels together. Measure around the fullest part of the hips. Hold the tape measure straight and level.

F - THIGH

Measure the circumference of the upper leg close to the crotch (approximately 1" below crotch).

G - KNEE

With the leg straight, measure the knee circumference over the knee cap and parallel to the floor.

H - CALF

Measure the circumference of the largest part of the lower leg approximately half way between the knee and ankle and parallel to the floor.

I - ANKLE

Measure the ankle circumference over the ankle bone and parallel to the floor.

J - UPPER ARM / BICEP

Measure the maximum circumference of the upper arm just below the underarm.

K - FOREARM

Measure the maximum circumference of the forearm at approximately 6" above the wrist.

L - CAP / HAT SIZE

Measure the circumference of the head at its widest diameter, approximately 1/8" above the ears.

M - SLEEVE

Bend the elbow as shown (see M). Start at the center back neck and measure across shoulder to the elbow and down to the wrist bone.

N - ACROSS SHOULDER

While standing with arms down, measure across the back from one shoulder joint to the other.

O - WRIST


Measure the wrist circumference over the wrist bone.

P - HEIGHT

Stand straight against a wall without your shoes. Make a mark level with the top of your head. Measure from this point down to the floor.

Q - INSEAM

Standing straight, measure the distance from the crotch to just below the ankle bone. **Or** - using similar style pants that fit you well; lay garment flat and with the front and back creases smooth. Measure the inside seam of one leg from the bottom of the hem to the crotch (see Qb).

**R - OVERARM (BLAZERS)**

With arms at the sides, measure around the broadest part of the shoulders and upper arms, keeping the tape level at all times. If overarm is more than 7" larger than the chest, go up one size.

S - OUTSEAM

Measure along the outside of the leg from the top of the waistband to the bottom of the hem or just below the ankle bone.

Sa - OUTSEAM ON GARMENT

On an existing garment: lay garment flat, measure along the outseam from the top of the band to the bottom hem.

**T - FRONT AND BACK RISES**

Front - this is the distance from the center front at the top of the waistband to the intersection of the crotch seam.

Back - this is the distance from the center back waistband to the intersection of the crotch seams.

