

SIDE WING PLOWS & BOX
FOR OFFROAD APPLICATIONS

TABLE OF CONTENTS

POWER V1

V35 SERIES2

V48 SERIES.....3

POWER SIDEWING.....4

SW35 SERIES.....5

SW48 SERIES6

BOX PUSHER7

BP35 & BP48 SERIES8

MOUNTING SYSTEMS.....9



POWER V

CUTTING-EDGE DESIGN


By combining unsurpassed strength and weight saving construction, our multi-positional, hydraulic-powered plows are second-to-none. The aggressive 30 degree cutting-edge angle cuts hard packed snow with no down pressure and the 48" moldboard rolls snow easily - out plowing the competition.

Our leading-edge hydraulic valve and joystick control are designed with all settings built in for maximum system efficiency including impact relief protection. Completely operational at the mere touch of a button.



V35 SERIES

1. Versatile, reinforced, lightweight, fully boxed A - Frame specifically designed for your equipment.
2. Heavy-duty, lightweight, double-walled moldboard with continuous welds inside and out.
3. Locking pins are hardened and fully greasable.
4. Large hydraulic cylinders have a forged clevis and 1.5" shafts with double plating. All components are fully serviceable for extended service.
5. Moldboard curvature and design eliminate snow/ice build-up while providing exceptional snow casting with less Horse Power and better fuel efficiency!
6. Support ribs provide extra strength and lightweight construction. Lifting lugs allow for safe, easy handling.
7. Fully serviceable trip edge with torsion springs.
8. Wear resistant curb guides are attached to the ends of the plow's cutting edges.
9. The hydraulic independent V-Plow sections are completely operational, moving a full 65 degrees of travel and come with trip-edge spring design, providing for smooth operation and maintenance.




Model	*5V35	6V35	8V35	9V35	10V35	12V35
HP Range	30 - 100 hp		60 - 120 hp		80 - 140 hp	
Plow Width	60"	72"	96"	108"	120"	144"
Overall Height	35"	35"	35"	35"	35"	35"
Approx. Weight (lbs)	840 lbs	880 lbs	1080lbs	1130lbs	1190lbs	1310lbs

AG TRACTORS - LOADERS - SKID STEERS - SIDEWALK EQUIPMENT - SPECIALIZED MACHINERY

* Pictures may include options. Plow widths may not be the overall width of the plow

V48 SERIES

1. Versatile, reinforced, lightweight, fully boxed A - Frame specifically designed for your equipment.
2. Heavy-duty, lightweight, double-walled moldboard with continuous welds inside and out.
3. Heavy duty wear shoes with optional high wear carbide.
4. Locking pins are hardened and fully greasable.
5. Large hydraulic cylinders have a forged clevis and 1.5" shafts with double plating. All components are fully serviceable for extended service.
6. Moldboard curvature and design eliminate snow/ice build-up while providing exceptional snow casting with less Horse Power and better fuel efficiency!
7. Support ribs provide extra strength and lightweight construction. Lifting lugs allow for safe, easy handling.
8. Fully serviceable trip edge with torsion springs.
9. Wear resistant curb guides are attached to the corners of the plow's cutting edges.
10. The hydraulic independent V-Plow sections are completely operational, moving a full 65 degrees of travel and come with trip-edge spring design, providing for smooth operation and maintenance.




Model	10V48	12V48	14V48	16V48
HP Range	100 - 130 hp	120 - 160 hp	130 - 180 hp	150 - 250 hp
Plow Width	123"	147"	171"	195"
Overall Height	48"	48"	48"	48"
Approx. Weight (lbs)	1590lbs	1870lbs	2100lbs	2330lbs

AG TRACTORS - LOADERS - SKID STEERS - SIDEWALK EQUIPMENT - SPECIALIZED MACHINERY

* Pictures may include options. Plow widths may not be the overall width of the plow

POWER SIDEWING

CUTTING-EDGE DESIGN




By combining unsurpassed strength and weight saving construction, our multi-positional, 2-1/2 foot hydraulic-powered 180 degree moving side swing plows are second to none. The aggressive 28 degree cutting-edge angle cuts hard packed snow with no down pressure and the 35" moldboard rolls snow easily - out plowing the competition.

Our leading-edge hydraulic valve and joystick control are designed with all settings built in for maximum system efficiency including impact relief protection. Completely operational at the mere touch of a button.



SW35 SERIES

1. Versatile, reinforced, lightweight, fully boxed A - Frame specifically designed for your equipment.
2. Heavy-duty, lightweight, double-walled moldboard with continuous welds inside and out.
3. Heavy duty wear shoes with optional high wear carbide.
4. Locking pins are hardened and fully greasable.
5. Large hydraulic cylinders have a forged clevis and 1.5" shafts with double plating. All components are fully serviceable for extended service.
6. Moldboard curvature and design eliminate snow/ice build-up while providing exceptional snow casting with less Horse Power and better fuel efficiency!
7. Support ribs provide extra strength and lightweight construction. Lifting lugs allow for safe, easy handling.
8. Fully serviceable trip edge with torsion springs.
9. Independent boxed side wings are operational of the 180 degree positions and come with internal trip edge and spring providing smooth operation and maintenance.
10. State-of-the-art, progressive linkage design incorporating heavy duty components with just one cylinder.




MODEL	8SW35	9SW35	10SW35
HP Range	80 - 120 hp	90 - 140 hp	100 - 140 hp
Main Plow Width	96"	108"	120"
Overall Width - Wings Open	156"	168"	180"
Overall Height	37"	37"	37"
Approx. Weight (lbs)	1770lbs	1800lbs	1830lbs

AG TRACTORS - LOADERS - SKID STEERS - SIDEWALK EQUIPMENT - SPECIALIZED MACHINERY

* Pictures may include options. Plow widths may not be the overall width of the plow

SW48 SERIES

1. Versatile, reinforced, lightweight, fully boxed A - Frame specifically designed for your equipment.
2. Heavy-duty, lightweight, double-walled moldboard with continuous welds inside and out.
3. Heavy duty wear shoes with optional high wear carbide.
4. Locking pins are hardened and fully greasable.
5. Large hydraulic cylinders have a forged clevis and 1.5" shafts with double plating. All components are fully serviceable for extended service.
6. Moldboard curvature and design eliminate snow/ice build-up while providing exceptional snow casting with less Horse Power and better fuel efficiency!
7. Support ribs provide extra strength and lightweight construction. Lifting lugs allow for safe, easy handling.
8. Fully serviceable trip edge with torsion springs.
9. Independent boxed side wings are operational of the 180 degree positions and come with internal trip edge and spring providing smooth operation and maintenance.
10. State-of-the-art, progressive linkage design incorporating heavy duty components with just one cylinder.



Model	10SW48	12SW48	14SW48
HP Range	100 - 160 hp	120 - 180 hp	140 - 220 hp
Main Plow Width	120"	144"	168"
Overall Width - Wings Open	208"	232"	256"
Overall Height	48"	48"	48"
Approx. Weight (lbs)	2400lbs	2600lbs	2800lbs

AG TRACTORS - LOADERS - SKID STEERS - SIDEWALK EQUIPMENT - SPECIALIZED MACHINERY

** Pictures may include options. Plow widths may not be the overall width of the plow*

BOX PUSHER

CUTTING-EDGE DESIGN

By combining unsurpassed strength and weight saving construction, our box pusher plows are second-to-none. The aggressive 27 or 30 degree cutting-edge angle cuts hard packed snow with no down pressure and the 35" or 48" moldboard rolls snow easily - out plowing the competition.

The Machinability BP series can be mounted to almost any machine. With the 48 Series having built-in bucket mounts standard. The Machinability BP series plows can have your choice of rubber cutting edge or sectional steel trip edge.




STEEL OR RUBBER
CUTTING EDGES



BP35 & BP48 SERIES

1. Moldboard curvature and design eliminate snow/ice build-up while providing exceptional snow casting with less Horse Power and better fuel efficiency!
2. Our custom engineered lower channel provides three times the strength of structural steel.
3. The upper 5"x5" formed box section makes your plow "Machinability" strong.
4. Support ribs provide extra strength and lightweight construction. Lifting lugs allow for safe, easy handling.
5. Replaceable bolt-on side plates and side plate braces ensure that your plow will be working for you for years.
6. Adjustable and replaceable shoes for the side plates also keep you plowing for years without having to weld on new edges.
7. Our 48" box plows have optional bolt on Quick Attach systems for all machines. With any of the 37" tall box plows you have the option to bolt on bucket mount forks or bolt on skid steer, Alo, or Quick Attach plate for flexibility to change machines down the road.




Model	12BP48	14BP48	16BP48
HP Range	100 - 140 hp	120 - 160 hp	130 - 200 hp
Plow Width	144"	168"	192"
Overall Height	48"	48"	48"
Approx. Weight (lbs)	2160lbs	2300lbs	2440lbs

Model	8BP35	10BP35	12BP35	14BP35
HP Range	60 - 100 hp	80 - 120 hp	100 - 140 hp	110 - 160 hp
Plow Width	96"	120"	144"	168"
Overall Height	37"	37"	37"	37"
Approx. Weight (lbs)	1200lbs	1350lbs	1450lbs	1550lbs


AG TRACTORS - LOADERS - SKID STEERS - SIDEWALK EQUIPMENT - SPECIALIZED MACHINERY

* Pictures may include options. Plow widths may not be the overall width of the plow

MOUNTING SYSTEMS




Typical Ag Tractor Mount




Typical Class 2 3/4 Point Hitch Mount




Typical Class 1/2 3 Point Hitch Mount



Typical Loader Mount



Typical Solid/Rigid Mount



Typical Floating Alo Mount



1665 Shawson Dr • Mississauga, ON L4W1T7
Phone: (905) 564-5800 | Toll Free: 1(800) 668-6012

Brought to you by:

