

Mutual Aid Box Alarm System – Illinois Communications – TACTICAL FREQUENCY USE GUIDELINE			
Index # C-01-05.02	Adopted: 08/16/2004	Revised:	Page 1 of 3
Subject: Tactical Frequency Use Guideline Functional Area: Communications Category: Guideline			
Approved : MABAS Executive Board			



Purpose:

To provide an operational guideline for member fire departments and their personnel for establishing an effective communications component for the Incident Action Plan at both routine and major emergency incidents.

Responsibility:

This recommended practice is applicable to all MABAS member agencies. This procedure is intended to comply with the operational concepts provided under and in support of the National Incident Management System (NIMS), the Unified Incident Command System (UCS) and Incident Command System (ICS) principles.

Accountability:

Enforcement of this specific policy rests initially with the Co-Chairs of the MABAS Telecommunications, Communications, and Dispatch Centers committee, then the MABAS CEO, followed by the MABAS President, 1st Vice President and 2nd Vice President.

Reporting Requirement:

There is no routine reporting requirement for this guideline.

Background:

The MABAS organization has grown significantly over the past few years in size, geographical service area and responsibility. The complex nature of the various incidents that member fire departments respond to has mandated the use of additional mutual aid dispatch, coordination and tactical operations radio channels to effectively manage these incidents. As a result, the MABAS Communications Committee has developed this recommended practice to assist local Incident Commanders with the task of implementing a communications plan at all emergency incidents and training evolutions.

Guideline:

The MABAS Telecommunications, Communications and Dispatch Committee hereby establishes the following guideline:

1. DEFINITIONS

Dispatch – Local frequency(ies) normally used for daily dispatch (base/mobile) of emergency calls.

IFERN – MABAS mutual aid dispatch and response frequency (base/mobile). (154.265 MHz)

Mutual Aid Box Alarm System – Illinois Communications – TACTICAL FREQUENCY USE GUIDELINE			
Index # C-01-05.02	Adopted: 08/16/2004	Revised:	Page 2 of 3

IFERN2 – Alternate base/mobile mutual aid dispatch frequency (154.3025 MHz). (Reserved for future implementation and/or major incident coordination.)

Fireground – Low power tactical frequencies used for on-scene communications between the Incident Commander and units working the incident.

RED	153.830 MHz	GOLD	153.8375 MHz*
WHITE	154.280 MHz	BLACK	154.2725 MHz*
BLUE	154.295 MHz	GRAY	154.2875 MHz*

* Narrow-band Frequency

IREACH – Illinois Radio Emergency Assistance Channel (155.055 MHz). Used for interdisciplinary coordination.

MERCI – VHF ambulance to hospital frequencies. (155.280, 155.340 & 155.400 MHz)

2. Guideline

- 2.1 The following guideline may be used by a fire service Incident Commander to develop the communications component of an Incident Action Plan. The narrow-band frequencies listed herein (IFERN2, GOLD, BLACK & GRAY Firegrounds) may create operational difficulties due to interference with adjacent wide-band frequencies. Use of these frequencies may be limited until full migration to narrow-band operation is completed.
- 2.2 Please consider that it is extremely difficult for a single individual to effectively monitor more than 1 or 2 radio frequencies during an emergency incident. As the communications plan becomes more complex, the Incident Commander must rely on aides to assist with communications management at the Command Post.
- 2.3 Occasionally, a jurisdiction may respond to multiple simultaneous incidents, or neighboring jurisdictions may experience simultaneous emergencies. Use of a single fireground channel for both incidents may be counterproductive and cause unnecessary harmful interference. Incident Commanders at subsequent incidents should consider adjusting their communications plan and assign a different primary fireground channel to avoid operational difficulties.
- 2.4 The recommended frequency use matrix on the following page can be used as a quick reference sheet for the Incident Commander or other communications personnel within the Command Post.

3 Frequency Guideline

See Appendix 1.

Conclusion:

The foregoing provides a uniform approach for MABAS members to develop the communications component of an Incident Action Plan. This is only an guideline and local conditions must be taken into consideration when implementing this procedure.

Approved by the MABAS Communications Committee on August 16, 2004.

<i>Mutual Aid Box Alarm System – Illinois</i> <i>Communications – TACTICAL FREQUENCY USE GUIDELINE</i>			
Index # C-01-05.02	Adopted: 08/16/2004	Revised:	Page 3 of 3

MABAS TACTICAL FREQUENCY USE GUIDELINE

August 2004

[illegible]