



Carpet Tile




BarCode NX


Barcode



705



706



707






708

Technical Specifications

Pile Construction	Tufted Loop Pile
Yarn	100% Solution Dyed P.P.
Gauge	1/10
Total Height	4-5 mm
Pile Weight	400 gsm
Total Weight	1100 gsm
Primary Backing	Woven Polypropylene
Secondary Backing	Action Back with eco-friendly Additive
Width	4.00 mtr
Length	25 to 30 L.mtr



Solutia®



705

Box Size: 53.80 sq ft




Tile Size: 500 mm x 500 mm



706





Box Size: 53.80 sq ft

Tile Size: 500 mm x 500 mm





Tile Size: 500 mm x 500 mm

Construction	Level Loop
Pile Fibre Composition	100% Solution Dyed Polyolefin
Tufting Gauge	5/51
Pile Weight	600 g/m
Total Weight	3500 g/m
Total Thickness	Approx 7 mm
Tile Size	500 mm x 500 mm
Backing Structure	Non- Woven with Eco Back
Smoke Density	Passes (ASTM E662: GB/T 8627-1999)
Fire Class	Passes (ASTM E648: GB 8624-2006)
Static Propensity	<3.0KV (AATCC-134:GB/T.18044-2000)
Application	
Certificate	
Features	
Recommended Installation	 Quarter Turned  Horizonatal Ashlar  Herringbone  Random


Channel Partners



Mumbai



Maharashtra



Delhi



Karnataka



Kolkata



Kerala



Tamilnadu



Andhra & Telangana



Madhya Pradesh



Gujarat



Chandigarh