





## Carpet Tile



Canberra





**2301**

Box Size: 53.80 sq ft

Tile Size: 500 mm x 500 mm





**2302**

Box Size: 53.80 sq ft

Tile Size: 500 mm x 500 mm









**2303**

Box Size: 53.80 sq ft

Tile Size: 500 mm x 500 mm

# Canberra

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Construction             | Level Loop                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Pile Fibre Composition   | 100% Solution Dyed Polyolefin                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Tufting Guage            | 1/12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Pile Weight              | 600 g/m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Total Weight             | 3600 g/m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Total Thickness          | Approx 8 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Tile Size                | 500 mm x 500 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Backing Structure        | Non- Woven with Eco Back                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Smoke Density            | Passes (ASTM E662: GB/T 8627-1999)                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Fire Class               | Passes (ASTM E648: GB 8624-2006)                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Static Propensity        | <3.0KV (AATCC-134:GB/T.18044-2000)                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Application              |                                                                                                                                                                                                                                                                                                                                                                                                     |
| Certificate              |                                                                                                                                                                                                                                                                                                                                                                                                     |
| Features                 |                                                                                                                                                                                                                                                                                                                                                                                                     |
| Recommended Installation | <div>  <p>Quarter Turned</p> </div> <div>  <p>Horizonatal Ashlar</p> </div> <div>  <p>Herringbone</p> </div> <div>  <p>Random</p> </div> |


## Channel Partners



Mumbai



Maharashtra



Delhi



Karnataka



Kolkata



Kerala



Tamilnadu



Andhra & Telangana



Madhya Pradesh



Gujarat



Chandigarh