




Vinyl Planks




Eco-Lux



1101

Plank Size: 6" x 36" x 1.5mm

Packing Per Box: 36pcs / 54 sq.ft




1102

Plank Size: 6" x 36" x 1.5mm

Packing Per Box: 36pcs / 54 sq.ft

Solutia®




1103

Plank Size: 6" x 36" x 1.5mm

Packing Per Box: 36pcs / 54 sq.ft

Solutia®




1104

Plank Size: 6" x 36" x 1.5mm

Packing Per Box: 36pcs / 54 sq.ft


Solutia®



1105

Plank Size: 6" x 36" x 1.5mm

Packing Per Box: 36pcs / 54 sq.ft



1106

Plank Size: 6" x 36" x 1.5mm

Packing Per Box: 36pcs / 54 sq.ft



1107

Plank Size: 6" x 36" x 1.5mm

Packing Per Box: 36pcs / 54 sq.ft



1108

Plank Size: 6" x 36" x 1.5mm

Packing Per Box: 36pcs / 54 sq.ft



1109

Plank Size: 6" x 36" x 1.5mm

Packing Per Box: 36pcs / 54 sq.ft




1110

Plank Size: 6" x 36" x 1.5mm

Packing Per Box: 36pcs / 54 sq.ft

Technical Specification

CHARACTERISTICS	STANDARDS	RESULT
Dimension	EN 427	6" x 36"
Thickness	EN 428	1.50 mm
Wear Layer	EN 429	0.10 mm
Reaction to Fire	EN 717-1	Class BF1-S1
Formaldehyde mission	EN ISO 11925-2 EN 13501-1 EN ISO9239-1	Class E1
Slip resistance	EN 13893	Class DC
Color Fastness Artificial Light	EN 20105:B02 MethodA	Pass >=Grade 6
Dimensional Stability Curling	EN 434:1994	X Direction:0.10% Y Direction:0.03% 0.13 mm
Fire Resistance	EN 13501	Class BF1-S1
Residual Indentation	EN 433	Pass 0.06 mm
Flexibility	EN 435 MethodA	Pass
Toxic Element Test	EN 71-3	Pass
Thermal resistance	EN 12664	Pass
Package	36 Pcs	54 sf
Floor Assembling Method		

Channel Partners



Mumbai



Maharashtra



Delhi



Karnataka




Kolkata



Kerala



Tamilnadu




Andhra & Telangana



Madhya Pradesh



Gujarat



Chandigarh