

NSVA

Iceland
CARPET TILES




Iceland

IC - 171



Iceland

IC - 172



Iceland

IC - 173



Iceland

IC - 174



Iceland

IC - 175



Iceland

IC - 176





Studio



Greece



Gravity




Criss-Cross

Technical Data

Tile Size	500 mm X 500 mm
Total Thickness	7 mm
Pile Height	5mm
Pile Weight	650 g/m ²
Total Weight	3600 g/m ²
Gauge	1/12
Construction	Multi Level Loop
Yarn	Polypropylene B.C.F. UV Treated
Colour System	100% Solution Dyed
Backing Structure	Non-Woven with Eco Back
Smoke Density	Passes (ASMT E662: GB/T 8627-1999)
Fire Class	Passes (ASMT E648: GB 8624-2006)
Static Propensity	<3.0 KV (AATCC-134:GB/T.18044-2000)



Installation Methods



Carpet tiles allow you to be more creative in design than regular broadloom carpeting. They also significantly reduce installation and replacement waste. Easy to place, easy to replace: carpet tiles provide a durable flooring solution.

- Minimum cutting loss
- Phased installation possible

A good vacuuming program is necessary to retaining the beauty of your carpet tile

NOVA

Artificial Grass | Carpet Tile | Vinyl Planks & Tiles | Wall To Wall Carpet | Wooden Flooring


**Green
industry**