



Vinyl Flooring



MARBOTILE-NX



155583

Plank Size: 24" x 24" x 1.5mm

Packing Per Box: 12 Pcs/48 sqft

Solutia®



155593

Plank Size: 24" x 24" x 1.5mm

Packing Per Box: 12 Pcs/48 sqft



155591

Plank Size: 24" x 24" x 1.5mm

Packing Per Box: 12 Pcs/48 sqft



Solutia®



155567

Plank Size: 24" x 24" x 1.5mm

Packing Per Box: 12 Pcs/48 sqft



Solutia®



155581

Plank Size: 24" x 24" x 1.5mm

Packing Per Box: 12 Pcs/48 sqft

TECHNICAL SPECIFICATION

Item	Norm	Test Result
Total Thickness	ASTM F-386 EN 428	1.5 MM
Dimensions	EN 427	24" x 24"
Wear Layer Thickness	ASTM F-410 EN 429	0.1 MM
Performance	EN 685	23
Surface Treatment	UV Treatment	NO
Resistance To Slip	ASTM C-1028 DIN 51130	R9
Abrasion Resistance	ASTM D-3384 EN 660-2	>10000 Class T
Residual indentation	ASTM F-1914 EN 433	0.02 MM
Dimensional Stability	ASTM F-1303 EN 434	<0.1 %
Thickness	ASTM F-386	+/- 0.005 INCH
Castor Chair	EN-425	Pass
Resistance To Chemicals	ASTM F-925 DIN 51958 EN 423	Index: 0 Not
Color Fastness To Light	ASTM F-1515 ISO 105-B02	6
Impact Sound	DIN 51120	2dB
Formaldehyde HCHO	EN 717-1	Pass
Behavior To Fire	ASTM E-648 ASTM E-84 EN 13501-1	Bfl-S1
Low Smoke	ASTM E-662	Q1
Toxic	ASTM F-963 EN 71 Part 3	Pass
Electrostatic	EN 1401	Antistatic
Indoor Air Quality	Floor score	Antistatic
Static Load Limit	ASTM F 970	1000psi

Channel Partners



Mumbai



Maharashtra



Delhi



Karnataka




Kolkata



Kerala



Tamilnadu



Andhra & Telangana



Madhya Pradesh



Gujarat



Chandigarh