

NOVA

Rain

CARPET TILES



Rain

RA - 151

DARK GREY



Rain

RA - 152



BLUE



Rain

RA - 153



Rain


RA - 154

ORANGE



Rain

RA - 155







Athens



Greece




Gravity



Iceland

Technical Data

Tile Size	500mm x 500mm	 
Total Thickness	7mm(± 0.5mm)	
Pile Height	5mm	
Pile Weight	600 g/m ²	
Total Weight	3500 g/m ²	
Gauge	1/10	
Construction	Loop Pile Graphic	Installation Methods  
Yarn	100% Polyolefin	
Colour System	Solution Dyed	
Backing Structure	Non-Woven with Eco Back	
Smoke Density	Passes (ASMT E662: GB/T 8627-1999)	
Fire Class	Passes (ASMT E648: GB 8624-2006)	
Static Propensity	<3.0 KV (AATCC-134:GB/T.18044-2000)	Carpet tiles allow you to be more creative in design than regular broadloom carpeting. They also significantly reduce installation and replacement waste. Easy to place, easy to replace: carpet tiles provide a durable flooring solution. • Minimum cutting loss • Phased installation possible A good vacuuming program is necessary to retaining the beauty of your carpet tile



Artificial Grass | Carpet Tile | Vinyl Planks & Tiles | Wall To Wall Carpet | Wooden Flooring

