

ROYALE

Forever Together To Win

ROYALE PVC FLOORING



ROYALE

Forever Together To Win



1501



1502



1503



Self-extinguishing



Easy to clean



Fire prevention



Comfortable



Impact-resistant



Noise reduction



Non-slip



Durable



Raw Material



1504



1505



1506

ROYALE

Forever Together To Win



1507



1508



1509



1510



1511



1512



Self-extinguishing



Easy to clean



Fire prevention



Comfortable



Impact-resistant



Noise reduction




Non-slip



Durable



Raw Material



Technical Specification

CHARACTERISTICS	TEST METHOD	RESULT
Dimension	EN 427	914.4mm x 152.4mm
Thickness	EN 428	1.5mm
Thickness-Wear Layer	EN 429	0.5mm
Peeling strength of layers	EN 431	Pass
Shear force of layers	EN 432	Good
Residual indentation after static load	EN 433	≤ 0.05mm
Dimension Stability	EN 434	≤ 0.1%
Resistance to chemicals	EN 423	Class
Bearing a castor chair	EN 425	No Effect
Color fastness to light	EN 2015-B02	≥ 6
Wear resistance	EN 600-2	Class T
TVOC Emission	GB 18584-2002	Qualified
Resistance to fire	ASTM E84-03	NFPA Class B1-S1
Anti Sliding	EN 13893, DIN 51130	R9
Performance classification	EN 685	34.43
Box Content	30 Pcs.	54 Sq. Ft.
Weight		14.5 Kg.