






Carpet Tile



TRIO





3201

Box Size: 64.56 sq ft

Tile Size: 500 mm x 500 mm



3202

Box Size: 64.56 sq ft

Tile Size: 500 mm x 500 mm



3203

Box Size: 64.56 sq ft

Tile Size: 500 mm x 500 mm







3204

Box Size: 64.56 sq ft

Tile Size: 500 mm x 500 mm

TRIO

Construction	Level Loop
Pile Fibre Composition	100% Solution Dyed Polyolefin
Tufting Gauge	5/51
Pile Weight	450 g/m
Total Weight	3000 g/m
Pile Thickness	Approx 3 mm
Total Thickness	Approx 5 mm
Tile Size	500 mm x 500 mm
Backing Structure	Non- Woven with Eco Back
Smoke Density	Passes (ASTM E662: GB/T 8627-1999)
Fire Class	Passes (ASTM E648: GB 8624-2006)
Static Propensity	<3.0KV (AATCC-134:GB/T.18044-2000)
Application	
Certificate	
Features	     
Recommended Installation	 Quarter Turned  Horizonatal Ashlar  Herringbone  Random


Channel Partners



Mumbai



Maharashtra



Delhi




Karnataka



Kerala



Tamilnadu



Andhra & Telangana



Madhya Pradesh



Gujrat