

Doebelec

"it's all about you, today and tomorrow"



Distributed by:



Email: info@dchadha.com

Web: www.dchadha.com

Exclusive Distributor for Europe

DISINFECTANT TUNNEL

DISINFECTATION CABIN / D – A/P 11

- Complete coverage of body by spraying the Disinfectant Liquid
- Sensor operated Solid Gate Box equipped with High Pressure Disinfectant Sprinkling System
- Medium Pressure Cold Disinfectant Fog Machine
- Preventive System for Covid-19 or SARS2
- "MIST" process (Does not WET clothes)
- Beam Motion Sensor
- Drainage Pipe

Model Description	D – A/P 11 Specification
Steel Structure	Aluminum square tube with Polycarbonate Cladding
Pump Model	220V / 12 Bar
Nozzles	10 units Filtered Mist Nozzle size 0.2mm (Uses 100ml for 3 or 5 sec Spray duration)
Connection	Automatic Sensor with Time Delay Relay Contact and Control Panel
Dimensions	1100 X 1000 X 2200 mm (with 100mm Platform)
MOQ	10 pcs



DISINFECTATION CABIN / D – S/P 11

- Complete coverage of body by spraying the Disinfectant Liquid
- Sensor operated Solid Gate Box equipped with High Pressure Disinfectant Sprinkling System
- Medium Pressure Cold Disinfectant Fog Machine
- Preventive System for Covid-19 or SARS2
- "MIST" process (Does not WET clothes)
- Beam Motion Sensor
- Drainage Pipe

Model Description	D – S/P 11 Specification
Steel Structure	Stainless Steel Structure with Plastic Matt & Drainage Hole
Pump Model	220V / 12 Bar
Nozzles	10 units Filtered Mist Nozzle size 0.2mm (Uses 100ml for 3 or 5 sec Spray duration)
Connection	Automatic Sensor with Time Delay Relay Contact and Control Panel
Dimensions	1200 X 900 X 2000 mm
MOQ	10 pcs



DISINFECTATION CABIN / D – S/S 11

- Complete coverage of body by spraying the Disinfectant Liquid
- Sensor operated Solid Gate Box equipped with High Pressure Disinfectant Sprinkling System
- Medium Pressure Cold Disinfectant Fog Machine
- Preventive System for Covid-19 or SARS2
- "MIST" process (Does not WET clothes)
- Beam Motion Sensor
- Drainage Pipe

Model Description	D – S/S 11 Specification
Steel Structure	Stainless Steel square tube (40 X 40 mm) with Acrylic Cladding
Pump Model	220V / 12 Bar
Nozzles	10 units Filtered Mist Nozzle size 0.2mm (Uses 100ml for 3 or 5 sec Spray duration)
Connection	Automatic Sensor with Time Delay Relay Contact and Control Panel
Dimensions	1200 X 1200 X 2440 mm (with 100mm Platform)
MOQ	10 pcs



DISINFECTATION CABIN / D – S/D 22

- Complete coverage of body by spraying the Disinfectant Liquid
- Sensor operated Solid Gate Box equipped with High Pressure Disinfectant Sprinkling System
- Medium Pressure Cold Disinfectant Fog Machine
- Preventive System for Covid-19 or SARS2
- "MIST" process (Does not WET clothes)
- Beam Motion Sensor
- Drainage Pipe



Model Description	D – S/D 22 Specification
Steel Structure	Stainless Steel square tube (40 X 40 mm) with Acrylic Cladding
Pump Model	220V / 12 Bar
Nozzles	24 units Filtered Mist Nozzle size 0.2mm (Uses 100ml for 3 or 5 sec spray duration)
Connection	Automatic Sensor with Time Delay Relay Contact and Control Panel
Dimensions	3000 X 1300 X 2440 mm (with 100mm Platform)
MOQ	10 pcs

DISINFECTATION CABIN / D – A/P 22

- Complete coverage of body by spraying the Disinfectant Liquid
- Sensor operated Solid Gate Box equipped with High Pressure Disinfectant Sprinkling System
- Medium Pressure Cold Disinfectant Fog Machine
- Preventive System for Covid-19 or SARS2
- "MIST" process (Does not WET clothes)
- Beam Motion Sensor
- Drainage Pipe



Model Description	D – A/P 22 Specification
Steel Structure	Aluminum square tube with Polycarbonate Cladding
Pump Model	220V / 12 Bar
Nozzles	20 units Filtered Mist Nozzle size 0.2mm (Uses 100ml for 3 or 5 sec spray duration)
Connection	Automatic Sensor with Time Delay Relay Contact and Control Panel
Dimensions	3000 X 1200 X 2350 mm (with 100mm Platform)
MOQ	10 pcs

Super Oxidized Disinfectant Solution

- Capacity : 25 Liter Sanitizing Liquid
- Ratio 1 : 3 (25 liter of Solution to 75 liter of water)
- Price: please contact us

Additional Tank : 135L Plastic Tank (please contact us for prices)

Installation : Plug & Play

Power Supply : 220V / 240V

Warranty : 1-year warranty for the Pump & Nozzle against Manufacturing Defect

Ex - Works UAE

Made in UAE

DOCKELEC INTERNATIONAL ENTERPRISES



Distributed by: D Chadha Consulting Ltd

info@dchadha.com

www.dchadha.com

Exclusive distributor for Europe

