



SOLAR GARDEN LIGHT








INTRODUCTION -



01	02	03	04
FRONT COVER	CONTENTS	MAIN FEATURES	PRODUCT PARAMETER
05	06	07	08
MAIN FEATURES	PRODUCT ADVANTAGES	APPLICATIONS —	ID DESIGN
09	10	11	12
CORE TECHNOLOGY	PRODUCT VIEW	PACKAGE DETAILS	END

ELEGENT DESIGN LANDSCAPE SOLAR BOLLARD LIGHT WITH VOICE CONTROL





Model: SGL-06 (Solar led bollard light with voice control)

Solar panel					
High Efficiency Solar Panel	3W				
Led					
LED Qty	106pcs >50000H				
LED Module	3 pieces				
LED Wattage	3W+1W				
Efficiency	120lm/w				
LED illumination color	White+Blue / White+Green / 4000K (three Options)				
Battery					
Li-ion Battery	2600mAh				
Charging Time	6-8hrs by bright sunshine				
General Information					
Product Material	Aluminum Alloy High Quality ABS + PC				
Product Size	ф180*610mm				
IP Level	65				
Operation Temperature	-25°C ~ 65°C				
Working mode	Voice detected >60DB -White LED on , no voice detected -color led on for decoration				
Light control threshold	20lux				
Sensitivity Method	N/A				
Lighting time	3-5nights after fully charged				
Mounting Methods	Fix with Screws				
Certificate	CE ROHS FCC ISO9001:2015				
Warranty	3year				
Applications	Swimming pool side, pathway, decoration, yard, garden, villa, etc.				


Solar energy



MINIMALIST — DESIGN



 \leq \Box 7 \Box 7 \bigcirc \subseteq \leq \leq \bigcirc





Product Advantages

Voice control Constant lighting Aluminum Alloy Housing



TEMPERED GLASS HIGH-EFFICIENCY SOLAR PANEL TO CHARGE BATTERY


































Double LED Strip





SOLAR LIGHT | PACKAGE DETAILS





•	•	•
STEP 1	STEP 2	

MODE LNO.	PACKING DETAILS	CTN SIZE	NET WEIGHT	GROSS WEIGHT	20GP LOAD	40GP LOAD	20HQ LOAD
ESGL-06	2PIECE /CTN	69*26*20CM	6KG	6.5KG	1500PCS	3200PCS	3700PCS

