



MIRAGE 1
SOLAR GARDEN
LIGHT



INTRODUCTION

Product specifications

01

FRONT
COVER

02

CATALOG

03

MAIN
ADVANTAGES

04

OTHER
ADVANTAGES

05

SPECIFICATIONS

06

EXPLODED
VIEW

07

OPTICAL
FIGURE

08

DIMENTION
FIGURE

09

MORE DETAILS

10

CORE
TECHNOLOGY

11

PACKAGE
DETAIL

12

APPLICATION



BRIGHTER & MORE DURABLE

Supply the Most Professional
Solar Garden Light to Every Family




Product Advantage

Charging & Discharging LED Indicator
Support over 10 Nights Lighting
Ensure the Battery Long Lifespan




BRIGHTER & MORE DURABLE

Supply the Most Professional
Solar Garden Light to Every Family





Item: SGL-07 PRO		Fixture Power : 0.5W
Solar panel		
Power	Polycrystalline , 0.6W	
Li-ion battery		
Capacity	3.7V 2.96WH 0.8AH/PC	
Charging/Discharging Temp	0~45°C/-20~60°C	
Charging Time	6H	
LED (OSRAM)	2835 4pcs;	
Color Temp	3000K, Ra 80+	
Efficiency	190lm/W	
UV LED	-	
Performance		
Lighting Time in Rainyday	>10days	
Control Mode	Button Switch, ON/OFF Long Press 1.5s	
Lighting Mode	M1: 50lm / M2: 20lm	
	-	
Mode Indication	M1: Red, M2: Green	
Capacity Indication	Green: ≥70%; Orange: 30%~70%; Red: < 30%	
PIR	-	
Core technology	ALS 2.1 / TCS 1.0	
Solar Panel Autoclean	-	
IP/IK Class	IP65 / IK10	
Install Height	Plug into Ground	



Solar panel



Product shell



Led plate




optical lens




battery pack




Road Simulated Diagram





Illumination Curve



Luminance Distribution








Advantage in every detail

- Material: Aluminium Shell
- PC: Multilon Brand ,
Luminousness >96%
- Craft: Powder Painting
- Waterproof: IP65



Monocrystalline
Solar Charging Efficiency :>19%




Glass




High lumen LEDs
190lm/W




A Great Company should always pay the highest attention to the every detail design , and the craftsmanship spirit should be filled in the whole design process and mass production.




ADVANTAGE OF ALS



ADVANTAGE OF TCS





MODEL NO.	PACKING METHOD	PCS/CTN	QTY(PCS)	CTN QTY	CARTON SIZE(MM)	N.W.(KG)	G.W.(KG)
SGL-07PRO	INNER BOX	2	2	1	134*98*620	1.26	1.44
	CARTON	24	24	1	420*413*640	17.4	18.6

Net weight and gross weight
are for reference only

S / O / L / A / R / L / I / G / H / T



THANKS
VERY
MUCH