









HD 1080P Two way Audio





Day & Night Full color image

SD Card and Cloud Storage











Solar Power Supply

PIR Alarm





IP65 Waterproof

Easy Installation

**DEFENDER 2** 

SOLAR HD 4G CAMERA











# INTRODUCTION

**Product specifications** 

01 FRONT COVER

02 CATALOG

03~ 08 MAIN ADVANTAGES

19 SPECIFICATIONS

10 DIMENTION FIGURE


11 MORE DETAILS

12 core TECHNOLOGY

13 PACKAGE DETAIL

14 APPLICATION





One 4G sim card, Monitor anywhere, no need complicated network setting, just insert the 4G Sim card, then get your camera ready







## **Product Advantages**

Lower Power Consumption, Longer Stand-by Time.

Multiple functions, combine monitor with lighting.

Full Color images.

1080P HD Video & Image.

8m low error PIR sensor: capture images once triggered.
Cloud storage, save Maximal 7 days data.
ECO energy-Charged by solar, without electricity cost.
Mic&Speaker, Echo cancellation, Two way intercom.





#### **Fill Light Intelligently**

Color Images & Video on Day / Night Time





### 1080P HD Video & Image

1920\*1080 30FPS Real Time, 2.0MP Real HD Video & Image





#### **Cloud Storage**

Support Cloud Storage, Data Protected, Free Storage for One Week; Support SD Card Storage, Convenient and Safe for live recording and taking Video&Playback data.






Free Cloud Storage for One Week




Support Maximum up to 64GE







Item	SIC-105CG SOLAR
	Defender 2 Solar 4G Camera  WWW.gaj.sola
Name	
Sensor	SONY CMOS IMX323
Low Illumination	1Lux
SNR	>50dB
Image	Auto white balance / backlight compensation / 3D Denoise / Smart LED
Lens	M12/3.6mm@F2.3/105°
Video-Compression	H.264
Audio compression	G.726
Frame Rate	1920*1080 30fps
Network Transmmision Mode	Quality Priority and Stream Priority
Two way talking	YES
Storage Card	TF 64G.Max
Auto Alarm	Yes
PIR	8m/120°
<b>Common Functions</b>	Screenshot/VideoDual-stream/Capacity/Date
Button	Power Switch/Network Switch
LED indicator	Blue LED: Sparkling@In Cahrging, On@ Full cahrging; Purple LED: Low Battery; Yellow LED: Networking; Green LED: Network signal OK; Red LED: Poor Network Signal
Power	Solar: 4.5V/3W Li-ion Battery: 3.7V 7.8AH
Power Dissipation	Stand by: <3mA
LED White Light	2835 15pcs Night Vision : 5m
Working Time	Video with LED Lighting: >4.5Hrs / Video without LED Lighting: >12Hrs
IP	IP65
Working TEMP and Humidity	-20°C~60°C , Humidity is less than 95% (no condensation)












Monocrystalline Solar Charging Efficiency :>21%



Wi-Fi Antenna















SIM Card slot Power Switch Network Switch


Speaker

**Rotating Bracket** 




A Great Company should always pay the highest attention to the every detail design , and the craftsmanship spirit should be filled in the whole design process and mass production.









ADVANTAGE OF ALS





ADVANTAGE OF TCS





MODEL NO.	PACKING METHOD	PCS/CTN	QTY(PCS)	CTN QTY	CARTON SIZE(MM)	N.W.(KG)	G.W.(KG)
SIC-105CG	INNER BOX	1	1	1	177*177*210	1.04	1.22
	CARTON	6	6	1	546*369*255	6.2	7.8

Net weight and gross weight are for reference only

