



PEARL SERIES

SOLAR GARDENLIGHT





INTRODUCTION

Product specifications

01 FRONT COVER

02 CATALOG

03
~0
4 MAIN ADVANTAGES

05 SPECIFICATIONS

06
~0
8 EXPLODED VIEW

09
~1
0 DIMENSION FIGURE

11 MORE DETAILS

12 CORE TECHNOLOGY

13
~1
4 PACKAGE DETAIL

15 APPLICATION



SOLAR GARDEN LIGHT

ILLUMINATE YOUR SECRET GARDEN



Product Advantage

ALSTechnologyGuarantees10ContinuousWorkingNightsTC
STechnologyEnsuresLongerBatteryLifespan



Can customize the temperature
colorWarmWhite LED,More



Solar Power,Wireless



Item:	GAJ-ESL-15PRO	GAJ-ESL-25PRO
Solarpanel		
Power	Monocrystalline, 5V/1.9W	Monocrystalline , 5V/1.9W
Li-ion battery		
Capacity	3.7V7.4WH2.0AH/PC	3.7V7.4WH2.0AH/PC
Charging/Discharging Temp	0~45°C/-20~60°C	0~45°C/-20~60°C
ChargingTime	5.5H	5.5H
LED (OSRAM)	283524pcs	283524pcs
Color Temp	3000K, Ra 80+	3000K, Ra 80+
Efficiency	190lm/W	190lm/W
UV LED	-	-
Performance		
LightingTimeinRainyday	> 10 days	> 10 days
Control Mode	Button Switch, ON/OFFLong Press 1.5s	Button Switch, ON/OFFLong Press 1.5s
Lighting Mode(RemoteControl)	M1: 100LM(5H) +25LMTill dawn	M1: 100LM(5H) +25LMTill dawn
	M2: 50LMTill dawn	M2: 50LMTill dawn
ModelIndication	M1: Red M2: Green	
CapacityIndication	Green: ≥70%; Orange: 30%~70% ; Red: <30%	
PIR	-	-
Coretechnology	ALS2.3	
SolarPanelAutoclean	-	-
IP/IKClass	IP65/IK10	IP65/IK10
InstallHeight	-	-



SolarPanel



ProductShell




LedPlate



Lens



BatteryPack



Bracket



SolarPanel



ProductShell




LedPlate




Lens



BatteryPack



Bracket







Li-ionBatteryPack



Batterycover







ESL-15PRO





ESL-25PRO






DetailBenefits

- PC+Aluminum
- Longlifespan



SolarChargingEfficiency:>21%
with



Bracket




WarmWhiteLeds1
90lm/W







ADVANTAGE OF ALS



ADVANTAGE OF TCS






MODEL NO.	PACKING METHOD	PCS/CTN	QTY(PCS)	CTN QTY	CARTONSIZE(MM)	N.W.(KG)	G.W.(KG)
GAJ-ESL-15 PRO	INNERBOX	1	1	1	165*165*290	1	1.15
	CARTON	12	12	1	685*515*310	12	15.6

Net weight andgross weightare
for reference only




PRODUCTLIST
DUCT :2 PCS
LAMP POST :2
PCSBRACKET :2
PCSFIXATOR :2
PCSSCREW :2 PCS




INNERBOX
SIZE:
380*200*350mm
PCS / 1 BOX



1 LAYERS
1 LAYER =6 BOXES



MASTERCARTONSIZ
E: 785*635*370mm
BOXES /CTN
12 PCS /CTN



CARTON

LAYERNUMBER

COLORBOX

PRODUCTLIST



MODEL NO.	PACKING METHOD	PCS/CTN	QTY(PCS)	CTN QTY	CARTONSIZE(MM)	N.W.(KG)	G.W.(KG)
GAJ-ESL-25 PRO	INNERBOX	2	2	1	380*200*350	2.36 (2pcs)	3 (2pcs)
	CARTON	12	12	1	785*635*370	14.16	19.8

Net weight andgross weightare
for reference only

S / O / L / A / R / L / I / G / H / T



THANKS
VERY
MUCH