



## **10 Ton Gooseneck Deck-Over Equipment Trailer**

**Model:** 8.525GN10T

**GVWR:** 22,500 lbs. (estimated weight – 6,000 lbs.)

**Load Capacity:** 16,500 lbs.

**Main Frame:** 12" I-Beam (W12 x 16)

**Inside cross members:** 7" & 4" channel

**Top cross members:** 4" channel

**Deck Height / Width:** 34" x 102"

**Flatbed:** 20' wood

**Beavertail:** 5' self-cleaning angle cleats

**Ramps:** 5' spring assist, angle cleats (stand-up)

**Sides:** 6" x ¼" flat w/ stake pockets (24" on center) and rub rail

**Gooseneck:** B&A 12" Master-Crafted Uni-Beam

**Bulkhead:** 1 ½" pipe front rack

**Jack:** (2) Dual Ram 12K drop leg (spring loaded)

**Coupler:** 2 5/16" adjustable pipe

**Axles:** (2) 10,000 lb. spring suspension, oil bath with electric brake

**Wheels:** 16" dual, 8 lug

**Tires:** (8) - 235 80 R 16 E, 10 ply radials

**Boarding Step:** Front driver side

**Storage:** steel tool tray b/t gooseneck uprights w/ locking lid

**Fenders:** 3/16" checker plate over tires

**Floor:** 2" x 8" Pressure treated pine

**Breakaway kit:** 12 Volt battery, with charge wire and LED test light

**Safety chains:** (2) 3/8" w/ hook and closures

**Wiring:** run in conduit tubing with junction boxes and neatly spliced

**Lights:** LED

**Paint:** cleaned, primed and painted 100% Black (optional colors)

**Warranty:** 1 year with MSO provided



**FEATURES & HIGHLIGHTS**



***B&A MASTER-CRAFTED 12" UNI-BEAM GOOSENECK  
DUAL JACKS – LOCKING TOOL BOX – STEP – BULKHEAD (ALL STANDARD)***



***FULL-WIDTH JUMBO RAMP OPTION***



***HYDRAULIC JACK OPTION – TOP DECK OPTION – HYDRAULIC TAIL OPTION***





*TORSION AXLES OPTION – ELECTRIC/HYDRAULIC BRAKES OPTION – 4" TWIST PIPE STANDARD  
30' & LONGER*



*WINCH & MOUNT OPTION – LED LOAD LIGHT OPTION – SLIDER TRACK & WINCH BLOCK W/ 4"  
STRAP OPTION*



*OPTIONAL COLORS – 14 PLY & 16 PLY OPTIONAL TIRE & WHEEL UPGRADES  
FULL CUSTOMIZATION AVAILABLE*