




***FIRST CLASS ! NOTHING LESS !***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***



## **5 TON LOW-PRO EQUIPMENT TRAILERS**

### **Standard Specifications:**

- **10,000 lb. GVWR**
- **5" Channel Main Frame**
- **3" channel crossmembers (16" OC)**
- **18" deck height x 82" deck width**
- **Dexter 6,000 lb. light-duty, EZ-Lube, Spring Axles (4" Drop)**
- **Electric brakes**
- **225 75 R 15 E (6-lug) (10 ply radials)**
- **Adjustable mount 2 5/16" Demco EZ-Latch Coupler (21K)**
- **7,000 lb. drop-leg jack**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **1/8" checker-plate HD built fenders**
- **5' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **2" Pressure treated pine floor**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Torsion Axles**
- **Optional Color**
- **Fender Height Side Rails**
- **HD Landscaper gates**
- **Custom Coat Floor Liner**
- **Fork Holders**
- **Ramp Upgrades - options**

### **Models:**

- **716T5T (16')**
- **718T5T (18')**
- **720T5T (20')**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**



## **7 TON LOW-PRO EQUIPMENT TRAILERS**

### **Standard Specifications:**

- **14,000 lb. GVWR**
- **6" x 9 lb. I-Beam Main Frame**
- **3" channel crossmembers (16" OC)**
- **21" deck height x 82" deck width**
- **Dexter 7,000 lb. EZ-Lube Spring Axles (4" Drop)**
- **Electric brakes**
- **235 80 R 16 E (8-lug) (10 ply radials)**
- **Adjustable mount Demco EZ-Latch Coupler (21K)**
- **12,000 lb. drop-leg spring loaded jack**
- **Jumbo tool box w/ checker-plate shock assist locking lid**
- **Stake pockets & rub rail**
- **1/8" checker-plate HD built fenders**
- **Boarding step**
- **5' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **2" Pressure treated pine floor**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Torsion Axles**
- **14 Ply Tire Upgrade**
- **Optional Color**
- **Oak Floor**
- **Custom Coat Floor Liner**
- **Fork Holders**
- **Ramp Upgrades - options**
- **12,000 lb. winch**
- **Hydraulic jack**
- **Checker-plate floor**

### **Models:**

- **716T7T (16')**
- **718T7T (18')**
- **720T7T (20')**
- **722T7T (22')**
- **724T7T (24')**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**





## **8 TON LOW-PRO EQUIPMENT TRAILERS**

### **Standard Specifications:**

- **16,000 lb. GVWR**
- **8" x 10 lb. I-Beam Main Frame**
- **3" channel crossmembers (16" OC)**
- **23" deck height x 82" deck width**
- **Dexter 8,000 lb. EZ-Lube Spring Axles (4" Drop)**
- **Electric brakes (12" x 3 3/8")**
- **215 75 R 17.5 (8-lug) (16 ply radials)**
- **Adjustable mount Demco EZ-Latch Coupler (21K)**
- **12,000 lb. drop-leg spring loaded jack**
- **Jumbo tool box w/ checker-plate shock assist locking lid**
- **Stake pockets & rub rail**
- **1/8" checker-plate HD built fenders**
- **Boarding step**
- **5' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **2" Pressure treated pine floor**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Torsion Axles**
- **14 Ply Tire Upgrade**
- **Optional Color**
- **Oak Floor**
- **Custom Coat Floor Liner**
- **Fork Holders**
- **Ramp Upgrades - options**
- **12,000 lb. winch**
- **Hydraulic jack**
- **Checker-plate floor**

### **Models:**

- **716T8T (16')**
- **718T8T (18')**
- **720T8T (20')**
- **722T8T (22')**
- **724T8T (24')**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**





## **10 TON LOW-PRO EQUIPMENT TRAILERS**

### **Standard Specifications:**

- **20,000 lb. GVWR**
- **10" x 19 lb. I-Beam Main Frame**
- **3" channel crossmembers (16" OC)**
- **2' dovetail**
- **26" deck height x 82" deck width**
- **Dexter 10,000 lb. Oil Bath Torsion Axles**
- **Electric brakes**
- **235 75 R 17.5 (8-lug) (18 ply radials)**
- **Adjustable plate mount 3" pintle eye (60K)**
- **12,000 lb. drop-leg spring loaded jack**
- **Jumbo tool box w/ checker-plate shock assist locking lid**
- **Stake pockets & rub rail**
- **3/16" checker-plate HD built fenders**
- **Boarding step**
- **5' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **2" Pressure treated pine floor**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Optional Color**
- **Oak Floor**
- **Custom Coat Floor Liner**
- **Fork Holders**
- **Ramp Upgrades - options**
- **12,000 lb. winch**
- **Hydraulic Jack**
- **Checker-plate floor**

### **Models:**

- **718T10T (16' x 2')**
- **720T10T (18' x 2')**
- **722T10T (20' x 2')**
- **724T10T (22' x 2')**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**



## ***3.5 TON LOW-PRO EQUIPMENT TILT TRAILERS***

### ***Standard Specifications:***

- ***7,000 lb. GVWR***
- ***4" X 8 lb. I-Beam Main Frame***
- ***3" channel crossmembers (12" OC)***
- ***12' & 14' models***
- ***17 1/2" deck height (60" - 72" & 80" widths)***
- ***Dexter 7,000 lb. EZ-Lube Spring Axles (4" drop)***
- ***Electric brakes***
- ***235 80 R 16 E (8-lug) (10 ply radials)***
- ***Adjustable mount 2 5/16" Demco EZ-Latch Coupler (21K)***
- ***7,000 lb. drop-leg jack***
- ***Gravity Feed Hydraulic cushion cylinder w/ flow-control***
- ***Stake pockets & rub rail***
- ***1/8" checker-plate floor & HD built fenders***
- ***Tool tray storage in tongue***
- ***Lifetime LED lights w/ sealed wiring (7-way RV)***
- ***2K Automotive grade polyurethane paint (w/ primer)***
- ***3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty***

### ***Popular Options***

- ***Spare Tire & Mount***
- ***Optional Color***
- ***PT/pine Floor***
- ***Custom Coat Floor Liner***
- ***14 & 16 ply tire upgrades***
- ***8,000 lb. axle (4TT model)***

### ***Models:***

- ***512T3.5TT (60" X 12')***
- ***612T3.5TT (72" X 12')***
- ***712T3.5TT (80" X 12')***
- ***514T3.5TT (60" X 14')***
- ***614T3.5TT (72" X 14')***
- ***714T3.5TT (80" X 14')***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***



## ***5 TON LOW-PRO EQUIPMENT TILT TRAILERS***

### ***Standard Specifications:***

- ***10,000 lb. GVWR***
- ***6" Channel Main Frame***
- ***3" channel crossmembers (16" OC)***
- ***19 1/2" deck height x 80" width***
- ***Dexter 7,000 lb. EZ-Lube Spring Axles (4" drop)***
- ***Electric brakes***
- ***235 80 R 16 E (8-lug) (10 ply radials)***
- ***Adjustable mount 2 5/16" Demco EZ-Latch Coupler (21K)***
- ***7,000 lb. drop-leg jack***
- ***Gravity Feed Hydraulic cushion cylinder w/ flow-control***
- ***Stake pockets & rub rail***
- ***12" front bump stop***
- ***1/8" checker-plate HD built fenders***
- ***Tool tray storage in tongue***
- ***2" Pressure Treated Pine Floor***
- ***Lifetime LED lights w/ sealed wiring (7-way RV)***
- ***2K Automotive grade polyurethane paint (w/ primer)***
- ***3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty***

### ***Popular Options***

- ***Spare Tire & Mount***
- ***Optional Color***
- ***Checker-plate steel floor***
- ***Custom Coat Floor Liner***
- ***Surge Brake (Rental Yards)***
- ***14,000 GVWR***

### ***Models:***

- ***716T5T (16' deck + 16" rear taper)***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***





## **7 TON LOW-PRO EQUIPMENT TILT TRAILERS**

### **Standard Specifications:**

- **14,000 lb. GVWR**
- **10" x 12 lb. I-Beam Main Frame**
- **3" channel crossmembers (16" OC)**
- **25" deck height x 83" deck width**
- **Dexter 7,000 lb. EZ-Lube Spring Axles**
- **Electric brakes**
- **235 80 R 16 E (8-lug) (10 ply radials)**
- **Adjustable mount 2 5/16" Demco EZ-Latch Coupler (21K)**
- **12,000 lb. spring-loaded drop-leg jack**
- **Gravity Feed Hydraulic cushion cylinder w/ flow-control**
- **Stake pockets & rub rail**
- **Jumbo tool box w/ checker-plate shock assist locking lid**
- **1/8" checker-plate HD built fenders**
- **2" Pressure Treated Pine Floor**
- **Boarding Step**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Torsion Axles**
- **14 Ply Tire Upgrade**
- **Optional Color**
- **Oak Floor**
- **Custom Coat Floor Liner**
- **Fork Holders**
- **12,000 lb. winch**
- **Hydraulic Jack**
- **Full Power Tilt Deck**
- **Full Width drive-over fender model**

### **Models:**

- **72017TT (16" tilt + 4" stationary)**
- **72217TT (16" tilt + 6" stationary)**
- **72217TT (18" tilt + 4" stationary)**
- **72417TT (18" tilt + 6" stationary)**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**



## **8 TON LOW-PRO EQUIPMENT TILT TRAILERS**

### **Standard Specifications:**

- **16,000 lb. GVWR**
- **12" x 14 lb. I-Beam Main Frame**
- **3" channel crossmembers (16" OC)**
- **26" deck height x 82" deck width**
- **Dexter 8,000 lb. EZ-Lube Spring Axles**
- **Electric brakes (12" x 3 3/8")**
- **215 75 R 17.5 (8-lug) (16 ply radials)**
- **Adjustable mount 2 5/16" Demco EZ-Latch Coupler (21K)**
- **12,000 lb. spring-loaded drop-leg jack**
- **Gravity Feed Hydraulic cushion cylinder w/ flow-control**
- **Stake pockets & rub rail**
- **Jumbo tool box w/ checker-plate shock assist locking lid**
- **1/8" checker-plate HD built fenders**
- **Boarding Step**
- **2" Pressure Treated Pine Floor**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Torsion Axles**
- **18 Ply Tire Upgrade**
- **Optional Color**
- **Oak Floor**
- **Custom Coat Floor Liner**
- **Fork Holders**
- **12,000 lb. winch**
- **Hydraulic Jack**
- **Full Power Tilt Deck**
- **Full Width drive-over fender model**

### **Models:**

- **720T8TT (16' tilt + 4' stationary)**
- **722T8TT (16' tilt + 6' stationary)**
- **722T8TT (18' tilt + 4' stationary)**
- **724T8TT (18' tilt + 6' stationary)**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**



## **10 TON LOW-PRO EQUIPMENT TILT TRAILERS**

### **Standard Specifications:**

- **20,000 lb. GVWR**
- **8" x 15 lb. I-Beam Main Frame**
- **3" channel crossmembers (16" OC)**
- **26" deck height x 82" deck width**
- **Dexter 10,000 lb. Oil bath Torsion Axles**
- **Electric brakes (12" x 3 3/8")**
- **235 75 R 17.5 (8-lug) (18 ply radials)**
- **Adjustable plate mount 3" pintle eye (60K)**
- **12,000 lb. spring-loaded drop-leg jack**
- **Gravity Feed Hydraulic cushion cylinder w/ flow-control**
- **Stake pockets & rub rail**
- **Tool box w/ locking lid**
- **3/16" checker-plate HD built fenders**
- **Boarding Step**
- **2" Pressure Treated Pine Floor**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Optional Color**
- **Oak Floor**
- **Custom Coat Floor Liner**
- **Fork Holders**
- **12,000 lb. winch**
- **Hydraulic Jack**
- **Full Power Tilt Deck**
- **Full Width drive-over fender model**

### **Models:**

- **720T10TT (16" tilt + 4" stationary)**
- **722T10TT (16" tilt + 6" stationary)**
- **722T10TT (18" tilt + 4" stationary)**
- **724T10TT (18" tilt + 6" stationary)**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**



## **7 TON DECK-OVER EQUIPMENT TRAILERS**

### ***Standard Specifications:***

- **14,000 lb. GVWR**
- **10" x 12 lb. I-Beam Main Frame**
- **3" channel crossmembers (16" OC)**
- **34" deck height x 102" overall deck width**
- **Dexter 7,000 lb. EZ-Lube Spring Axles**
- **Electric brakes**
- **235 80 R 16 E (8-lug) (10 ply radials)**
- **Adjustable mount Demco EZ-Latch Coupler (21K)**
- **12,000 lb. drop-leg spring loaded jack**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **Boarding step**
- **2" Pressure Treated Pine Floor**
- **5' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### ***Popular Options***

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Optional Color**
- **Oak Floor**
- **Dual Jacks**
- **Fork Holders**
- **12,000 lb. winch**
- **Hydraulic Jack**
- **Angle Cleat Tail**
- **Ramp Options**
- **Flip-Up Tail Design**
- **14 ply tire upgrade**

### ***Models:***

- **8.520T7T (17' x 3" or 16' x 4")**
- **8.523T7T (20' x 3")**
- **8.524T7T (20' x 4")**
- **8.525T7T (20' x 5")**
- **8.528T7T (23' x 5")**
- **8.530T7T (25' x 5")**



**FULL CUSTOMIZATION AVAILABLE!**

***batrailer.com***





## **8 TON DECK-OVER EQUIPMENT TRAILERS**

### ***Standard Specifications:***

- **16,000 lb. GVWR**
- **10" x 15 lb. I-Beam Main Frame**
- **3" channel crossmembers (16" OC)**
- **34" deck height x 102" overall deck width**
- **Dexter 8,000 lb. EZ-Lube Spring Axles**
- **Electric brakes (12" x 3 3/8")**
- **215 75 R 17.5 (8-lug) (16 ply radials)**
- **Adjustable mount Demco EZ-Latch Coupler (21K)**
- **12,000 lb. drop-leg spring loaded jack**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **Boarding step**
- **2" Pressure Treated Pine Floor**
- **5' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### ***Popular Options***

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Optional Color**
- **Oak Floor**
- **Dual Jacks**
- **Fork Holders**
- **12,000 lb. winch**
- **Hydraulic Jack**
- **Angle Cleat Tail**
- **Ramp Options**
- **Flip-Up Tail Design**
- **18 ply tire upgrade**

### ***Models:***

- **8.520T8T (17' x 3' or 16' x 4')**
- **8.523T8T (20' x 3')**
- **8.524T8T (20' x 4')**
- **8.525T8T (20' x 5')**
- **8.528T8T (23' x 5')**
- **8.530T8T (25' x 5')**



**FULL CUSTOMIZATION AVAILABLE!**

***batrailer.com***



## **10 TON DECK-OVER EQUIPMENT TRAILERS**

### ***Standard Specifications:***


- **20,000 lb. GVWR**
- **10" x 19 lb. I-Beam Main Frame**
- **3" channel crossmembers (16" OC)**
- **34" deck height x 102" overall deck width**
- **Dexter 10,000 lb. Oil Bath Spring Axles**
- **Electric brakes (12" x 3 3/8")**
- **235 80 R 16 E - Duals (8-lug) (10 ply radials)**
- **Adjustable plate mount 3" pintle eye (60K)**
- **12,000 lb. drop-leg spring loaded jack**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **Boarding step**
- **2" Pressure Treated Pine Floor**
- **Self-Cleaning Angle Cleat Dovetail**
- **5' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### ***Popular Options***

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Optional Color**
- **Oak Floor**
- **Dual Jacks**
- **Fork Holders**
- **Hydraulic Brakes & Air Brakes**
- **Hydraulic Jack**
- **Ramp Options**
- **14 ply tire upgrade**
- **Hitch Suspension**
- **Torsion Axles**

### ***Models:***

- **8.525T10T (20' + 5')**
- **8.528T10T (23' + 5')**
- **8.530T10T (25' + 5')**



**FULL CUSTOMIZATION AVAILABLE!**

***batrailer.com***



## **12 TON DECK-OVER EQUIPMENT TRAILERS**

### ***Standard Specifications:***

- **25,900 lb. GVWR**
- **12 " x 19 lb. I-Beam Main Frame**
- **3" channel crossmembers - pierced frame (16 " OC)**
- **34 " deck height x 102 " overall deck width**
- **Dexter 12,000 lb. Oil Bath Spring Axles - adjustable suspension**
- **Electric brakes ( 12 " x 5 " )**
- **235 80 R 16 E - Duals (8-lug) (10 ply radials)**
- **Adjustable plate mount 3" pintle eye (60K)**
- **12,000 lb. drop-leg spring loaded jack**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **Boarding step**
- **2" Pressure Treated Pine Floor**
- **3/16 " checker-plate fenders**
- **Self-Cleaning Angle Cleat Dovetail**
- **5 ' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### ***Popular Options***

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Optional Color**
- **Oak Floor**
- **Dual Jacks**
- **Fork Holders**
- **Hydraulic Brakes & Air Brakes**
- **Hydraulic Jack**
- **Ramp Options**
- **14 ply tire upgrade**
- **Hutch Suspension**
- **Torsion Axles**
- **15,000 lb. axles**

### ***Models:***

- **8.525T12T (20' + 5')**
- **8.528T12T (23' + 5')**
- **8.530T12T (25' + 5')**



**FULL CUSTOMIZATION AVAILABLE!**

***batrailer.com***



## **20 TON DECK-OVER EQUIPMENT TRAILERS**

### **Standard Specifications:**

- **48,500 lb. GVWR**
- **14 " x 26 lb. I-Beam Main Frame**
- **4" channel crossmembers - pierced frame (16 " OC)**
- **35 " deck height x 102 " overall deck width**
- **Dexter 25,000 lb. Oil Bath axles**
- **Hutch 9700 US adjustable suspension**
- **Air Brakes w/ 2S /1M system**
- **215 75 R 17.5 duals (8-275mm) (16 ply radials)**
- **Adjustable plate mount 3" pintle eye (60K)**
- **25,000 lb. drop-leg jack**
- **Tool box w/ locking lid**
- **8" channel side w/ HD cupped style D-Rings (1 ")**
- **Boarding step**
- **2" OAK (treated w/ linseed oil)**
- **1/4" checker-plate fenders**
- **5 ' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Optional Color**
- **Dual Jacks**
- **Hydraulic Jack(s)**
- **6' x 36" paver ramps**
- **11' x 36" Bi-Fold Paver Ramps**
- **18 ply tire upgrade**
- **Ramp Options**
- **Self-Cleaning Dovetail**
- **Strobe Light Package**
- **Aluminum Wheels**

### **Models:**

- **8.525T20T (20' x 5')**
- **8.530T20T (25' x 5')**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**





## 25 TON DECK-OVER EQUIPMENT TRAILERS

### ***Standard Specifications:***

- 61,500 lb. GVWR
- 14 " x 30 lb. I-Beam Main Frame
- 5" channel crossmembers - pierced frame (16 " OC)
- 35 " deck height x 102 " overall deck width
- (3) Dexter 25,000 lb. Oil Bath axles
- Hutch 9700 US adjustable suspension
- Air Brakes w/ 4S / 2M system
- (12) 215 75 R 17.5 duals (8-275mm) (16 ply radials)
- Adjustable plate mount 3" pintle eye (90K)
- Dual 25,000 lb. drop-leg jack
- Tool box w/ locking lid
- 10" channel side w/ HD cupped style D-Rings (1 ")
- Boarding step
- 2" OAK (treated w/ linseed oil)
- 1/4" checker-plate fenders
- 5' spring assist ramps
- Lifetime LED lights w/ sealed wiring (7-way RV)
- 2K Automotive grade polyurethane paint (w/ primer)
- 3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty

### ***Popular Options***

- Spare Tire & Mount
- Optional Color
- Hydraulic Jack(s)
- 6' x 36" paver ramps
- 11' x 36" Bi-Fold Paver Ramps
- 18 ply tire upgrade
- Ramp Options
- Self-Cleaning Dovetail
- Strobe Light Package
- Aluminum Wheels
- Front Lift Axle

### ***Models:***

- 8.528T20T (23' x 5')
- 8.530T20T (25' x 5')



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***



## **7 TON DECK-OVER GOOSENECK TRAILERS**

### **Standard Specifications:**

- **14,000 lb. GVWR**
- **12" x 14 lb. I-Beam Main Frame**
- **12" Master-crafted Uni-Beam Gooseneck & Bulkhead**
- **4" channel crossmembers**
- **34" deck height x 102" overall deck width**
- **Dexter 7,000 lb. EZ-Lube Spring Axles**
- **Electric brakes**
- **235 80 R 16 E (8-lug) (10 ply radials)**
- **Adjustable Gooseneck Coupler (24K)**
- **Dual 12,000 lb. drop-leg spring loaded jacks**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **Boarding step**
- **2" Pressure Treated Pine Floor**
- **Self-cleaning angle cleats dovetail**
- **5' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Optional Color**
- **Oak Floor**
- **Top Deck over Gooseneck**
- **Fork Holders**
- **12,000 lb. winch**
- **Hydraulic jacks**
- **Ramp Options (Jumbo Ramps)**
- **Flip-Up Tail Design**
- **14 ply tire upgrade**
- **Torsion Axles**
- **Electric over Hydraulic Brakes**
- **Hotshot/Accessories & Set-up**

### **Models:**

- **8.525GN7T (20' x 5')**
- **8.528GN7T (23' x 5')**
- **8.530GN7T (25' x 5') (30' Flatbed)**
- **8.540GN7T (35' x 5') (40' Flatbed)**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**



## **8 TON DECK-OVER GOOSENECK TRAILERS**

### **Standard Specifications:**

- **16,000 lb. GVWR**
- **12" x 16 lb. I-Beam Main Frame**
- **12" Master-crafted Uni-Beam Gooseneck & Bulkhead**
- **3" channel crossmembers (16" OC)**
- **34" deck height x 102" overall deck width**
- **Dexter 8,000 lb. EZ-Lube Spring Axles**
- **Electric brakes (12 1/4" x 3 3/8")**
- **215 75 R 17.5 (8-lug) (16 ply radials)**
- **Adjustable Gooseneck Coupler (24K)**
- **Dual 12,000 lb. drop-leg spring loaded jacks**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **Boarding step**
- **2" Pressure Treated Pine Floor**
- **Self-cleaning angle cleats dovetail**
- **5' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Optional Color**
- **Oak Floor**
- **Top Deck over Gooseneck**
- **Fork Holders**
- **12,000 lb. winch**
- **Hydraulic jacks**
- **Ramp Options (Jumbo Ramps)**
- **Flip-Up Tail Design**
- **Torsion Axles**
- **Electric over Hydraulic Brakes**
- **Hotshot/Accessories & Set-up**

### **Models:**

- **8.525GN8T (20' x 5')**
- **8.528GN8T (23' x 5')**
- **8.530GN8T (25' x 5') (30' Flatbed)**
- **8.540GN8T (35' x 5') (40' Flatbed)**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**



## ***10 TON DECK-OVER GOOSENECK TRAILERS***

### ***Standard Specifications:***

- **20,000 lb. GVWR**
- **12" x 16 lb. I-Beam Main Frame**
- **12" Master-crafted Uni-Beam Gooseneck & Bulkhead**
- **4" channel crossmembers**
- **34" deck height x 102" overall deck width**
- **Dexter 10,000 lb. oil bath Spring Axles**
- **Electric brakes ( 12 1/4" x 3 3/8")**
- **235 80 R 16 R (8-lug) (10 ply radials)**
- **Adjustable Gooseneck Coupler (24K)**
- **Dual 12,000 lb. drop-leg spring loaded jacks**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **Boarding step**
- **2" Pressure Treated Pine Floor - checker-plate fenders**
- **Self-cleaning angle cleats dovetail**
- **5' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### ***Popular Options***

- **Spare Tire & Mount**
- **Optional Color**
- **Oak Floor**
- **Top Deck over Gooseneck**
- **Fork Holders**
- **12,000 lb. winch**
- **Hydraulic jacks**
- **Ramp Options (Jumbo Ramps)**
- **Flip-Up Tail Design**
- **Torsion Axles**
- **Tire Upgrades**
- **Electric over Hydraulic Brakes**
- **Hotshot/Accessories & Set-up**

### ***Models:***

- **8.525GN10T (20' x 5')**
- **8.528GN10T (23' x 5')**
- **8.530GN10T (25' x 5') (30' Flatbed)**
- **8.540GN10T (35' x 5') (40' Flatbed)**



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***





## ***12 TON DECK-OVER GOOSENECK TRAILERS***

### ***Standard Specifications:***

- **25,900 lb. GVWR**
- **12" x 19 lb. I-Beam Main Frame**
- **12" Master-crafted Uni-Beam Gooseneck & Bulkhead**
- **3" channel crossmembers, pierced frame, 16" OC**
- **34" deck height x 102" overall deck width**
- **Dexter 12,000 lb. oil bath Spring Axles**
- **Electric brakes**
- **235 80 R 16 R (8-lug) (10 ply radials)**
- **Adjustable Gooseneck Coupler (30K)**
- **Dual 12,000 lb. drop-leg spring loaded jacks**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **Boarding step**
- **2" Pressure Treated Pine Floor - checker-plate fenders**
- **Self-cleaning angle cleats dovetail**
- **5' spring assist ramps**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### ***Popular Options***

- **Spare Tire & Mount**
- **Optional Color**
- **Oak Floor**
- **Top Deck over Gooseneck**
- **Fork Holders**
- **12,000 lb. winch**
- **Hydraulic jacks**
- **Ramp Options (Jumbo Ramps)**
- **Flip-Up Tail Design**
- **Torsion Axles**
- **15,000 lb. axles**
- **Tire Upgrades**
- **Electric over Hydraulic Brakes**
- **Hotshot/Accessories & Set-up**

### ***Models:***

- **8.525GN12T (20' x 5')**
- **8.528GN12T (23' x 5')**
- **8.530GN12T (25' x 5') (30' Flatbed)**
- **8.540GN12T (35' x 5') (40' Flatbed)**



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***



## **8 TON HYDRAULIC TAIL GOOSENECK TRAILERS**

### **Standard Specifications:**

- **16,000 lb. GVWR**
- **12" x 16 lb. I-Beam Main Frame (w/ 4" anti-twist pipe)**
- **12" Master-crafted Uni-Beam Gooseneck & Bulkhead**
- **3" channel crossmembers - pierced frame - 16" OC**
- **34" deck height x 102" overall deck width**
- **Dexter 8,000 lb. EZ-Lube Spring Axles**
- **Electric brakes (12 1/2" x 3 3/8")**
- **215 75 R 17.5 (8-lug) (16 ply radials)**
- **Adjustable Gooseneck Coupler (24K)**
- **Dual 12,000 lb. Hydraulic jacks**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **Wireless dual function remote (120V plug-in battery charger)**
- **2" Pressure Treated Pine Floor**
- **10' Hydraulic Tail**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Optional Color**
- **Oak Floor**
- **Top Deck over Gooseneck**
- **Fork Holders**
- **12,000 lb. winch**
- **Torsion Axles**
- **Electric over Hydraulic Brakes**
- **Hotshot/Accessories & Set-up**

### **Models:**

- **8.530GN8T-HT (20' x 10')**
- **8.540GN8T-HT (30' x 10')**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**



## ***10 TON HYDRAULIC TAIL GOOSENECK TRAILERS***

### ***Standard Specifications:***

- ***20,000 lb. GVWR***
- ***12" x 19 lb. I-Beam Main Frame (w/ 4" anti-twist pipe)***
- ***12" Master-crafted Uni-Beam Gooseneck & Bulkhead***
- ***3" channel crossmembers - pierced frame - 16" OC***
- ***34" deck height x 102" overall deck width***
- ***Dexter 10,000 lb. Oil Bath Spring Axles***
- ***Electric brakes ( 12 ½ " x 3 ⅜ " )***
- ***235 80 r 16 E (8-lug) (10 ply radials)***
- ***Adjustable Gooseneck Coupler (24K)***
- ***Dual 12,000 lb. Hydraulic jacks***
- ***Tool box w/ locking lid***
- ***Stake pockets & rub rail***
- ***Wireless dual function remote (120V plug-in battery charger)***
- ***2" Pressure Treated Pine Floor***
- ***10' Hydraulic Tail***
- ***Lifetime LED lights w/ sealed wiring (7-way RV)***
- ***2K Automotive grade polyurethane paint (w/ primer)***
- ***3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty***

### ***Popular Options***

- ***Spare Tire & Mount***
- ***12,000 lb. axles (25,900 lb. GVWR)***
- ***Tire Upgrades***
- ***Optional Color***
- ***Oak Floor***
- ***Top Deck over Gooseneck***
- ***Fork Holders***
- ***12,000 lb. winch***
- ***Torsion Axles***
- ***Electric over Hydraulic Brakes***
- ***Hotshot/Accessories & Set-up***

### ***Models:***

- ***8.530GN10T-HT (20' x 10')***
- ***8.540GN10T-HT (30' x 10')***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***



## **7 - 8 TON DECK-OVER TILT EQUIPMENT TRAILERS**

### ***Standard Specifications:***

- **14,000 lb. GVWR**
- **10 " x 12 lb. I-Beam Main Frame**
- **3" channel crossmembers (16 " OC)**
- **34 " deck height x 102 " overall deck width**
- **Dexter 7,000 lb. EZ-Lube Spring Axles**
- **Electric brakes**
- **235 80 R 16 E (8-lug) (10 ply radials)**
- **Adjustable mount Demco EZ-Latch Coupler (21K)**
- **12,000 lb. drop-leg spring loaded jack**
- **Dual Gravity Feed Hydraulic Cylinders w/ flow-control**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **Boarding step**
- **2" Pressure Treated Pine Floor**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### ***Popular Options***

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Optional Color**
- **Oak Floor**
- **Dual Jacks**
- **Fork Holders**
- **12,000 lb. winch**
- **Hydraulic Jack**
- **8,000 lb. axles (16,000 lb. GVWR)**
- **Tire upgrades**
- **Full Powered Tilt w/ wireless remote**
- **Torsion Axles**
- **Grouser Traction Bar Cleats**

### ***Models:***

- **8.524T7T (20' tilt + 4' stationary)**
- **8.524T7T (24' full power tilt)**
- **8.528T7T (28' full power tilt)**



**FULL CUSTOMIZATION AVAILABLE!**

***batrailer.com***





## **10 - 12 TON DECK-OVER TILT EQUIPMENT TRAILERS**

### ***Standard Specifications:***

- **20,000 lb. GVWR**
- **10" x 19 lb. I-Beam Main Frame**
- **3" channel crossmembers (16" OC)**
- **34" deck height x 102" overall deck width**
- **Dexter 10,000 lb. Oil Bath Spring Axles**
- **Electric brakes (12" x 3 3/8")**
- **235 80 R 16 E - Duals (8-lug) (10 ply radials)**
- **Adjustable plate mount 3" pintle eye (60K)**
- **12,000 lb. drop-leg spring loaded jack**
- **Tool box w/ locking lid**
- **Stake pockets & rub rail**
- **Dual Gravity Feed Hydraulic Cylinder w/ flow-control**
- **2" Pressure Treated Pine Floor**
- **Boarding Step**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### ***Popular Options***

- **Spare Tire & Mount**
- **Uni-Beam Gooseneck Package**
- **Optional Color**
- **Oak Floor**
- **Dual Jacks**
- **Fork Holders**
- **12,000 lb. winch**
- **Hydraulic Jack**
- **12,000 lb. axles (25,900 lb. GVWR)**
- **Tire upgrades**
- **Full Powered Tilt w/ wireless remote**
- **Torsion Axles**
- **Grouser Traction Bar Cleats**

### ***Models:***

- **8.525T10TT (20' tilt + 5' stationary)**
- **8.524T7TT (24' full power tilt)**
- **8.528T7TT (28' full power tilt)**



**FULL CUSTOMIZATION AVAILABLE!**

***batrailer.com***



## ***20 TON DECK-OVER TILT EQUIPMENT TRAILERS***

### ***Standard Specifications:***

- ***48,500 lb. GVWR***
- ***14 " x 26 lb. I-Beam Main Frame***
- ***4" channel crossmembers (16 " OC)***
- ***35 " deck height x 102 " overall deck width***
- ***Dexter 25,000 lb. Oil Bath Spring Axles***
- ***Air Brakes 2S / 1M system***
- ***215 75 R 17.5, (8 -275mm) (16-ply radials)***
- ***Adjustable plate mount 3" pintle eye (60K)***
- ***25,000 lb. drop-leg jack***
- ***Tool box w/ locking lid***
- ***8" Channel sides w/ 1" Cupped Style D-Rings***
- ***Dual Gravity Feed Hydraulic Cylinder w/ flow-control***
- ***2" OAK floor***
- ***Boarding Step***
- ***Lifetime LED lights w/ sealed wiring (7-way RV)***
- ***2K Automotive grade polyurethane paint (w/ primer)***
- ***3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty***

### ***Popular Options***

- ***Spare Tire & Mount***
- ***Optional Color***
- ***Dual Jacks***
- ***Hydraulic Jack***
- ***Tire upgrades***
- ***Full Powered Tilt w/ wireless remote***
- ***Grouser Traction Bar Cleats***

### ***Models:***

- ***8.525T20TT (20' tilt + 5' stationary)***
- ***8.524T20TT (24' full power tilt)***
- ***8.528T20TT (28' full power tilt)***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***



## ***3 TON UTILITY DUMP TRAILER***

### ***Standard Specifications:***

- ***6,000 lb. GVWR***
- ***3" Channel tongue & main frame***
- ***3" x 1" tube crossmembers***
- ***96" deck length x 60" deck width***
- ***10 ga. smooth plate floor***
- ***12 ga. sides (18")***
- ***Combo Rear Swinging Gate (dump & load)***
- ***Direct Push Dump Cylinder***
- ***Hydraulic Pump w/ marine battery & plug-in charger***
- ***Front tongue tool box***
- ***5K swivel jack***
- ***2" DEMCO EZ-Latch coupler***
- ***6,000 lb. Light Duty EZ Lube Dexter Axle w/ electric brake***
- ***225 75 R 15 E (10 ply radial) (6-lug)***
- ***Lifetime LED lights w/ sealed wiring (7-way RV)***
- ***2K Automotive grade polyurethane paint (w/ primer)***
- ***3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty***

### ***Popular Options***

- ***Spare Tire & Mount***
- ***Optional Color***
- ***Tarp Kit***

### ***Models:***

- ***58TUD3T (96" x 60")***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***



## ***3.5 TON LOW-PRO DUMP TRAILER***

### ***Standard Specifications:***

- ***7,000 lb. GVWR***
- ***6" x 9 lb. I-Beam tongue & main frame***
- ***3" channel crossmembers (12" OC)***
- ***10 ga. smooth plate floor & sides***
- ***2" x 8" Top cap board (side OA height - 24")***
- ***Rear Barn Doors***
- ***7 ton telescopic cylinder***
- ***Hydraulic Pump w/ marine battery & plug-in charger***
- ***Front tongue locking tool box***
- ***7K Drop-Leg Jack***
- ***2 5/16" DEMCO EZ-Latch coupler***
- ***7,000 lb. Dexter EZ Lube Axle w/ electric brake***
- ***235 80 R 16 E (10 ply radial) (8-lug)***
- ***Lifetime LED lights w/ sealed wiring (7-way RV)***
- ***2K Automotive grade polyurethane paint (w/ primer)***
- ***3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty***

### ***Popular Options***

- ***Spare Tire & Mount***
- ***Optional Color***
- ***Tarp Kit***
- ***Ramp Package***

### ***Models:***

- ***510T3.5T (120" x 60")***
- ***612T3.5T (144" x 72")***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***





## **7- 8 TON LOW-PRO DUMP TRAILER**

### **Standard Specifications:**

- **14,000 lb. GVWR**
- **12" x 14 lb. I-Beam tongue & main frame**
- **3" channel crossmembers (12" OC)**
- **7 ga. smooth plate floor & 10 ga. sides (24")**
- **2" x 8" Top cap board (side OA height - 30")**
- **Rear Barn Doors**
- **12 ton telescopic cylinder**
- **Hydraulic Pump w/ marine battery & plug-in charger**
- **Front tongue locking tool box**
- **12K Drop-Leg spring-loaded Jack**
- **2 5/16" DEMCO EZ-Latch coupler (4 -bolt plate hitch)**
- **7,000 lb. Dexter EZ Lube Axles w/ electric brake**
- **235 80 R 16 E (10 ply radial) (8-lug)**
- **Lifetime LED lights w/ sealed wiring (7-way RV)**
- **2K Automotive grade polyurethane paint (w/ primer)**
- **3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty**

### **Popular Options**

- **Spare Tire & Mount**
- **Optional Color**
- **Manual Tarp Kit**
- **Tarp Kit w/ spring loaded arms**
- **Ramp Package**
- **Uni-Beam Gooseneck Package**
- **Hydraulic Jack(s)**
- **Torsion Axles**
- **Combo Rear Spreader Gate**
- **36" or 48" Sides**
- **8,000 lb. axles (16,000 lb. GVWR)**
- **tire upgrade(s)**

### **Models:**

- **714TD7T (82" x 14')**
- **716TD7T (82" x 16')**



**FULL CUSTOMIZATION AVAILABLE!**

**[batrailer.com](http://batrailer.com)**



## ***7- 8 TON GOOSENECK DECK-OVER DUMP TRAILER***

### ***Standard Specifications:***

- ***14,000 lb. GVWR***
- ***12" x 14 lb. I-Beam tongue & main frame***
- ***Master-Crafted Uni-Beam Gooseneck***
- ***3" channel crossmembers (12" OC)***
- ***7 ga. smooth plate floor & 10 ga. sides (36")***
- ***Rear Barn Doors***
- ***12 ton telescopic cylinder***
- ***Hydraulic Pump w/ marine battery & plug-in charger***
- ***Front tongue locking tool box***
- ***Dual 12K Drop-Leg spring-loaded Jacks***
- ***2 5/16" DEMCO EZ-Latch coupler (4-bolt plate hitch)***
- ***7,000 lb. Dexter EZ Lube Axles w/ electric brake***
- ***235 80 R 16 E (10 ply radial) (8-lug)***
- ***Lifetime LED lights w/ sealed wiring (7-way RV)***
- ***2K Automotive grade polyurethane paint (w/ primer)***
- ***3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty***

### ***Popular Options***

- ***Spare Tire & Mount***
- ***Optional Color***
- ***Manual Tarp Kit***
- ***Tarp Kit w/ spring loaded arms***
- ***Ramp Package***
- ***Hydraulic Jack(s)***
- ***Torsion Axles***
- ***Combo Rear Spreader Gate***
- ***48" Sides***
- ***8,000 lb. axles (16,000 lb. GVWR)***
- ***tire upgrade(s)***

### ***Models:***

- ***8.516GND7T (102" x 16')***
- ***8.518GND7T (102" x 18')***
- ***8.520GND7T (102" x 20')***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***



## ***10-12 TON GOOSENECK DECK-OVER DUMP TRAILER***

### ***Standard Specifications:***

- ***20,000 lb. GVWR***
- ***12" x 16 lb. I-Beam tongue & main frame***
- ***Master-Crafted Uni-Beam Gooseneck***
- ***3" channel crossmembers (12" OC)***
- ***7 ga. smooth plate floor & 10 ga. sides (44")***
- ***Rear Barn Doors***
- ***13 ton scissor hoist***
- ***Hydraulic Pump w/ marine battery & plug-in charger***
- ***Front tongue locking tool box***
- ***Dual 12K Drop-Leg spring-loaded Jacks***
- ***2 5/16" DEMCO EZ-Latch coupler (4-bolt plate hitch)***
- ***10,000 lb. Dexter Oil Bath Axles w/ electric brake***
- ***235 80 R 16 E (10 ply radial) (8-lug duals)***
- ***Lifetime LED lights w/ sealed wiring (7-way RV)***
- ***2K Automotive grade polyurethane paint (w/ primer)***
- ***3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty***

### ***Popular Options***

- ***Spare Tire & Mount***
- ***Optional Color***
- ***Manual Tarp Kit***
- ***Tarp kit w/ spring loaded arms***
- ***Ramp Package***
- ***Hydraulic Jack(s)***
- ***Torsion Axles***
- ***Combo Rear Spreader Gate***
- ***12,000 lb. axles (25,900 lb. GVWR)***
- ***tire upgrade(s)***
- ***Telescopic Hoist***

### ***Models:***

- ***8.520GND10T (102" x 20')***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***





## ***HD TRAFFIC CONTROL & CONE SAFETY TRAILER***

### ***Standard Specifications:***

- 14,000 lb. GVWR (10,000 lb. load capacity)
- 5" channel tongue & main frame
- 3" channel crossmembers (16" OC)
- 19 ½" deck height x 80" inside main deck (102" OA)
- Rear Swing Barn style safety doors (floor pin)
- 18' Deck Length + 5' tongue (w/ tongue safety steps)
- HD bumper safety step w/ 2" receiver tube
- Side mounted E-Track for cone & barrel straps
- 12K Drop-Leg spring-loaded jack
- 2 5/16" DEMCO EZ-Latch coupler (21K)
- 7,000 lb. Dexter EZ-Lube Axles w/ electric brake (4" drop)
- 235 80 R 16 E (10 ply radial) (8-lug)
- Front Partition 24" back
- Side baskets (front to fender - 7' L x 19" H x 10" D)
- (6) LED amber strobe lights
- 2" pressure treated pine floor
- 1/8" Checker-plate HD fenders
- Rear Grab handle & work tie-offs (safety stand areas)
- Lifetime LED lights w/ sealed wiring (7-way RV)
- 2K Automotive grade polyurethane paint (w/ primer)
- Colors - Black, Safety Orange, Federal Yellow, Traffic Red,
- 3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty

### ***Popular Options***

- Spare Tire & Mount
- Red - Green (Stop & Go - strobe package)
- Custom Coat (safety traction floor liner)
- LED work lights (spot - flood)
- Rear Pole Mount LED strobe lights (4 ft.)
- Rear side open & swing doors

### ***Model:***

- ***718171-1C***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***





## ***10 - 15 TON KING PIN DROP DECK TRAILERS***

### ***Standard Specifications:***

- ***20,000 - 38,000 lb. GVWR***
- ***12" I-Beam main frames***
- ***3" channel crossmembers (16" OC) (pierced frame)***
- ***9' - 10' - or 11' top decks***
- ***Straight deck or deck + dovetail (custom length available)***
- ***34" deck height***
- ***10,000 - 15,000 lb. Dexter Axles***
- ***Full Tire Options***
- ***Electric, Electric / Hydraulic, or Air Brake Options***
- ***Drop Deck, Slope Deck, Tilt Deck***
- ***Stake Pockets & Rub Rail or D-Rings***
- ***Standard Ramps, Jumbo Ramps, Hydraulic Ramps or Air Ramps***
- ***2" pressure treated pine floor or OAK***
- ***Checker-plate HD fenders***
- ***Lifetime LED lights w/ sealed wiring (7-way RV)***
- ***2K Automotive grade polyurethane paint (w/ primer)***
- ***3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty***
- ***Full design and customization***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***



## ***25 - 35 TON KING PIN DROP DECK TRAILERS***

### ***Standard Specifications:***

- ***50,000 - 75,000 lb. GVWR***
- ***14" & 16" I-Beam main frames***
- ***5" - 6" channel & I-Beam crossmembers (16" OC) (pierced frame)***
- ***9' - 10' - or 11' top decks***
- ***Straight deck or deck + dovetail (custom lengths available)***
- ***34" deck height***
- ***25,000 lb. Dexter Axles***
- ***Tandem or Tri-Axle***
- ***Full Tire Options***
- ***Air Brake w/ ABS***
- ***Front Lift Axle Option***
- ***Drop Deck, Slope Deck, Tilt Deck***
- ***Stake Pockets & Rub Rail or D-Rings***
- ***Hydraulic Ramps, Air Ramps, Bi-Fold Ramps, Custom Ramps***
- ***OAK or Apitong Floor***
- ***Checker-plate HD fenders***
- ***Lifetime LED lights w/ sealed wiring (7-way RV)***
- ***2K Automotive grade polyurethane paint (w/ primer)***
- ***3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty***
- ***Full design and customization***



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***



## ***DECK-OVER ULTIMATE 1-CAR & BUGGY HAULER TRAILER***

### ***Standard Specifications:***

- 14,000. GVWR
- 6" Tube main frame w/ truss
- Tube crossmembers
- 32 ¾ " deck height x 96 " deck width
- 7,000 lb. Dexter EZ-Lube, electric brake axles
- 235 80 R 16 E (10 ply radials) (8-lug)
- HD Grate runners (24 ½ " wide)
- 12,000 lb. drop-leg spring-loaded jack
- Aluminum Ramps (7' slide out ramps)
- Enclosed fender wells (protect from road debris)
- Boarding Step
- Lifetime LED lights w/ sealed wiring (7-way RV)
- 2K Automotive grade polyurethane paint (w/ primer)
- 3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty
- Full design and customization

### ***Options***

- Winch & Mount
- Tie down options
- 8,000 lb. Dexter Axles
- Tire Options
- Optional Colors
- Spare Tire & Mount
- Gooseneck Option

### ***Models:***

- 820T7T-GH (14' 6" flat + 5' 6" tail)



***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***



## ***LOW-PRO 2-CAR HAULER TRAILERS***

### ***Standard Specifications:***

- 14,000 lb. GVWR
- Tube main frame (double stack HD design)
- Tube & channel inside crossmembers
- Straight deck + dovetail (custom lengths available)
- 24 ½ " deck height x 82" inside fenders
- 7,000 lb. Dexter EZ-lube Axle w/ electric brakes
- Full Length Stake Pockets & Rub Rail w/ (8) floor mounted D-Rings
- 24" wide full-length checker-plate floor runners
- 12,000 lb. drop-leg spring-loaded jack
- 7' Aluminum Ramps
- Lifetime LED lights w/ sealed wiring (7-way RV)
- 2K Automotive grade polyurethane paint (w/ primer)
- 3-Year Frame, 5 Year Axle, 1 Year Manufacturer Warranty
- Full design and customization

### ***Popular Options:***

- Winch & mount
- Full width deck w/ drive-over fenders
- 8,000 lb. Dexter Axles
- Tire Upgrades
- Solid Floor Option
- Tri-Axle
- Wood Floor
- Dual Jacks
- Spare Tire & Mount
- Optional Colors

### ***Models:***

- 734T7T-CH (TAG - 27' FLAT + 7' TAIL)
- 738GN7T-CH (GOOSENECK - 34' FLAT + 7' TAIL)




***FULL CUSTOMIZATION AVAILABLE!***

***batrailer.com***





***YOUR #1 SOURCE FOR CUSTOM TRAILERS!***



***DESIGNED & BUILT TO YOUR SPECIFICATIONS!  
ANY SIZE! ANY STYLE! ANY PURPOSE!***

***batrailer.com***