

CARING FOR SEX TRAFFICKING SURVIVORS

Leslie Clingenpeel, MSSL, CDSVRP Sara Gadd, MAHS










HUMAN TRAFFICKING

Human trafficking involves the use of force, fraud, or coercion in exchange for labor, services, or a commercial sex act. Causing someone under the age of 18 to engage in a commercial sex act, regardless of using force, fraud, or coercion is human trafficking under U.S. law.

Merriam Webster Dictionary





HUMAN TRAFFICKING IS THE FASTEST GROWING CRIMINAL INDUSTRY AFTER DRUG TRAFFICKING.

- The person is the product
- Low risk/High Gain

US Justice Department and International Labor Organization Human Trafficking

THE AMP MODEL

According to the US Trafficking Victims Protection Act, the following must be present to be convicted of human trafficking adults:

ACTION

Recruiting
Harboring
Transporting
Exploiting
Patronizing
Soliciting

MEANS

Force Fraud Coercion

PURPOSE

Sexual exploitation

OR


Labor exploitation

THE AMP MODEL

According to the US Trafficking Victims Protection Act, the following must be present to be convicted of human trafficking adults:

ACTION

Recruiting
Harboring
Transporting
Exploiting
Patronizing
Soliciting




PURPOSE

Sexual exploitation

OR

Labor exploitation

WHO ARE THE TRAFFICKERS?





TRAFFICKING RISK FACTORS

- Inadequate living conditions
- Depravation of basic needs
- Inadequate nutrition
- Sexual assault and violence
- Lack of choice or control regarding safe sex practices
- Dangerous working conditions
- Physical violence and abuse from traffickers or solicitors

Journal of Urgent Care Medicine



TRAFFICKING RISK FACTORS

- Psychological and emotional abuse
- Withholding of medical care
- Isolation
- Substance use as means of control or escape
- Torture
- Physical restraining, bondage, or confinement

Journal of Urgent Care Medicine





ASK YOURSELF

Which is more traumatic?

HAVING YOUR CAR STOLEN? OR GETTING IN AN ACCIDENT?


GETTING KIDNAPPED?OR

BEING PHYSICALLY ASSAULTED?

EXPERIENCING A NATURAL DISASTER?

OR

LOSING A FAMILY MEMBER?



TRAUMA

A disordered psychic or behavioral state resulting from severe mental or emotional stress or physical injury.

Merriam Webster Dictionary



TRAUMA INFORMED CARE

practices that promote a culture of safety, empowerment, and healing

Harvard Health



TRAUMA INFORMED CARE

recognizes the presence of trauma symptoms and acknowledges the role trauma may play in an individual's lifeincluding service staff.

University at Buffalo Center for Social Research





THREATS AND INTIMIDATION

DEBT BONDAGE


ISOLATION

EMOTIONAL ATTACHMENT

THEY DON'T SEE
THEMSELVES AS VICTIMS



TRAUMA INFORMED CARE
FORCES US TO BE
KNOWLEDGEABLE OF WHY A
VICTIM MAY NOT LEAVE,
BUT TO RELEASE THE NEED
TO KNOW WHY OR THE
ENTIRE STORY.



SELF DETERMINATION

the empowerment of survivors to make their own decisions about the care they would like to receive

United States Department of State



SELF DETERMINATION

We may be subject matter experts but we are not the experts of the victim's life or story - they are.

Our job is to simply help them identify possible options for next steps.



KNOWING THEIR NEEDS

Barriers to Self-Identification

SHAME OR GUILT

FEAR OF RETALIATION BY THE TRAFFICKER

FEAR OF ARREST OR DEPORTATION

Human Trafficking Hotline

KNOWING THEIR NEEDS


Barriers to Self-Identification

LACK OF TRANSPORTATION
OR CONTROLLED
MOVEMENT

FEAR OF A REPORT TO SOCIAL SERVICES

LACK OF UNDERSTANDING OF THE US HEALTHCARE SYSTEM

Human Trafficking Hotline




FEELING HOPELESS ABOUT THE FUTURE

FEELING DETATCHED FROM OTHERS

TROUBLE CONCENTRATING
AND MAKING DECISIONS


EASILY STARTLED AT SUDDEN NOISES

FEELING ON GUARD AND CONSTANTLY ALERT



"EVERY BEHAVIOR MAKES SENSE"

UNDERSTANDING TRAUMA CAN HELP US TO IDENTIFY WHEN THERE HAS BEEN A "TRIGGER" TO THE VICTIM.



HAVING DISTURBING DREAMS AND MEMORIES

PROBLEMS WITH WORK OR SCHOOL

UPSET STOMACH AND TROUBLE EATING

EXCESS SMOKING, ALCOHOL, DRUGS, AND FOOD


AVOIDING PEOPLE, PLACES, AND THINGS RELATED TO THE EVENT



WHAT'S WRONG WITH YOU?

- Places blame on the victim for something that was likely out of their control
- Assumes the victim is aware that something is wrong





WHAT HAPPENED TO YOU?

- Invites them to share their experience from their perspective
- Informs you about what makes it hard to leave





ETHICS

the discipline dealing with what is good and bad and with moral duty and obligation

Merriam Webster Dictionary





ETHICS CHECKLIST

Questions to Ask Yourself

IS IT LEGAL?

IS IT BALANCED?

HOW WILL IT MAKE ME FEEL ABOUT MYSELF?

HOW DOES THIS AFFECT
THE SURVIVOR I AM
WORKING WITH?



ETHICS CHECKLIST

More Questions to Ask Yourself

DO YOU TELL PERSONAL PROBLEMS TO THE SURVIVOR?

DO I SPEND MORE TIME AND ENERGY WITH THIS SURVIVOR THAN WITH OTHERS?

DO YOU WANT TO BE FRIENDS
WITH THE SURVIVOR WHEN THEY
LEAVE SERVICES?


DO I TEND TO ACCEPT GIFTS OR FAVORS FROM SURVIVORS?



BOUNDARIES

something that indicates or fixes a limit or extent. This extends to our minds, body, emotions, and overall well-being

Merriam Webster Dictionary






BOUNDARY CROSSING

a departure from commonly accepted practices that could potentially benefit survivors

BOUNDARY VIOLATION

a serious breach that results in harm to the survivors







CAPACITY
ABILITY TO COMPREHEND
THE INFORMATION AND
UNDERSTAND THE
CONSEQUENCES



COMPREHENSION
ABILITY TO MAKE
RATIONAL DECISIONS



VOLUNTARINESS
ACTING FREELY TO MAKE
INFORMED DECISIONS





IS THIS ROI ABSOLUTELY
NECESSARY TO PROVIDING
SERVICES?



DOES THE SURVIVOR UNDERSTAND ALL OF THE CONDITIONS FOR THE ROI?



DOES THE SURVIVOR
UNDERSTAND THEIR
RIGHTS WHEN SHARING
INFORMATION?



SPEAK UP

Exceptions to Confidentiality

CHILD ABUSE

ABUSE OF AN INCAPACITATED ADULT

CREDIBLE THREAT TO HARM SELF OR OTHERS

INFORMED WRITTEN
CONSENT OF THE CLIENT

IN SOME INSTANCES, BY ORDER OF THE COURT





WHEN I AM RESPONSIBLE TO...

- I remain sensitive to the survivor's needs and concerns
- I often maintain boundaries
- I am present as who I am, and that is enough

WHEN I AM RESPONSIBLE FOR...

- I feel like the survivor must meet my expectations
- I often violate boundaries
- I become the gatekeeper to their needs



PROVIDE ACCURATE INFORMATION

PRIORITIZE CLIENT SAFETY

KEEP YOUR WORD

HONOR THEIR EXPERIENCES

TAKE CARE OF YOURSELF



VICARIOUS TRAUMA

also known as secondary trauma, can be described as indirect exposure to a traumatic event through first-hand account or narrative of that event

Good Therapy





VICARIOUS TRAUMA



Leads to a Change in Worldview



A Spectrum of Responses





Negative

Neutral

Positive

Office for Victims of Crime



NEGATIVE

negative traumatic stress, compassion fatigue, and overall digression in functioning

NEUTRAL

healthy ability to manage the traumatic material (not that it has no effect)

POSITIVE

draws a sense of meaning from a victim's resilience that strengthens their own mental and emotional fortitude

Office for Victims of Crime

COMPASSION FATIGUE

the physical and mental exhaustion and emotional withdrawal experienced by those that care for sick or traumatized people over an extended period of time

Merriam Webster Dictionary





FEELINGS OF FAILURE, GUILT, SELF-DOUBT, SADNESS, AND POWERLESSNESS

LOSS OF SLEEP

REDUCED SENSE OF EFFICACY ON THE JOB

DIFFICULTY CONCENTRATING

FEELING OVERWHELMED WITH OBLIGATIONS



APATHY AND EMOTIONAL NUMBNESS

SECRETIVE ADDICTIONS OR SELF-MEDICATING IN A VARIETY OF WAYS

ISOLATION AND WITHDRAWAL

INTRUSIVE THOUGHTS, DREAMS, OR NIGHTMARES

PESSIMISM



MYTHS ABOUT SELF CARE

IT LOOKS THE SAME FOR EVERYONE


SELF CARE IS ANYTHING
THAT SOOTHES YOU

WE HAVE TO EARN SELF CARE

YOU HAVE TO CHOOSE BETWEEN YOURSELF AND OTHERS

IT IS OPTIONAL









AM I AWARE OF WHETHER I AM DOING WELL OR NOT IN THESE AREAS OF MY LIFE?

If not, it may be more difficult to be <u>proactive</u> with self-care versus <u>reactive</u> (when a crisis or burnout occurs).





DO I HAVE CLEAR BOUNDARIES AROUND MY WORK AND PERSONAL LIFE?

The goal isn't to stop caring about what happens at work, but having healthy outlets to process it (i.e. therapy, hobbies, etc.).





HAVE I EXPERIENCED A RECENT LIFE TRANSITION?

Sometimes we forget to practice self care because what worked for us in a previous season of life, no longer works for us now.

We have to make space to adjust!



QUESTIONS TO CONSIDER WITH THE SCENARIOS

WHAT ARE THE POTENTIAL INDICATORS FOR SEX TRAFFICKING THAT YOU NOTICE?

WHAT FEELINGS COME UP FOR YOU WITH EACH SCENARIO?

HOW MIGHT YOU WANT TO RESPOND? IN WHAT WAYS WOULD YOUR RESPONSE DIFFER AFTER TODAY'S TRAINING?

HAVE YOU ENCOUNTERED A SIMILAR SCENARIO ON THE JOB?

IF SO, WHAT HAPPENED THEN?

SCENARIO 1

Jasmine comes to a clinic for an HIV screening. Although her intake paperwork says she is 19, you observe that developmentally, she seems far younger. Jasmine tells you she's mature for her age and very experienced. She also has a tattoo of the name 'Li'l G' on one arm.

During the exam she constantly receives texts and calls to her cell phone. She answers the phone and says 'Daddy, don't worry, I'll be done soon.' She tells the nurse her boyfriend, who is 30, is so in love he can't be away from her for even one minute.

The screening results indicate that although Jasmine is HIV negative, she has multiple other STIs. You ask Jasmine whether she uses protection during sex, but Jasmine shrugs and says 'sometimes they don't want to.' When you ask who 'they' are, Jasmine says that sometimes she has sex with other men, but won't say how many. She says she won't be in the life forever, just until she and her boyfriend can save up some cash."

SCENARIO 2

Angela is at 25-year-old woman seeing you for her first prenatal appointment. Upon reviewing her intake paperwork, you notice that most of her contact information was left blank. When you ask her about it she say, "Oh, my husband and I are always moving around and won't be here for long."

Further into the appointment, you discover Angela is actually three months pregnant. She shares that she has known about it "for a while" but hasn't had the chance to "get away to take care of things" like she planned. When you go to take a blood sample, she jumps, startled, and pulls her arm back. You notice multiple bruises marks from what look like previous injections.

You tell Angela that you can resume the blood test later, and the doctor will be in shortly. She says "Wait, I thought you were the doctor...is the doctor a man? Will you be back?" You reassure her that you'll be with the doctor during the appointment and she lets out a sigh of relief.

SCENARIO 3

You're working one of the overnight shifts, and two women approach the lobby's check-in counter. The first woman shares with you that the woman she's with (Jane Doe) needs to see a doctor as soon as possible. She discloses Jane Doe has a broken arm. Jane Doe is standing behind the woman, holding her arm and wincing in pain.

You look past the woman to ask Jane Doe for her name. The first woman cuts you off saying, "You can ask me whatever questions you need." After a few minutes of going back and forth, she finally lets you speak to Jane Doe directly. As you're asking Jane Doe questions, the woman stands behind her staring intently. You find out Jane Doe's name is Melissa. Melissa doesn't share her last name with you, and the rest of her answers are short and sound scripted. She's visibly uncomfortable and doesn't make eye contact with you.

After finishing gathering her information, you escort her back to an exam room. One of the nurses comes to tell you that she recognizes Melissa from a couple of months ago. She came in a broken nose and bruised ribs, but didn't remember her name. The same woman was with her, and never left her alone for the entire appointment.

