




# Dole Flow Control Valves

## PRODUCT DATA SHEET



1. Calculated flow through 1/8" diameter orifice.

2. Typical flow curve of Eddington 2 GPM Flow Regulator

3. Threshold pressure will vary with flow rating.

### Dole Flow Control Valve Features:

- Designed to provide a constant flow rate across a wide pressure drop range.
- Flow rate is maintained within  $\pm 15\%$  of designated rate.
- Prevents over-pumping in low-yield applications.
- Body: Lead-free nickel-plated brass / Orifice: Buna Rubber

### Ordering Information:

Part Number	Flow (GPM)	Part Number	Flow (GPM)	Part Number	Flow (GPM)	Part Number	Flow (GPM)
3/8" FNPT Connection		1/2" FNPT Connection		3/4" FNPT Connection		1" FNPT Connection	
GA.06	0.06	GB1.0	1.0	GC1.0	1.0	GX1.0	1.0
GA.13	0.13	GB1.5	1.5	GC2.0	2.0	GX2.0	2.0
GA.25	0.25	GB2.0	2.0	GC3.0	3.0	GX3.0	3.0
GA.35	0.35	GB2.5	2.5	GC4.0	4.0	GX4.0	4.0
GA.50	0.50	GB3.0	3.0	GC5.0	5.0	GX5.0	5.0
GA.75	0.75	GB3.5	3.5	GC6.0	6.0	GX6.0	6.0
GA1.0	1.0	GB4.0	4.0	GC7.0	7.0	GX7.0	7.0
		GB5.0	5.0	GC8.0	8.0	GX8.0	8.0
		GB6.0	6.0	GC9.0	9.0	GX9.0	9.0
				GC10	10.0	GX10	10.0
				GC11.5	11.5	GX12	12.0
						GX15	15.0
						GX20	20.0
						GX25	25.0
						GX30	30.0