

APPROVED BY



**REDUCE BEER OR WINE
WASTE, LABOR COSTS
AND NEARLY ELIMINATE
FAULTILY FILLED KEGS**



MAIN FEATURES

- 1, 3 OR 5 FILLING HEADS
- ROBUST STAINLESS STEEL STRUCTURE (AISI 304)
- COMPACT DESIGN - MINIMUM SPACE REQUIRED
- MECHANICAL FILLING - NO POWER NEEDED
- AUTOMATIC FILLING SEQUENCE
- FOR KEYKEG AND STEELKEGS - ALL FITTING TYPES
- ALL PARAMETERS CHANGEABLE
- NO ENERGY CONSUMPTION
- CIP COMPATIBLE
- PRODUCT DELIVERY TC 2" / 2-3 BAR
- BUILT CONFORMING TO EC STANDARDS
- SAFETY: NO KEG - NO FILLING
- FIT-TO-FILL CERTIFIED BY KEYKEG/ONECIRCLE
- PATENT PENDING: "KEG PRESSURE OPERATED FILLING VALVE"
- MADE IN NORWAY

OPTIONS

- GRAVITY ROLLER CONVEYOR
- KEGTURNER WITH PANEL (400VAC/50HZ)
- KEG LIFTING ASSISTING FOR PALLETIZING
- KEGWASHER & CO₂ PRESSURE FOR STEELKEGS
- KEYKEG PREP TABLE FOR EVACUATION

TECHNICAL SPEC.

- STAINLESS STEEL AISI 304
- PRODUCTION: UP TO 50 KEGS/H. PR. FILLINGHEAD
- PRODUCT DELIVERY TC 2" AT 2 - 3 BAR
- AIR CONSUMPTION 5NL/H.

