

INDUSTRIAL SAFETY CONTROLS INC.

YOUR SINGLE SOURCE FOR

Machine Safety – Sensing – Control Products – Automation Solutions



262.652.8660



Fax: 262.652.1388



www.safeworkplace.org

INDUSTRIAL SAFETY CONTROLS INC.

Industrial Safety Controls, Inc. has evolved since we sold our first safety light curtain back in 1995, the brand was Posiguard (private label product made by Dolan-Jenner). Yes times have changed, products have improved and expand, automation and robotics continue to define new requirements and safety standards. We understand this landscape and as a small niche business in this space we will do our best to provide you the range of machine safety, sensing, controls that will properly address you daily and most difficult application.

We are positioned to provide you with great solutions and the following pages only serve as an overview. We look forward to assisting you today and in the years to come.

My best,
Brian Thomas





EMERGENCY STOP BUTTONS



22.5mm Operators



30.5mm Mushroom and Rope Pull Operators



2.25 inch Mushroom Plunger with Spring Latch



Double Plastic Plunger with Padlock Latch

CABLE SWITCHES



Bi-Directional Cable Operated Switch



Cable/Rope Operated Switches with Broken Cable Detection



Cable Operated Switches



Rope Operated Switch



Rope Operated Sequence Switches



Cable Operated Switches with Single Flag Indicators or Latch Plates



Cable Operated Switches with Double Flag Indicator(s) or Latch Plates



Cable Operated Switches

PALM BUTTONS



Push Button Switches with Larger Mounting Pattern



Flat Chrome Plunger Push Button Switches



2.25 inch Plastic Mushroom Plunger



2.25 inch Mushroom Plunger with Shield and Weatherproof

SPECIALTY PRODUCTS



Ring Guards



Standard and Large Enclosures



Double Plastic Plungers



Heavy Duty Selector Switches

SAFETY RELAYS – 17.5MM • 22MM • NEWEST GENERATION



Emergency Stop Modules



Safety Gate Monitors



Light Curtain Controllers



Two-Hand Control Modules



Safety Mat Modules



Special Devices



Extension



Delay

SAFETY INTERLOCKING SYSTEMS – THE FUTURE OF INTERLOCKING IS HERE!



Safety Switch



Guard Lock



Key Transfer



Individual Modules



Command Devices



Load Isolator with Interlock



Mechanical Units with
Electrical Monitoring



Mechanical Units
with Electrical Release

MULTI-FUNCTIONAL SAFETY RELAYS • INDEPENDENT INPUTS • INDEPENDENT OUTPUTS



Multifunctional Safety Module UG 6970
2NO – 2 Channel



Multifunctional Safety Module UG 6980
2 Channel – 4NO



Multifunctional Safety Timer with
Instantaneous Contacts UG 6960



Safety Timer UG 6961
2 Channel – 4NO

MOTOR BREAK RELAYS



Electronic Motor Brake Relay
BI 9034



Electronic Motor Brake Relay
BA 9034N



Motor Brake Relay
BI 9023



Motor Brake Relay
BN 9034

MULTIFUNCTION RELAY MOTOR CONTROL • SOFT STARTER REVERSING CONTACTOR



Solid State Relays / Contactors



Reversing Contactors



Softstarters



Motor Brake Relays



Speed Controller



Multifunctional Motor Control Units



Safety Relay with DCE-36V Range



Softstarter / Softstop

STANDSTILL • SPEED MONITORING



Speed or Stand-Still Monitor
BH 5932



Speed Monitor
UH 6932



Speed and Frequency Monitor
UH 6937



Speed Monitor
UH 5947

CONFIGURABLE SAFETY SYSTEM UNIVERSAL & EXPANDABLE



Monitor All Safety Components
UG 6911.10



Input Module UG 6913.08
8 - 12 or 16 Single Channel Inputs



Input Module UG 6913.12
Status LEDs for Diagnosis



Input Module UG 6913.16
Pluggable Terminal Block

CURRENT & INSULATION MONITORS



Residual Current Monitor
Type A IL 5882



Residual Current Monitor, Type A,
with Integrated Transformer IR 5882



Insulation Monitor
RN 5897/010



Insulation Monitor
IL 5880

MEASURING & MONITORING RELAYS



Multifunctional Measuring Relays



Measuring Relays for
Main Monitoring



Measuring Relays for
Load Monitoring



Measuring Relays for
Voltage Monitoring



Measuring Relays for
Power Generation Systems



Measuring Relays for
Current Monitoring



Measuring Relays for
Monitoring Physical Values



Accessories for Measuring Relays

TIMING MODULES



Multifunction Relays



Fleeting Action Relays



Timers On Delayed



Timers Off Delayed

INNOVATIVE RELAY SOLUTIONS



Speed and Frequency Monitor
UH 6937



Softstarter with Softstop
UG 9019



Softstart- / Softstop Device
GI 9015



Safety and Control Functions
via Radio

METAL FACE – ALL STAINLESS STEEL SOLUTIONS



8mm Unshielded



12mm Unshielded



18mm Unshielded




30mm Unshielded

LONG RANGE – ALL SIZES WITH THE RANGE YOU NEED



8mm Shielded



12mm Unshielded



18mm Unshielded



30mm Shielded

CAPACITIVE METAL & PLASTIC • CABLES



18mm Plastic



30mm Metal



PVC 3 & 4 Pin
M8 & M12 Connecting Cables



Field Wireable Connectors
M8 & M12

QUASAR SERIES & 18MM PHOTOELECTRIC – FIT • FORM • FUNCTION



Through Beam



Retro Reflector



Diffuse



18mm Barrel Photoelectric

SPECIALTY PROXIMITY SWITCHES – ODD APPLICATION? WE HAVE A SOLUTION



AC/DC Proximity



Square



Ultra Mini



Analog

SAFETY SOLUTIONS



Non-Contact Safety Switch



Pressure Switch / Vaccuostat



Safety Modules for
Non-Contact Switches



Two-Hand Control Relay

UNIQUE SAFETY SWITCH SOLUTIONS



Explosion-Proof



Safety Switches Magnetic Locking



Interlocking - Deadbolt



Thermostat Safety -
When You Need to Safely Monitor

INDUSTRIAL CONTROL SOLUTIONS




RFID Solutions



Push Button and Optics



Two-Hand Dual Technology Touch
Control Button for Enhanced Safety



Indicators and LED Technology
Tricolor Luminous Lighting



IDEM
Safety Switches Limited

EMERGENCY STOP SAFETY SWITCHES – ROBUST • ADDITIONAL FEATURES



Explosion Proof



IP69K



Explosion Proof



IP69K

CABLE PULLS & INTERLOCKS



GLS-SS:
Guardian Line Standard Duty



GLM:
Guardian Line Mini Duty Rope Switch



MK1-SS Miniature Tongue
Interlock Safety Switch



KLM-RR Rear Manual Escape Release

SAFETY SWITCHES – INTERLOCKING • SOLENOID • NON-CONTACT



Interlocking Safety Switch



Limit Switch with Manual Reset



Solenoid Key-Operated Interlock Switch



Magnetic Safety Interlocking Switch

FOOT SWITCHES – ROBUST • IP68 • WIRELESS • DUAL PEDAL



FS-41GP



FS-5G-20A-AG



FS-62G-SP-C-R



FS-61G

PUSHBUTTONS – 22MM • 30MM • RELIABLE • COST EFFECTIVE



PB22-FPM



PBM22-MP



PB30-GP



PBM30-EP

PENDANT • BUZZERS • SIGNAL TOWERS



CSE



CSH



CBZ-30



TL

LIMIT SWITCHES – COMPLETE RANGE OF SIZES AND ACTUATORS



SN3111



SN1121



SN4172



SN91-N62-V2

TECHNET SENSORS

CAPACITIVE SENSORS • PADDLE SENSORS • HOT GLUE • COMPLETE RANGE



KAS-80-P50-A-K-G1/2"-LCP-ETW



KAS-80-A12-S



KAS-80-20-S



KAS-80-34-A-M32-PTFE/V2A-Y

CAPACITIVE SENSORS – DIFFICULT APPLICATIONS? HERE ARE THE SOLUTIONS!



KAS-80-A13-A-K-Y3-NL



KS-250-M22



KXS-M5/20



EGI-RLC

di-soric

SPECIALTY SENSORS – SOLUTIONS FOR YOUR APPLICATIONS



IP69K Stainless



Laser Distance



Color Sensors



Radar Sensors

microsonic

ULTRASONIC SENSORS – SIZES • SENSING RANGES • CUSTOM BODY DESIGNS



Distance Sensors



Web Edge Sensors



Double-Sheet



Label and Splice Sensors

22MM • 30MM • CUSTOM ENCLOSURES



IP69K



L21AA01-1E01 22mm Push Button



T11AE01-3E01 30mm Push Button



30mm Control Station

DISCONNECTS • ROTARY CAM SWITCHES



NB04AXQ Cam Switch with Enclosure



223525 Mini Cam Switch



Padlockable Disconnect Switch with Enclosure



Padlockable Disconnect Switch

Wireless Solutions

MORE OPTIONS THAN YOU CAN IMAGINE. CALL US TO DISCUSS YOUR WIRELESS NEEDS.



Long Range (Indoor and Outdoor)



Wireless Foot Switch FS-83-W-RF



Limit Switches / Sensor Controls



RadioControl - Secure Remote Control Solution

Safety & Automation Solutions

ENCLOSURES (PVC - POLY) • DISCONNECTS • COUNTERS • POWER SUPPLIES



ASO Safety Solutions
Safety Mats - Edges - Bumper Switches



Roland Double Sheet Metal Detection



Salzer DC Disconnect Switches



Piezo Switch Solutions

Janus Type 4
MUTING LIGHT CURTAINS



Specs: CE, TUV, UL
Two safe static outputs, works without external control units, all safety functions integrated inside the Emitter and the Receiver, built-in external devices monitoring.

EOS4 Cat 4
COMPACT SAFETY LIGHT CURTAIN



Specs: CE, TUV, UL
Small-size housing and minimum dead zone, ideal for protection of any tool machine.

M1
MOSAIC CONFIGURABLE
SAFETY CONTROLLER



SAFEGATE

Access control barriers with integrated Muting functions



ADMIRAL

Type 4 Safety Light curtains with integrated blanking functions



AD SR1

Type 4 interface for safety light curtains



AD SRE3 - AD SRE3C

PL d safety interfaces for emergency stop buttons and safety switches



AD SRE4 - AD SRE4C

PL e safety interfaces for emergency stop buttons and safety switches



AD SRM

Type 4 safety interface with integrated Muting for light curtains



MASTER UNIT

M1 - Master Unit



COMMUNICATION

MB - Field-bus units
MCT - Interface connection units



SPEED MONITORING

MV0, MV1, MV2 - Safety speed monitoring units

SAFETY LIGHT CURTAINS



The KSO6 Safety Light Curtain is ideal for point of operation guarding for personnel and automated equipment. The optional controller provides unique functions for normal operation, special functions and trouble shooting, this is very unique. Also have option for cascading the light curtains for the more unique applications.

LSPD SAFETY LASER SCANNER




Two dimensional optical detection device for personnel and machine safety. Protection zone of 4 meters with an angle of 190 degrees. Minimum object sensitivity is 7cm at 4 meters. Protective and warning zones can be configured into complex and irregular zones through programming.

BLPS LASER SAFETY PROTECTION DEVICE



Ideal for Press Brake point of operation guarding, tested and certified TYPE 4 with TUV. Independent OSSD outputs, Detection range up to 20 meters, ideal protection for bending small and complicated parts and optional control box for folding box and muting mode.

LONG RANGE SAFETY LIGHT CURTAINS



The perfect solution when considering your options of laser scanners, safety mats, hard guarding, etc. is the TYPE 4 long range protection.

Products by Category

Emergency Stop Controls

- Heavy Duty
- Integrated Lockout / Tagout Feature
- Explosion Proof
- IP69K
- Mechanical Fail Safe Option

Cable/Rope Operated Switches

- Broken Cable Detection
- Auto Reset
- Manual Reset Without Broken Cable Detection
- Overhead Door
- IP69K
- Explosion Proof
- Flag & LED Indicators
- Bi-Directional

Two Hand Controls

- Dual Function (Optical / Capacitive)
- Low Force Robust Palm Buttons
- Ring Guards
- Mounting Enclosures
- Anti Tie Down / Anti Repeat Safety Relays
- Operator Stations

Safety Mats, Edges & Bumpers Switches

- Custom Designs
- Trim Kits
- Safety Controllers

Safety Interlocking Systems

- Electrical
- Mechanical
- Trapped Key

Keyed Interlock Safety Switches

- Solenoid
- Emergency Release
- Explosion Proof
- IP69K
- Stainless Steel
- Non-Metallic
- Integrated RFID

Non-Contact Safety Switches

- Category 3 & 4
- IP69K
- Stainless Steel
- Integrated RFID
- Magnetic Holding Force
- Explosion Proof

Safety Relays

- Emergency Stop
- Two Hand Control
- Light Curtain
- Safety Mats & Sensing Edges
- Time Delayed
- Standstill Monitoring
- Multifunctional
- Programmable

Safety Light Curtains

- Press Brake Safety Laser
- Safety Laser Scanner