

**INDUSTRIAL
SAFETY CONTROLS INC.**

**MACHINE
SAFETY GUARD
MONITORING
PRODUCTS**

YOUR SINGLE SOURCE FOR

Machine Safety, Sensing & Control Products, and Solutions



262.652.8660

Fax: 262.652.1388

www.safeworkplace.org

IP69K STAINLESS STEEL KEYED INTERLOCKING SWITCHES

KEYED INTERLOCK SWITCH



SOLENOID LOCKING INTERLOCK SWITCH



Holding force 1600N

SOLENOID LOCKING INTERLOCK SAFETY SWITCH



Holding force 2000N

KEYED INTERLOCK SWITCH



HINGE SAFETY SWITCHES

HEAVY DUTY AND ROBUST



AVAILABLE WITH MULTIPLE CONTACT ARRANGEMENTS



AVAILABLE IN 316L STAINLESS IP69K



VERSION WITH ELECTRONIC CONTACTS



SOLENOID LATCHING INTERLOCK SWITCHES

POWER TO LOCK AND UNLOCK 24VDC, 110VAC, AND 230VAC



ROBUST DIE CAST BODY, REAR MANUAL RELEASE



WITH/WITHOUT KEY OVERRIDE - COMPACT HOUSING



UNIQUE BODY STYLE WITH 3NC CONTACTS



SAFETY INTERLOCKING SWITCHES

COMPACT BODY W/ CONDUIT ENTRY ON RIGHT/LEFT SIDE



ECONOMY MODEL 1NO 1NC, 2NC, 3NC



IDEAL FOR SLIDING HINGED OR LIFT-OFF GUARDS



STAINLESS STEEL HEAD WITH UNIVERSAL MOUNTING



SPECIALTY SWITCHES

CAT 3 & 4 STAND ALONE SAFETY SWITCH




HIGH TEMPERATURE, NON-CONTACT 230°C



TRAPPED KEY



12MM NON-CONTACT IP69K SAFETY SWITCH



Stainless steel housing

DOLD ELECTRICAL AND TRAPPED KEY INTERLOCKING SWITCHES

SAFEMASTER STS



SAFEMASTER STS



LOCKING MECHANICAL W/TRAPPED KEY



LOCKING SOLENOID W/TRAPPED KEY



RFID NON-CONTACT

RFID NON-CONTACT SAFETY SWITCH



UNIQUELY CODED, AVAILABLE WITH 2, 5, & 10 METER CABLE



COMPACT BODY STYLE, LED STATUS INDICATION



2014 GIT SECURITY AWARD WINNER SIL LEVEL 3 CAT4



RFID WITH SOLENOID LATCHING

RFID GUARD LOCKING SWITCH



RFID GUARD LOCKING SWITCH

Holding force 7500N



RFID GUARD LOCKING SWITCH



RFID GUARD LOCKING SWITCH WITH EMERGENCY RELEASE

Holding force 7500N



NON-CONTACT WITH MAGNETIC LATCHING

BLACK DIE CAST ALUMINIUM BODY



Holding force 1000N or 1500N

STAINLESS STEEL 316L IP69K



Holding force 600N or 1200N

MAGNETIC LATCHING NON-CONTACT SAFETY SWITCH



IP69K HOLDING FORCE UP TO 8.2 LBS.



IP69K NON-CONTACT

NO VISIBLE HARDWARE FOR MOUNTING



30MM DIAMETER



QUICK CONNECT & CABLE VERSIONS - IP67 - IP69K



IP69K ROBUST, HEAVY-DUTY 316L STAINLESS STEEL



SPECIALTY SAFETY SWITCHES

**TWIN HEAD DESIGN –
UP TO 4 CONTACTS**



**ROBUST STAINLESS STEEL
SAFETY SWITCH – 2NC 1NO**



**HINGE SAFETY SWITCH
WITH DUAL CONDUIT ENTRY**



**SAFETY SWITCHES WITH LOCK
AND SEPARATE ACTUATOR**



**IN LINE NON-CONTACT SAFETY
SWITCH FOR DOUBLE DOORS**



**DEAD BOLTS WITH
SAFETY MONITORING**



**EXPLOSION PROOF
DIE CAST LIMIT SWITCHES**



**EXPLOSION PROOF NON
CONTACT SAFETY SWITCH**



**EXPLOSION PROOF
INTERLOCK SWITCH**



**STAINLESS STEEL EXPLOSION
PROOF INTERLOCK SWITCH**



**GATE BOLT TONGUE
SWITCH ACTUATOR**



**MULTIFUNCTIONAL
INTERLOCKING GATE BOX**



RELAY MODULES

**DOLD SPEED AND
STAND-STILL MONITORS**



**CONFIGURABLE SAFETY
CONTROLLER SAFEMASTER PRO**



**DOLD MOTOR
BRAKE RELAYS**



**DOLD REVERSING
CONTACTORS**



MACHINE SAFEGUARDING CONSULTING

ISC, Inc. will assist you with the interpretation of the various safety standards as they apply to your specific machinery. Our evaluation will allow you to gain a better understanding of your safeguarding needs. Our knowledge of proper product use and guarding methods will help you comply with all industry standards. OSHA is a volunteer system, however if you are caught not volunteering, there are fines, penalties, and sometimes prison. Our knowledge of guarding methods and proper product use will ensure that you are providing the best solution.

**INDUSTRIAL
SAFETY CONTROLS** INC.

P.O. Box 126 • 4112 Sheridan Rd., Kenosha, WI 53141
262.652.8660 • Fax: 262.652.1388
safetysensing@earthlink.net • www.safeworkplace.org