

Industrial Control Fanless Mini Computer

Product		Barebone System, No Ram, No Storage, No WiFi				
Model	Picture	CPU	Unit Price	Port	Slot	Size(mm/set) Weight(kg/set)
BPC-001		Core-i5 4200U	43226.00	1*HDMI 1*DP 1*VGA 2*LAN 1*Audio 4*USB3.0 2*USB2.0 1*COM Rs232 1*SIM Slot (Vpro TPM2.0 Optional on request-Charges additionally)	1 x SO-DIMM DDR3L Slot 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	137*121*38 1.5Kg
		Core-i7 4500U	45846.00			
BPC-002		Celeron-J1900	35629.00	1*HDMI, 1*VGA, 4*Intel I211-AT, 2*USB3.0, 1*SIM card slot, 1*DC-IN	1xSO-DIMM DDR3L Slot, max 8GB DDR3L 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	126*136*40 1.5Kg
		Pentium-J2900	36153.00			
		Pentium-N3540	33796.00			
		Atom-E3845(AES-NI supported)	35629.00			

BPC-003		Celeron-2955U(DDR3)	37550.00	4 x USB3.0 1 x HDMI 6 x RJ45 Intel LAN 1 x DB9 RS232 COM, 1 x RJ45 RS232 COM 1 x SIM card slot	1 x SO-DIMM DDR3L/DDR4 Slot 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	209*150*57 2.5Kg
		Celeron-3865U 3965U(DDR3)	40170.00			
		Core-i3 7167U(DDR3)	48247.00			
		Core-i5 7267U(DDR3)	53268.00			
		Celeron-5405U(DDR4)	41698.00			
		Core i3-8145U(DDR4)	49994.00			
		Core i5-8265U(DDR4)	55888.00			
		Core i5-10210U(DDR4)	58726.00			
BPC-004		Celeron-J4105 J4115 J4125(DDR4)	37114.00	4*USB3.0, 2*COM Rs232, 1*HDMI, 1*VGA, 2*LAN, 1*Audio, 1* DC IN	1* SO-DIMM DDR4/DDR3L slot 1xMSATA3.0 SSD(M.2 Optional) 1x2.5"SATA3.0 SSD/HDD	135*127*39 1.2Kg
		Celeron-N2830 N2840	35149.00			
		Celeron-J1900				
BPC-005		Core-i5 7200U 7300U	63310.00	1*HDMI, 1*VGA, 1*Reset, 1*CMOS clear button, 1*SIM Card slot, 4*USB2.0, 4*USB3.0, 2*Intel LAN, 6*COM Rs232(COM1,COM2 Rs232/422/485), 1*GPIO, 1*2Pin Phoenix terminal power supply input	2xSO-DIMM DDR4 Slot, max 32GB DDR4 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	248*150*83 3.5Kg
		Core-i7 7600U 7500U	67676.00			
		Core-i7 8550U 8650U	68113.00			
		Core-i5 8250U 8350U	64838.00			

BPC-008



Core-i5 4200U **60254.00**

Core-i5 5287U **61345.00**

Core-i5 7267U **65711.00**

Core-i7
7600U/7500U **71169.00**

Core-i5 8265U
8269U **70077.00**

Core-i7
8565U/8569U **73352.00**

Core-i5 10210U **71824.00**

Core-i7 10510U **80556.00**

1 x 3pin phoenix
terminal,
1 x ATX/AT,
4 x USB3.0,
4 x
USB2.0(2xUSB2.0
inside),
1 x Reset,
1 x CMOS clear
button,
1 x PS/2,
1 x VGA,
1 x HDMI,
4 x Intel LAN,
12 x COM
Rs232(COM1-
COM4
Rs232/422/485),
1 x SIM card slot,
1 x GPIO,
1 x 2Pin phoenix
terminal power
supply input(9-
36V)

2xSO-DIMM
DDR4 Slot
1*M.2
NVME/SATA
SSD
1xMSATA3.0
SSD
1x2.5"SATA3.0
SSD/HDD

249*150*86
3.5Kg

BPC-009		Core-i7 7700HQ	113301.00	6 x USB3.0, 2 x USB2.0, 1 x ATX/AT, 1*Reset, 1*CMOS clear button, 1 x PS/2, 1 x DP, 1 x VGA, 1 x HDMI, 4 x Intel LAN, POE 6 x COM Rs232(COM1-COM2 Rs232/422/485), 1 x SIM card slot, 1 x GPIO, 1 x SPK, 1 x MIC, 1 x 4Pin power supply input(9-36V input)	2xSO-DIMM DDR4 Slot 1*M.2 NVME/SATA SSD 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD 4 x PCI, 1 x PCIe8, 2 x PCIe4 expandable	310*203*125
BPC-010		Core-i5 4250U	49994.00	1*HDMI, 1*VGA, 6*COM Rs232(COM5,COM6 Rs232/422/485), 2*Intel LAN, 4*USB3.0, 4*USB2.0, 1*SIM card Slot 1*MIC, 1*SPK, 1*DC-IN	1* SO-DIMM DDR3L Slot(MAX 8GB RAM) 1*MSATA3.0 SSD 1*2.5" SATA3.0 SSD/HDD	210*150*69 2.5Kg
		Core-i5 4200U	51085.00			
		Core-i7 4500U	54360.00			

BPC-011		Core-i5 4200U	44973.00	1*HDMI 1*DP 1*VGA 2*LAN 1*Audio 4*USB3.0 2*USB2.0 1*COM Rs232 1*SIM Slot	1 x SO-DIMM DDR3L Slot 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	137*121*38 1.5Kg
		Core-i7 4500U	47156.00			
BPC-012		Celeron-J1900		1*HDMI, 1*VGA, 4*Intel I211-AT, 2*USB3.0, 1*SIM card slot, 1*DC-IN	1xSO-DIMM DDR3L Slot, max 8GB DDR3L 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	126*136*40
		Pentium-J2900				
		Pentium-N3540	36022.00			
		Atom-E3845(AES-NI supported)	37550.00			
BPC-013		Celeron-3865U	42135.00	1*HDMI 1*VGA 1*COM 6*Intel I211-AT 4*USB3.0 1*SIM card slot 1*DC-IN	1 x SO-DIMM DDR4 Slot 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	215*110*53 1.5Kg
		Core-I7-7500U	65930.00			

BPC-014		Celeron-3865U	43008.00	1*HDMI 1*VGA 1*COM 6*Intel I211-AT 4*USB3.0 1*SIM card slot 1*DC-IN	1 x SO-DIMM DDR4 Slot 1xMSATA3.0 SSD	175*110*37 1.5Kg
BPC-015	 	Core-i3 6157U	51958.00	4 x USB2.0, 2 x USB3.0 1 x VGA, 1 x HDMI 2 x Intel LAN 1 x GPIO 1 x SIM card slot 6 x COM Rs232(COM1,CO M2 Rs232/422/485) 1*MIC, 1*SPK, 1*DC-IN	1* SO-DIMM DDR3L Slot(MAX 8GB RAM) 1*MSATA3.0 SSD 1*2.5" SATA3.0 SSD/HDD	180*120*52.5 2Kg
BPC-016	  	Celeron-J1800		1*HDMI, 1*VGA, 1*GPIO, 2*Intel Lan, 2*USB3.0, 4*USB2.0, 6*COM Rs232(COM1,CO M2 Rs232/422/485), 1*SIM card slot, 1*DC-IN	1xSO-DIMM DDR3L/DDR4 Slot, 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	215*125*65
		Celeron-J1900				
		Celeron-3965U				
		Core-i3 6157U	52395.00			

BPC-017		Celeron-J1900		1 x 3pin phoenix terminal, 1 x ATX/AT, 2 x USB3.0, 6 x USB2.0(2xUSB2.0 inside), 1*Reset, 1*CMOS clear button, 1 x PS/2, 1 x VGA, 1 x HDMI, 2 x Intel LAN, 6 x COM Rs232(COM1-COM4 Rs232/422/485), 1 x SIM card slot, 1 x GPIO, 1 x LPT, 1 x 2Pin phoenix terminal power supply input(9-36V input)	1* SO-DIMM DDR3L Slot(MAX 8GB RAM) 1*MSATA3.0 SSD 1*2.5" SATA3.0 SSD/HDD	248*150*83
BPC-018		Celeron-3855U/3955U	49557.00	1*VGA, 6*Intel 82574L+ 2*I350 SFP, 2*USB2.0, 1*COM RJ45	1xSO-DIMM DDR3L Slot 1xMSATA3.0 SSD 1x2.5"SATA SSD/HDD	230*230 (motherboard size) 3Kg
		Core-i3 6100U	56979.00			
		Core-i5 6200U	62437.00			
BPC-019		Celeron-1037U 1.8GHz	48247.00	1*VGA, 8*Intel 82574L, 2*USB3.0, 1*COM RJ45	1xSO-DIMM DDR3 1.5V Slot, max 8GB 1xMSATA3.0 SSD 2x2.5"SATA3.0 SSD/HDD 2x2.5"SATA2.0 SSD/HDD	230*230 (motherboard size) 3Kg
		Core-i5 2467M	51522.00			
		Core-i7 3517U	58071.00			

BPC-020		ATOM D510 1.66GHz	39297.00	1*VGA, 4*Intel 82574L, 2*USB2.0, 1*COM RJ45	1xSO-DIMM DDR3 1.5V Slot, max 8GB 1xMSATA3.0 SSD 2x2.5"SATA2.0 SSD/HDD	200*180 (motherboard size) 3Kg
		ATOM D525 1.8GHz	39952.00			
BPC-021		ATOM D510 1.66GHz	39952.00	1*VGA, 6*Intel 82574L, 2*USB2.0, 1*COM RJ45		
		ATOM D525 1.8GHz	40607.00			
BPC-022		Celeron-J1900	42790.00	1*VGA, 4*Intel 82574L, 2*USB2.0, 1*COM RJ45	1xSO-DIMM DDR3L Slot, max 8GB 1xMSATA3.0 SSD 2x2.5"SATA2.0 SSD/HDD	200*180 (motherboard size) 3Kg
BPC-023		Celeron 3865U	48247.00	1*HDMI, 1*VGA, 6*Intel 82574L, 2*USB3.0, 1*COM RJ45	1xSO-DIMM DDR3L Slot 1xMSATA3.0 SSD 2x2.5"SATA3.0 SSD/HDD	200*180 (motherboard size)
		Core-i3 6100U	56979.00			
		Core-i5 6200U	62437.00			
		Core-i7 6500U	64620.00			
BPC-024		Celeron-2955U	42353.00	2*HDMI, 6*COM Rs232, 2*Intel LAN, 4*USB3.0, 4*USB2.0, 1*SIM card Slot(optional) 1*MIC, 1*SPK, 1*DC-IN	1* SO-DIMM DDR3L Slot(MAX 8GB RAM) 1*MSATA3.0 SSD 1*2.5" SATA3.0 SSD/HDD	235*150*52 2.5Kg
		Core-i3 4005U	49994.00			
		Core-i5 4200U	55451.00			
		Core-i7 4500U	59817.00			
		Core-i3 5005U	51085.00			
		Core-i7 5500U	61993.00			

BPC-025		Celeron-1007U (1*DDR3)	39734.00	1*HDMI, 1*VGA, 1*LAN, 2*COM Rs232, 4*USB3.0, 3*USB2.0, 1*MIC, 1*SPK, 1*DC-IN	2* SO-DIMM DDR3L Slot 1*MSATA3.0 SSD 1*2.5" SATA3.0 SSD/HDD	235*150*52 2.5Kg
		Core-i3 4005U 5005U (2*DDR3L)	47811.00			
		Core-i5 4200U (2*DDR3L)	52177.00			
		Core-i5 5250U (2*DDR3L)	53268.00			
		Core-i3 6157U (2*DDR3L)	50430.00			
		Core-i5 7200U (2*DDR3L)	55888.00			
		Core-i3 7020U (2*DDR4)	51522.00		2* SO-DIMM DDR4 Slot 1*M.2 2280 NVME/SATA SSD 1*MSATA3.0 SSD 1*2.5" SATA3.0 SSD/HDD	
		Core-i3 8145U (2*DDR4)	54360.00			
		Core-i5 8265U (2*DDR4)	619993.00			
		Core-i7 8550U (2*DDR4)	71824.00			
Core-i7 10510U (2*DDR4)	74443.00					
BPC-026		Celeron-1007U (1*DDR3)	44536.00	1*HDMI, 1*VGA, 4*COM Rs232, 2*LAN, 4*USB3.0, 4*USB2.0, 1*MIC, 1*SPK, 1*DC-IN	1* SO-DIMM DDR3 Slot(MAX 8GB RAM) 1*MSATA3.0 SSD 1*2.5" SATA3.0 SSD/HDD Support Win XP	235*150*52 2.5Kg
		Celeron-1037U (1*DDR3)	45628.00			
		Core-i5 3317U (1*DDR3)	53268.00			

BPC-027		Celeron-J3160/N3160	38424.00	2*USB3.0, 4*USB2.0, 1*COM Rs232, 2*HDMI, 2*LAN, 1*MIC, 1*SPK, 1* DC IN	1 x SO-DIMM DDR3L Slot 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	136*126*43 1.5Kg
BPC-028		Celeron-J1900		2*USB3.0, 2*USB2.0, 2*COM(optional) 1*HDMI, 1*VGA 2*LAN, 1*MIC, 1*SPK, 1* DC IN	1 x SO-DIMM DDR3L Slot 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	136*126*43
BPC-029		Core-i5 6360U	54796.00	4 x USB2.0 2 x USB3.0 1 x VGA 1 x HDMI 2 x Intel LAN 1 x GPIO 1 x SIM card slot 6 x COM Rs232(COM1,COM 2 Rs232/422/485) 1*MIC 1*SPK 1*DC-IN	2xSO-DIMM DDR3L Slot, max 16GB 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	210*150*61 2.5Kg
BPC-030		Core-i5 4200U (2*DDR3L)	53268.00	4 x USB2.0, 4 x USB3.0, 1 x VGA, 1 x HDMI, 2 x Intel LAN, 6 x COM Rs232(COM1,COM 2 Rs232/422/485), 1 x SIM Card slot, 1 x GPIO, 1 x LPT, 1*MIC, 1*SPK, 1*DC-IN	2xSO-DIMM DDR3L Slot, max 16GB 1xMSATA3.0 SSD 1x2.5"SATA3.0 HDD	230*175*50 2.5Kg
		Core-i7 4650U (2*DDR3L)	57634.00			
		Core-i3 6006U (2*DDR4)	55451.00			
		Core-i5 7200U (2*DDR4)	61345.00			
		Core-i3 7020U (2*DDR4)	56979.00			
		Core-i5 8250U (2*DDR4)	64183.00			
		Core-i7 8550U (2*DDR4)	72915.00			

BPC-031		Celeron-J1900	44973.00	1*HDMI, 1*VGA, 2*USB3.0, 4*USB2.0, 2*COM Rs232/422/485, 2*Intel LAN 1*SIM card Slot 1*MIC, 1*SPK, 1*DC-IN	1* SO-DIMM DDR3L Slot(MAX 8GB RAM) 1*MSATA3.0 SSD 1*2.5" SATA3.0 SSD/HDD	175*125*37 1.5Kg
BPC-032		Celeron 3855U 3865U	53708.00	4*USB3.0 1*RJ45 COM 6*RJ45 Intel LAN 1*HDMI(No sound output) 1*DC-IN 1*HDD LED 1*SIM card slot	2xSO-DIMM DDR4 Slot, max 32GB DDR4 1xMSATA3.0 SSD 1x2.5"SATA3.0 HDD	155*126.5*52.5 1.5Kg
		Core i3-7100U	63528.00			
		Core i5-7200U	68331.00			
BPC-033		Celeron-N3160	41043.00	2*HDMI 1*DP 2*LAN 1*Audio 2*USB3.0 2*USB2.0 2*COM	1 x SO-DIMM DDR3L Slot 1xMSATA3.0 SSD 1x2.5"SATA3.0 SSD/HDD	134*126*38 1.5Kg
		Celeron-J1900	41043.00			