

# Radiotherapy Skin Reactions

Information for Patients



#### Introduction

This information describes the skin reactions you may develop during and after your radiotherapy. It also provides advice on how you can look after your skin

A skin reaction will only occur in the area being treated. Ask your radiographers and clinical nurse specialist where this is if you are not sure. If you have any questions that are not answered by this document, please talk to your radiographers and clinical nurse specialist

# How might my skin react to treatment?

A radiotherapy skin reaction is likely for most patients. It will not happen straight away but tends to develop gradually throughout treatment, and usually starts to settle 2–4 weeks after treatment finishes

During the course of your radiotherapy, you may develop a skin reaction and notice your skin...



# gradually become pinker or darker

depending on your skin colour



feel dry or tight, and sore



### develop a rash and feel itchy

This may feel worse when you get warm or hot



## blister or peel

If this happens seek further advice as you may need dressings or gel

# You may develop an **exit rash**

This is where the radiotherapy beam causes a reaction in the area opposite to where it goes in This will depend on how and where you are being treated. Tell your radiographers and clinical nurse specialist if you see or feel anything on your skin that concerns you

# What can make my skin reaction worse?

you develop a skin reaction during the course of your radiotherapy, a number of factors that may affect the reaction include:

0.

If you are prescribed a higher dose of radiation for your type of cancer

02

#### If you receive treatment to areas where your skin folds

This includes the groin, breast, buttocks or armpit; these areas can be warm, moist and rub together, making the skin more sensitive

03

#### If you receive treatment to the head and neck area

This is due to the sensitive nature of the skin and the tendency for this area to be exposed to the sun. If you are receiving treatment on your neck, you can help by covering this area with a cotton or silk scarf when you go outside

04

# If you smoke (this can affect the oxygen levels in your skin)

Please ask for advice if you need help to stop or to cut dow on smoking

05

# If you have other conditions such as diabetes or heart disease

Please tell your radiographers and clinical nurse specialist if you have any other health conditions so that it can be noted in your records



#### Skin care advice

Reactions to your skin cannot be prevented, however, there are things you can do to help yourself feel more comfortable

Tell your radiographers and clinical nurse specialist about your usual daily skin care routine. They

will let you know if any changes are advised

#### Keep notes of any differences

to your skin so you can share these with your radiographers and clinical nurse specialist. Please tell them if your skin reaction is painful, so they can recommend pain relief. Talk to them about any worries you have



# Health and well-being

It will help your overall health if you...





A diet that includes fruit, vegetables, whole grains and lean protein. You can ask your radiographers and clinical nurse specialist to provide examples and to explain the importance of staying hydrated and eating a healthy diet in more detail



If you are receiving treatment to your abdominal area they may recommend a different diet



#### you may

go swimming if your skin is NOT blistered or peeling

It is best to shower immediately afterwards to wash off the chlorine and then apply moisturiser. Please stop swimming if it irritates your skin







#### please avoid

sun exposure and protect the area from direct sunlight You can wear a brimmed hat and/or

cover up with clothing. Continue to protect the treated area from the sun for at least one year after you have finished treatment. Because your skin will be more sensitive, use sunscreen with SPF 50 (sun protection factor 50)

# Hugiene and moisturising

#### Moisturisers

- prefer and like to use. No specific moisturiser
- Use moisturiser frequently; gently smooth it onto your skin until it is absorbed. The

- Please stop using moisturiser if it irritates your skin and talk to your radiographers and
- If your skin blisters or peels, stop using moisturiser in that particular area and



#### deodorants/sprays washing and bathing

Make sure the water is not too hot; wash the skin gently with products you would normally use and gently pat dry



Please continue to use the deodorant you normally use, unless it irritates your skin; stop if your skin blisters or peels

## 'DON'Ts' for the treatment area

Please avoid...







#### shaving

reduce shaving if possible, unless advised differently by your radiographers and clinical nurse specialist



using wax, cream or lasers for hair removal on or close to the treated area



#### make-up hair dye, perfumes and aftershave on or close

to the treated area

# After your treatment has finished...

Most patients find

that their skin has

improved around

Your reaction may worsen for the next

10-14 daus before starting

weeks after

If skin has blistered or peeled it may take longe

15/01/2020 16:19

The treated area will continue to be



more sensitive than the rest of your skin, even once you have completed your radiotherapy, especially to heat and sunlight

# Do you have any questions?

Please talk to your radiographers and clinical nurse specialist. They are here to help you during and after your treatment

he contact details for your treatment team are:				

Published 2020 by The Society and College of Radiographers

5056 - SoR Design DOC A Patient infosheet - Skin Care A5 Leaflet LLv2.indd 4-6