For shade projects
Sunset Canvas
proudly uses Dri Z fabric from

RAINBOW SHADE

Need More Information.....

Sunset Canvas

341 Taylor Street, Toowoomba, Qld, 4350.

Phone: 07 46331600

Email: admin@sunsetcanvas.com.au

Website: www.sunsetcanvas.com.au





ALL WEATHER SHADE PROTECTION







Cinnamon UVR BLOCK 92.9% SHADE 90.5%



Charcoal UVR BLOCK 97% SHADE 96%



Silver Grey UVR BLOCK 94% SHADE 93%



Desert Sand UVR BLOCK 94% SHADE 88%



Black UVR BLOCK 98% SHADE 98%



Navy UVR BLOCK 97% SHADE 94%



Royal Blue UVR BLOCK 96% SHADE 91%



Laguna Blue UVR BLOCK 96% SHADE 95%



Rainforest UVR BLOCK 100% SHADE 93%



Turquoise
UVR BLOCK 92%
SHADE 86%



Olive UVR BLOCK 93.9% SHADE 91.9%



Terracotta
UVR BLOCK 95%
SHADE 91%



Mulberry UVR BLOCK 97% SHADE 94%



Rust Gold UVR BLOCK 97% SHADE 94%




Chocolate
UVR BLOCK 96.6%
SHADE 95.9%



Sunset Red UVR BLOCK 92.9% SHADE 87%

ALL WEATHER SHADE PROTECTION

DRi-Z provides weather protection from the wind, rain and sun, filtering up to 100% of harmful UV-Radiation whilst allowing natural light transmission.






EXCELLENT UV-R PROTECTION (UP TO 100%)



HIGH TENSILE STRENGTH







PROVEN DURABILITY AND LONGEVITY



EASY CARE AND MAINTENANCE



GREAT HEAT AND GLARE REDUCTION



FIRE TESTED AS-1530.2.1993

Need More Information.....
Sunset Canvas
341 Taylor Street, Toowoomba, Qld, 4350.
Phone: 07 46331600
Email: admin@sunsetcanvas.com.au
Website: www.sunsetcanvas.com.au







DRi-Z fabric combines the worldwide leading Z16 shade fabric with an ultraviolet stabilised clear polyethylene waterproof coating to produce a unique lightweight all weather shade fabric.

Weight: 280 GSM	Width: 3 metres Result		Roll length: 33 metres	Roll weight: 27 kg
Strength Characteristics			Standard	
Breaking force -warp	616	Ν	AS2001.2.3.1-2002	
Breaking force - weft	1143	Ν	AS2001.2.3.1-2002	
Tear resistance - warp	111	Ν	AS2001.2.10-1986	
Tear resistance - weft	180	Ν	AS2001.2.10-1986	
Bursting pressure	2500	kPa	AS2001.2.4 -1990	
Solar Protection Properties				
Providing up to 100% UVR Block and 50+UPF	Tested to Australian Standard AS 4174-1994			
Fire Properties				
Tested to Australian Standard AS 1530.2.1993				

DRi-Z Fabric Composition

Fabric Base:	ZI6 knitted high density polyethylene fabric
Fabric Coating:	Ultraviolet stabilised polyethylene
DRi-Z Fabric Range	16 colours

Fabrication

DRi-Z fabric can be sewn and sealed or welded using hot air or hot wedge welders.



Additional Resources

The recommended guidelines for shade fabric care and maintenance are presented in the Rainbow Shade Owner's Manual booklet. Please contact Rainbow Shade for a hard copy or PDF version.



Warranty

Rainbow Shade Offer a five year limited UV fabric warranty. In order for the fabric warranty to apply, the DRi-Z must be installed with the clear coated surface facing downwards. For more information and a copy of the warranty document please contact Rainbow Shade.

QUALITY

• SERVICE

INTEGRITY

Sunset Canvas
341 Taylor Street, Toowoomba, Qld, 4350.
Phone: 07 46331600

Need More Information....

Email: admin@sunsetcanvas.com.au Website: www.sunsetcanvas.com.au