

Leapmotor C10 Market Configuration Table							
Edition	410 Comfortable Edition	530 Comfortable Edition	530 Smart Edition	530-Smart-Driving Edition	210 Comfortable Edition	210 Smart Edition	210-Smart-Driving Edition
Basic Specifications							
Length * Width * Height (mm)	4739*1900*1680				4739*1900*1680		
Wheelbase (mm);	2825				2825		
CLTC battery range (km)	410	530	530	530	210	210	210
CLTC total range (km)					1190	1190	1190
WLTC battery range (km)					140	140	140
WLTC total range (km)					1020	1020	1020
Maximum speed (km/h)	170	170	170	170	170	170	170
0-100km/h acceleration (s)	7.29	7.29	7.29	7.29	7.68	7.68	7.68
Minimum Ground Spacing Without Load (mm)	180	180	180	180	180	180	180
Body	5 doors 5 seats				5 doors 5 seats		
Trunk Volume (L)	370/835				370/835		
weight (kg)	1845	1940	1965	1965	1925	1925	1925
Warranty	3 years or 50,000 km 5 years or 100,000 km						
Leapmotor Power Intelligent Power System							
Motor type	Permanent magnet synchronous motor						
Total motor power (kW)	170	170	170	170	170		
Total motor torque (N • m)	320	320	320	320	320		
Maximum power of rear motor (kW)	170	170	170	170	170		
Maximum torque of rear motor (N • m)	320	320	320	320	320		
Motor layout	Single motor (rear)						
REEV power generation system					1.5 L naturally aspirated range extender + high-efficiency		
Energy model					Extreme pure electric/pure electric priority/fuel priority		
CLTC Minimum State-of-Charge Fuel Consumption (L/100km)					5.10		
Tank volume (L)					50		
Environmental standards					National VI-B RDE		
Gearbox	Single speed transmissionSingle speed transmission						
Battery type	Lithium iron phosphate						
Battery energy (kWh)	52.9	69.9	69.9	69.9	28.4	28.4	28.4
AC Standard Charge (30%-80%)	~5.0 hrs	~6.1hrs	~6.1hrs	~6.1hrs	~3hrs	~3hrs	~3hrs
DC fast charging (30%-80%)	~30mins	~30mins	~30mins	~30mins	~30mins	~30mins	~30mins
Reserve charging							
Intelligent Battery Constant Temperature Management System							
Battery thermal runaway warning							
Battery pack warranty	8 years or 150,000 kilometers						
Chassis system							
Drive mode	RWD	RWD	RWD	RWD	RWD	RWD	RWD
Front suspension type	McPherson independent suspension						
Rear suspension type	Five-link independent suspension						
Type of booster	Electric power-assisted EPS						
Shift mode	Column shifter						
Driving mode	ECO/Comfort/Sport/Customize				Comfort/Sport/Customize		
Brake energy recovery system							
Front/Rear Brake Types	Front/rear ventilated disc brake				Front/rear ventilated disc brake		
EPB Electronic Parking							
Tire specification	●235/55 R18	●235/55 R18 ○245/45 R20 R20	●235/55 R18 ○245/45 R20	●235/55 R18 ○245/45 R20	●235/55 R18 ○245/45 R20	●235/55 R18 ○245/45 R20	●235/55 R18 ○245/45 R20
Aluminum alloy hub							
Leapmotor Pilot Intelligent Driving Assistance System							
Front-view camera	2 megapixels x 1			8 megapixels x 2	2 megapixels x 1		8 megapixels x 2
Face recognition camera	-	-	x1	x1	-	x1	x1
Surround view camera	1.3 megapixels x 4		4 megapixels x 4		1.3 megapixels x 4		4 megapixels x 4
Blind spot camera	-	-	-	x4	-	-	x4
Ultrasonic radar	x4	x4	x12	x12	x4	x12	x12
Front parking ultrasonic radar	-	-	x1	x1	-	x1	x1
Lateral millimeter-wave radar	-	-	x2	x4	-	x2	x4
laser radar	-	-	-	Line-120 x 1	-	-	Line-120 x 1
Rear high position camera	-	-	-	x1	-	-	x1
NVIDIA DRIVE Orin X Supercomputing Platform	-	-	-	x1	-	-	x1
High-precision map	-	-	-		-	-	
FVDW (Front Vehicle Departure Warning)							
SLIF (Speed Limit Information Function)							
FCW (Forward Collision Warning)							
FDM (Forward Distance Monitoring)	-	-			-		
LDW (Lane Departure Warning)							
BSV (Blind Spot Video)	-	-	-		-	-	
BSD (Blind Spot Detection)	-	-			-		
LCA (Lane Change Assist)	-	-	-		-	-	
DOW (Doors Open Warning)	-	-			-		
RCW (Rear Collision Warning)	-	-			-		
RCTA (Rear Cross Traffic Alert)	-	-			-		
Narrow Lane Assist System (SDIS)	-	-			-		
DMS (Driver Monitoring System)	-	-			-		
ACC (Adaptive Cruise Control)							
ATC (Adaptive Turning Cruise)	-	-			-		
AEB (Advanced Emergency Braking)							
LCC (Lane Centering Control)							
HOD (Hand Off Detection)							
LKA (Lane Keeping Assist)							
ALC (Auto Lane Change)	-	-	-		-	-	
ICA (Intelligent Cruise Assist)							
TJA (Traffic Jam Assist)	-	-	-		-	-	
HWA (Highway Assist)	-	-	-	Expressway/city expressway	-	-	Expressway/city expressway
(NAC)	-	-	-		-	-	
APA (Auto Parking Assist)	-	-			-		
RPA (Remote Parking Assist)	-	-			-		
Reversing camera with dynamic guide line							
360° panoramic image							
Transparent chassis							
AR navigation	-	-			-		
Leapmotor OS Intelligent Connectivity System							
LCD instrument panel	10.25	10.25	10.25	10.25	10.25	10.25	10.25
LCD centre console touchscreen	14.6 (2.5K)	14.6 (2.5K)	14.6 (2.5K)	14.6 (2.5K)	14.6 (2.5K)	14.6 (2.5K)	14.6 (2.5K)
CPU	SA8155P	SA8155P	SA8295P	SA8295P	SA8155P	SA8295P	SA8295P
Facial recognition start	-	-	-		-	-	
Face ID and adaptive configuration system	-	-			-		
Speech recognition control system							

Voice wake-free words	•	•	•	•	•	•	•
Independent audio source for front passenger touchscreen	Dual Zone						
Leap AI voice assistant	•	•	•	•	•	•	•
Visible and speakable intelligent voice control system	•	•	•	•	•	•	•
APP store	•	•	•	•	•	•	•
Mobile APP control	-	-	•	•	-	•	•
Rest mode	-	-	•	•	-	•	•
Guardian mode	•	•	•	•	•	•	•
Sentinel mode	-	-	•	•	-	•	•
Camping Mode	•	•	•	•	•	•	•
Rest mode	•	•	•	•	•	•	•
Guardian mode	•	•	•	•	•	•	•
Sentinel mode	•	•	•	•	•	•	•
Camping Mode	•	•	•	•	•	•	•
Car bluetooth phone	•	•	•	•	•	•	•
4G network	4G	4G	4G	5G	4G	4G	5G
Online music & FM	•	•	•	•	•	•	•
Screen mirroring	carlink	carlink	carlink	carlink	carlink	carlink	carlink
DSP Digital Power Amplifier Audio System	•	•	•	•	•	•	•
Speaker	12						
Smart home control	•	•	•	•	•	•	•
OTA updates	•	•	•	•	•	•	•
Mobile OTA updates	•	•	•	•	•	•	•
Safety							
Front airbags	•	•	•	•	•	•	•
Front side airbags	•	•	•	•	•	•	•
Integrated side curtain airbags	-	-	•	•	-	•	•
Front row pre-tensioned force-limiting seat belts	Pre tightening force limiting						
Seat belts reminder	Whole car						
Three-point seat belt for second row middle seat	Emergency locking						
Emergency locking seat belts for second row L/R seats	•	•	Pre tightening force limiting		•	Pre tightening force limiting	
TPMS (Tire Pressure Monitor System)	Tire pressure warning						
ISO FIX port	•	•	•	•	•	•	•
Intrusion anti-theft alarm	•	•	•	•	•	•	•
Door unclosed reminder	•	•	•	•	•	•	•
Car central lock	•	•	•	•	•	•	•
Rear door electronic child locks	Mechanical						
Speed-sensing auto door lock	•	•	•	•	•	•	•
Post-collision auto door unlock	•	•	•	•	•	•	•
ABS (Anti-lock Braking System)	•	•	•	•	•	•	•
EBD (Electronic Brake Force Distribution)	•	•	•	•	•	•	•
DBF (Dynamic Brake Force)	•	•	•	•	•	•	•
HBA (Hydraulic Brake Assist)	•	•	•	•	•	•	•
TCS (Traction Control System)	•	•	•	•	•	•	•
ESC (Electronic Stability Control)	•	•	•	•	•	•	•
HSA (Hill Start Assist) or (HHA)?	•	•	•	•	•	•	•
Auto Hold	•	•	•	•	•	•	•
HDC (Hill Descent Control)	•	•	•	•	•	•	•
ARP (Active Rollover Protection)	•	•	•	•	•	•	•
Multi-Collision Brake (MCB)	•	•	•	•	•	•	•
Exterior							
Panoramic sunroof	-	-	•	•	-	•	•
Electric sunshade	-	-	•	•	-	•	•
LED headlights	Far and near beam integrated						
Front through-type Headlight	-	○	○	○	○	○	○
Front integrated LED position lights	•	•	•	•	•	•	•
Height-adjustable headlights	•	•	•	•	•	•	•
Automatic headlights	•	•	•	•	•	•	•
Headlights with follow me home function	-	-	•	•	-	•	•
LED tail lights	•	•	•	•	•	•	•
LED high mount stop light	•	•	•	•	•	•	•
Intelligent lamp	-	○	○	○	○	○	○
Exterior mirror function	Electric adjustable ,Heating		Electric adjustable , heating, memory and tilt downward in reverse, auto fold when car lock		Electric adjustable &Heating		Electric adjustable , heating, memory and-tilt downward-in reverse, auto-fold when car lock
Exterior mirror LED turn signal lights	•	•	•	•	•	•	•
Front windshield boneless rain-sensing wipers	•	•	•	•	•	•	•
Heated rear windshield	•	•	•	•	•	•	•
Rear windshield wiper	•	•	•	•	•	•	•
Manual swing-out hidden door handle	•	•	•	•	•	•	•
Front and rear electric windows	•	•	•	•	•	•	•
Roll up and down four windows with one button (with anti-pinch function)	Full	Full	Full	Full	Full	Full	Full
Window anti-pinch function	Full	Full	Full	Full	Full	Full	Full
Front laminated acoustic glass	Front	Front	Front	Front	Front	Front	Front
Shark fin antenna	•	•	•	•	•	•	•
Electric trunk (with position memory and anti-pinch)	-	-	•	•	-	•	•
Interior							
Leather multifunction steering wheel	•	•	•	•	•	•	•
Multi-function steering wheel	•	•	•	•	•	•	•
Manually adjustable steering wheel-4 directions	up&down / forward&backward						
Steering wheel heating	-	○	○	○	○	○	○
Seats	•Leather	•Leather ○Organic silicon seat fabric					
Front row seats with integrated headrests	Removable						
6-way electrically adjustable driver seat	up&down / forward&backward/ Height adjustment						
4-way electrically adjustable front passenger seat	forward&backward/ Height adjustment						
front seat electrically adjustable	•	•	•	•	•	•	•
Front seat function	-	○Heating ○Ventilation					
Main driver's seat memory with welcome function	-	-	•	•	-	•	•
Second Row Seat Adjustment	•	•	•	•	•	•	•
Second row of seats 4/6 down	•	•	•	•	•	•	•
Second Row Central Armrest	•	•	•	•	•	•	•
Second Row Central Arrest Cup Holder	•	•	•	•	•	•	•
Inner rearview mirror anti-glare	Manual						
Illuminated vanity mirrors of headliner	Driver and passenger seat						
Reading lamp	Front &second row						
Interior ambient lights	-	○256 color					
Fabric headliner	•	•	•	•	•	•	•
Luggage compartment illumination	•	•	•	•	•	•	•
Climate Control System							
Auto thermostatic dual-zone climate control	•	•	•	•	•	•	•

Second row climate outlet	•	•	•	•	•	•	•	•
PM 2.5 detection	-	○	○	•	•	○	○	•
High-efficiency composite filter	•	•	•	•	•	•	•	•
AQS (Air Quality System)	-	○	○	•	•	○	○	•
Hidden AC outlet	•	•	•	•	•	•	•	•
Comfort and Convenience								
Driving video recorder	•	•	•	•	•	•	•	•
Key type	NFC×1							
Wireless charger	Bluetooth&Mechanicalx1							
	Frontx1 (15W)							
Front USB interface	USB-A×1 (2.5W DATA) USB-A×1 (12W) TYPE-C×1 (15W)	USB-A×1 (2.5W DATA) USB-A×1 (12W) TYPE-C×1 (15W)	USB-A×1 (12W DATA) TYPE-C×1 (60W DATA)	USB-A×1 (12W DATA) TYPE-C×1 (60W DATA)	USB-A×1 (2.5W DATA) USB-A×1 (12W) TYPE-C×1 (15W)	USB-A×1 (12W DATA) TYPE-C×1 (60W DATA)	USB-A×1 (12W DATA) TYPE-C×1 (60W DATA)	USB-A×1 (12W DATA) TYPE-C×1 (60W DATA)
Rear row TYPE-C port	-	-	TYPE-A×1 (12W) TYPE-C×1 (15W)	TYPE-A×1 (12W) TYPE-C×1 (15W)	-	TYPE-A×1 (12W) TYPE-C×1 (15W)	TYPE-A×1 (12W) TYPE-C×1 (15W)	TYPE-A×1 (12W) TYPE-C×1 (15W)
12V power supply	Front	Front	Front	Front	Front	Front	Front	Front
V2L external discharge function	•	•	•	•	•	•	•	•
Glove box	•	•	•	•	•	•	•	•
Comfort brake	•	•	•	•	•	•	•	•
外观颜色								
Liuli Green	○300USD	○300USD	○300USD	○300USD	○300USD	○300USD	○300USD	○300USD
Pearl White	○	○	○	○	○	○	○	○
Sky Grey / SAND	○	○	○	○	○	○	○	○
Tundra Grey	○	○	○	○	○	○	○	○
Metallic Black	○	○	○	○	○	○	○	○
Glacier Blue	○	○	○	○	○	○	○	○
Interior								
Purple	○	○	○	○	○	○	○	○
Orange	○	○	○	○	○	○	○	○
Full Package Kit (This Package does not Support Individual Optional Components)+1500USD								
Front/ Back through-type Headlight	-	○	○	○	○	○	○	○
Intelligent lamp								
20" tire								
Luxury Tire								
256 color Interior ambient lights								
Organic silicon seat fabric								
Front row seats ventilation								
Front row seats massage								
Heated steering wheel								
AQS (Air Quality System)								
PM 2.5 detection								
Note: • Standard — Not available ○ Optional								

Remarks: • Indicates presence of this configuration - indicates absence of this configuration - ○ indicates optional configuration

1. The range is obtained through inspection by China Automotive Research and Development Corporation (Tianjin) Co., Ltd. in accordance with the relevant testing standards of CLTC/WLTC;

2. The 0-100km/h acceleration time is based on test data from Leapmotor Laboratory for reference. There may be slight differences in road conditions and environments;

3. The actual range and acceleration ability of vehicles vary due to objective factors such as different environmental temperatures, driving conditions, driving habits and operations, and vehicle conditions;

4. The charging time is measured by the Leapmotor laboratory under specific conditions according to relevant testing standards. The actual charging time varies due to factors such as charging power, ambient temperature, and vehicle status;

5. The Leapmotor Pilot intelligent driving assistance system cannot completely replace the driver's control and cannot fully cope with all possible situations such as traffic, weather, and road conditions. The driver must always maintain the necessary duty of care and intervene or take over according to the surrounding environment in a timely manner. In complex traffic situations, adverse weather, special road conditions, etc., it is necessary to carefully choose and use it;

6. The optional price for the appearance color of Liuli Cui is 2000 yuan; The full set does not support individual optional items, and the optional price for the optional package is 10000 yuan;

7. The discharge socket needs to be purchased from Leapmotor Mall;

8. The organic silicon seat fabric is made by splicing the organic silicon seat fabric and leather material;

9. The content of this directory is compiled based on the vehicle configuration status information at the time of writing. Due to some objective reasons, such as the continuous changes in laws and regulations, personal differences in understanding of relevant information, and the possibility of untimely updates in the introduction information, there may be certain differences between the physical vehicles and the directory content. The actual sales vehicles of the store should be taken as the basis;

10. Leapmotor Motors has the right to interpret and reserve the right to change technical parameters, configurations, and other product information within the scope permitted by law.