Leapmotor C11 EV-Specifications and Configurations							
Edition	520 Comfort Edition	515 Smart Edition	580 Premiunm Edition	580-Smart Edition	580-4WD Performance Edition		
Basic specifications							
Length×Width×Height (mm)			4750*1905*1675				
Wheelbase (mm)	500	500	2930	650	500		
CLTC range (km) Top speed (km/h)	502 170	502 170	502 170	650 170	<del>580</del> <del>200</del>		
0-100km/h acceleration (s)	<del>7.9</del>	7.9	7.9	7.9	4 <del>.5</del>		
Min. ground clearance (mm)	180	180	180	180	180		
Vehicle type			5 doors & 5 seats				
Trunk capacity (L)			375/840				
Vehicle warranty							
Leapmotor Intelligent Power System	1	D					
Motor type Motor max. power (kW)	<del>200</del>	200	ent magnet synchrono 200	us motor	<del>400</del>		
Motor max. torque (N•m)	<del>360</del>	360	360	<del>360</del>	<del>720</del>		
Front motor max. power (kW)	-	-	-	-	<del>200</del>		
Front motor max. torque (N•m)	-	-	-	-	<del>360</del>		
Rear motor max. power (kW)	200	200	200	200	<del>200</del>		
Rear motor max. torque (N•m)	<del>360</del>	360	360	<del>360</del>	<del>360</del>		
Motor layout			d single motor		Front/rear dual motors		
Transmission			ngle-speed transmissi				
Battery type	LFP CO.2	LFP	LFP	LFP	NMC		
Battery capacity (kWh) AC charging time (30%-80%)	69.2 About 6h	69.2 About 6h	78.5 About 7.7h	78.5 About 7.7h	89.97 About 7.7h		
DC charging time (30%-80%)	ADOUT OH	About 011	About 7.7n About 40min	About 7.711	About 7.711		
Scheduled charging			•				
Intelligent Battery Temperature Management System			•				
Battery pack warranty							
Chassis & Steering							
Driving mode	RWD	RWD	RWD	RWD	<del>4WD</del>		
Front suspension Rear suspension			wishbone independe e-link independent su				
Steering type			6 (Electric Power Steer	•			
Gear shifting			Column shifter	97			
Drive mode	Comfort/Sport/Customize Comfort/Sport						
Regenerative braking system	•	•	•	•	•		
Front/rear brake		Fron	t/rear ventilated disc l	orake			
EPB (Electric Parking Brake)	•	•	•	•	•		
Tire size	<del>235/60 R18</del>	235/60 R18	235/60 R18	<del>235/60 R18</del>	<del>235/60 R18</del>		
Aluminum alloy wheel  Leapmotor Pilot Intelligent Driver Assistance System	•	•	•	•	•		
Monocular camera	-	-	-	-	-		
Binocular camera	1 (with 2 cameras)	1 (with 2 cameras)	1 (with 2 cameras)	1 (with 2 cameras)	1 (with 2 cameras)		
Facial recognition camera	-	-	1	1	1		
Surround view camera	4	4	4	4	4		
Blind spot camera	-	-	-	4	4		
Front parking ultrasonic radar	4	4	4	4	4		
Rear parking ultrasonic radar Side parking ultrasonic radar	4	4	4	4	4		
Forward millimeter-wave radar	1	1	1	4	4		
Lateral millimeter-wave radar	<del>2</del>	2	2	4	4		
	_	-	-	-	-		
FVDW (Front Vehicle Departure Warning)							
SLIF (Speed Limit Information Function)	•	•	•	•	•		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning)	•	•	•	•	•		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring)	•	•	•	•	•		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning)	•	•	•	• •	• •		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning) BSV (Blind Spot Video)	•	•	•	• •	• •		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning)	•	•	•	• •	• •		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning) BSV (Blind Spot Video) BSD (Blind Spot Detection)	•	•	•	•	•		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning) BSV (Blind Spot Video) BSD (Blind Spot Detection) LCA (Lane Change Assist)	•	•	•	•	•		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning) BSV (Blind Spot Video) BSD (Blind Spot Detection) LCA (Lane Change Assist) DOW (Doors Open Warning) RCW (Rear Collision Warning) RCTA (Rear Cross Traffic Alert)	•	•	•	•	•		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning) BSV (Blind Spot Video) BSD (Blind Spot Detection) LCA (Lane Change Assist) DOW (Doors Open Warning) RCW (Rear Collision Warning) RCTA (Rear Cross Traffic Alert) Narrow Lane Assist System	•	•	•	•	•		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning) BSV (Blind Spot Video) BSD (Blind Spot Detection) LCA (Lane Change Assist) DOW (Doors Open Warning) RCW (Rear Collision Warning) RCTA (Rear Cross Traffic Alert) Narrow Lane Assist System DMS (Driver Monitoring System)	• • • • • • • • • • • • • • • •	•	•	• • • • • • • • • • • • • • • • • • •	•		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning) BSV (Blind Spot Video) BSD (Blind Spot Detection) LCA (Lane Change Assist) DOW (Doors Open Warning) RCW (Rear Collision Warning) RCTA (Rear Cross Traffic Alert) Narrow Lane Assist System DMS (Driver Monitoring System) ACC (Adaptive Cruise Control)	• • • • • • • • • • • • • • • • • • •	•	•	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning) BSV (Blind Spot Video) BSD (Blind Spot Detection) LCA (Lane Change Assist) DOW (Doors Open Warning) RCW (Rear Collision Warning) RCTA (Rear Cross Traffic Alert) Narrow Lane Assist System DMS (Driver Monitoring System) ACC (Adaptive Cruise Control) ATC (Adaptive Turning Cruise)	• • • • • • • • • • • • • • • • • • •	•	•	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning) BSV (Blind Spot Video) BSD (Blind Spot Detection) LCA (Lane Change Assist) DOW (Doors Open Warning) RCW (Rear Collision Warning) RCTA (Rear Cross Traffic Alert) Narrow Lane Assist System DMS (Driver Monitoring System) ACC (Adaptive Cruise Control) ATC (Adaptive Turning Cruise) AEB (Advanced Emergency Braking)	• • • • • • • • • • • • • • • • • • •	•	•	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •		
SLIF (Speed Limit Information Function)  FCW (Forward Collision Warning)  FDM (Forward Distance Monitoring)  LDW (Lane Departure Warning)  BSV (Blind Spot Video)  BSD (Blind Spot Detection)  LCA (Lane Change Assist)  DOW (Doors Open Warning)  RCW (Rear Collision Warning)  RCTA (Rear Cross Traffic Alert)  Narrow Lane Assist System  DMS (Driver Monitoring System)  ACC (Adaptive Cruise Control)  ATC (Adaptive Turning Cruise)  AEB (Advanced Emergency Braking)  LCC (Lane Centering Control)	• • • • • • • • • • • • • • • • • • •	•	•	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •		
SLIF (Speed Limit Information Function) FCW (Forward Collision Warning) FDM (Forward Distance Monitoring) LDW (Lane Departure Warning) BSV (Blind Spot Video) BSD (Blind Spot Detection) LCA (Lane Change Assist) DOW (Doors Open Warning) RCW (Rear Collision Warning) RCTA (Rear Cross Traffic Alert) Narrow Lane Assist System DMS (Driver Monitoring System) ACC (Adaptive Cruise Control) ATC (Adaptive Turning Cruise) AEB (Advanced Emergency Braking)	• • • • • • • • • • • • • • • • • • •	•	•	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •		

ICA (Intelligent Cruise Assist) TJA (Traffic Jam Assist)		-	-	•	•
HWA (Highway Assist)	-		-	•	•
APA (Auto Parking Assist)	•	•	•	•	•
RPA (Remote Parking Assist)	•	•	•	•	•
Auto Parking with handle	•	•	•	•	•
Dashcam	•	•	•	•	•
Reversing camera with dynamic guide line	•	•	•	•	•
360° panoramic image	•	•	•	•	•
AR navigation	-	-	-	•	•
Leapmotor OS Intelligent Connectivity System					
LCD instrument panel	<del>10.25''</del>	10.25''	10.25"	<del>10.25''</del>	<del>10.25''</del>
LCD centre console touchscreen	<del>14.6''</del>	12.8''	14.6''	<del>14.6''</del>	<del>14.6''</del>
Front passenger touchscreen	<del>10.25"</del>	10.25''	10.25"	<del>10.25"</del>	<del>10.25''</del>
Rear switch control display	-	-	•	•	•
Facial recognition start	-	-	•	•	•
Face ID and adaptive configuration system	·	-	•	•	•
"Hello, Xiao Ling" Al voice assistant	•	•	•	•	•
Visible and speakable intelligent voice control system  APP store	•	•	•	•	•
Mobile APP control	•	•	•	•	•
	•			•	•
Car bluetooth phone 4G network	•	•	•	•	•
Online music & FM	•	•	•	•	•
Screen mirroring	•	•	•	•	•
Speakers	12	12	12	12	<del>12</del>
OTA updates	+z •	•	•	+z •	+ <del>/</del> 2
Safety		·	· ·		
Front airbags	•	•	•	•	•
Front side airbags	•	•	•	•	•
Integrated side curtain airbags	•	•	•	•	•
Height-adjustable front seat belts	•	•	•	•	•
Front row pre-tensioned force-limiting seat belts	•	•	•	•	•
Front row seat belts reminder	•	•	•	•	•
Three-point seat belt for second row middle seat	•	•	•	•	•
Emergency locking seat belts for second row L/R seats	•	•	•	•	•
TPMS (Tire Pressure Monitor System)	•	•	•	•	•
ISO FIX port	•	•	•	•	•
Intrusion anti-theft alarm	•	•	•	•	•
Door unclosed reminder	•	•	•	•	•
Car central lock	•	•	•	•	•
Rear door electronic child locks	•	•	•	•	•
Speed-sensing auto door lock	•	•	•	•	•
Post-collision auto door unlock	•	•	•	•	•
ABS (Anti-lock Braking System)	•	•	•	•	•
EBD (Electronic Brake Force Distribution)	•	•	•	•	•
DBF (Dynamic Brake Force)	•	•	•	•	•
HBA (Hydraulic Brake Assist)	•	•	•	•	•
TCS (Traction Control System)	•	•	•	•	•
ESC (Electronic Stability Control) HSA (Hill Start Assist)	•	•	•	•	•
Auto Hold	•	•	•	•	•
HDC (Hill Descent Control)	•	•	•	•	•
ARP (Active Rollover Protection)	•	•	•	•	•
Exterior					
Panoramic sunroof	•	•	•	•	•
Electric sunshade	•	•	•	•	•
LED headlights	•	•	•	•	•
LED daytime running lights	-	-	•	•	•
Front integrated LED position lights	•	•	•	•	•
Height-adjustable headlights	•	•	•	•	•
Automatic headlights	•	•	•	•	•
Headlights with follow me home function	•	•	•	•	•
LED tail lights	•	•	•	•	•
LED high mount stop light	•	•	•	•	•
Electrically adjustable exterior mirrors	•	•	•	•	•
Auto fold exterior mirrors when locking	•	•	•	•	•
exterior militors with heating, memory and tilt downward in	-	-	•	•	•
Exterior mirror LED puddle lights	•	•	•	•	•
Front windshield boneless rain-sensing wipers	•	•	•	•	•
Heated rear windshield	•	•	•	•	•
Rear windshield wiper	•	•	•	•	•
Electric retractable hidden door handles	•	-	•	•	•
Manual swing-out hidden door handles		•	•		
Front and rear electric windows Rear privacy glass	•	•	•	•	•
		-	•	•	•

Roll up and down four windows with one button (with anti-pind	•	•	•	•	•
Front laminated acoustic glass	-	•	•	•	•
Roof rack	-	•	•	•	•
Shark fin antenna	<b>*</b>	•	•	•	•
Interior		•			
Leather multifunction steering wheel	•	•	•	•	•
farmand Orbandamend)	*	•	•	•	•
PVC seats	•	•	•	•	•
Front row seats ventilation	-	-	•	•	
Heated front row seats	-	-	•	•	
Front row seats with integrated headrests	•	•	•	•	•
6-way electrically adjustable driver seat	•	•	•	•	•
Driver seat with memory and welcome function	-	•	•	•	•
4-way electrically adjustable front passenger seat	•	•	•	•	•
Second row seats folding forward- 4:6 split	•	•	•	•	•
Second row centre armrest	•	•	•	•	•
Second row centre armrest with cup holder	•	-	•	•	•
Manual dimming interior mirror	•	-	•	•	•
Driver and passenger sun visors with vanity mirrors	•	•	•	•	•
Illuminated vanity mirrors of headliner	<del>-</del>	•	•	•	•
Front and rear row reading lights	•	•	•	•	•
Interior ambient lights	-	•	•	•	•
Fabric headliner	•	•	•	•	•
Luggage compartment illumination	•	•	•	•	•
Electric tailgate with memory and anti-pinch	•	•	•	•	•
Climate Control System					
Auto thermostatic single-zone climate control	•	•	-	-	-
Auto thermostatic dual-zone climate control	·	-	•	•	•
AQS (Air Quality System)	-	•	•	•	•
PM 2.5 filter	•	•	•	•	•
High-efficiency composite filter	•	•	•	•	•
Rear air conditioning vent  Comfort and Convenience	•	·	•	•	•
	1	1	1	1	1
Smart key fob Phone bluetooth key		•	•		<u>+</u>
Electrically powered doors opening from the interior (4 doors)	•	•	•	•	•
Interior emergency door release (4 doors)	•	•	•	•	•
Guardian mode	•	•	•	•	•
Napping mode	-	•	•	•	•
Meditation Mode	•	•	•	•	•
Front row phone wireless charging	_	-	•	•	•
Front row USB port	2	2	2	2	2
Rear row TYPE-A+C port (one of each)	-	-	2	2	2
Front row 12V power	•	•	•	•	•
Body Color		•			
Bright White	<del>-</del>	0	0	<del>•</del>	•
Galaxy Sliver	-	0	0	<b>+</b>	Φ
Glacier Blue	-	0	0	÷	Φ
Sky Grey	-	0	0	Ф	÷
Tundra Grey	-	0	0	<del>o</del>	÷
Metallic Black	÷	0	0	÷	÷
Interior Color(2 options)					
Grey+Purple	-	0	0	÷	÷
Sand/ Gold NO AVALIABLE					
Black+Brown	÷	0	0	↔	÷
Full Package Kit (This Package does not Support Individual C	ptional Components	s)+750USD			
Nappa leather steering wheel	-	-	0	0	θ
Heated steering wheel	-	-	0	÷	÷
Nappa leather seats	-	-	0	÷	÷
4-way electrically adjustable driver seat with lumbar support	-	-	0	↔	÷
Front row seats massage	-	-	0	÷	÷
Heated rear L/R seats	-	-	0	θ	<del>0</del>
255/45 R20 tire	-	-	0	÷	÷
20" performance aluminum alloy wheel	-	-	0	-	÷
Panoramic Openable Sunroof		<u> </u>			
Panoramic openable sunroof	-	-	0	÷	÷